



OFFICE OF THE ROURKELA MUNICIPAL CORPORATION
UDITNAGAR, ROURKELA, ODISHA-769012
E-mail ID: rourkelamunicipality@gmail.com

Letter No. 6531


Date. 20-5-22

CORRIGENDUM TO TENDER CALL NOTICE NO. 6088


Corrigendum to the Tender Call Notice No. 6088 dated 09.05.22 with reference to the Tender Call Notice for **"Rate Contract for Supply & Installation of Water Fountain at Various Locations of Rourkela City with Defect Liability Period of Two Years"** invited by Commissioner, Rourkela Municipal Corporation, Rourkela is hereby modified in Section-I (Bid Security/ Earnest Money Deposit) and Annexure-VII. The other terms & conditions including the last date of bidding of the Tender remain unchanged.

- A. **Bid Security/ Earnest Money Deposit:** MSME shall be exempted to submit the EMD/Bid security as per the MSME development policy 2016. MSME needs to submit valid MSME registration certificate. However, the Successful bidder will submit the Performance Guarantee of 5% of the order value in shape of Demand Draft/ Term Deposit Receipt (TDR)/ Performance Bank Guarantee while entering into the Contract Agreement.
- B. **Specification:** Annexed in revised form with this notice.




Memo No. 6532






Dy. Commissioner
Rourkela Municipal Corporation
Date: 20-5-22




Copy to Office Notice Board/ MIS, RMC for general public information and uploading of the Corrigendum in the RMC website.





Dy. Commissioner
Rourkela Municipal Corporation




Annexure-VII

Sl. No	Name of the Water Fountain	Specification & features	Illustrative Picture
1	DOUBLE DOME FOUNTAIN (20' Dia Pool)	<ul style="list-style-type: none"> • POOL: 20' DIA • WATER EFFECT: 15' Height • PUMP: 10Hp Three phase submersible open-well pump • LIGHTING: 24 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights up to 10mtrs. Distance with suitable panel board. 	
2	DOUBLE DOME FOUNTAIN (15' Dia Pool)	<ul style="list-style-type: none"> • POOL: 15' DIA • WATER EFFECT: 13' Height • PUMP: 7.5Hp Three phase submersible open-well pump • LIGHTING: 18 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights up to 10mtrs. Distance with suitable panel board. 	
3	DOUBLE DOME FOUNTAIN (10' Dia Pool)	<ul style="list-style-type: none"> • POOL: 10' DIA • WATER EFFECT: 10' Height • PUMP: 03Hp Three phase submersible open-well pump • LIGHTING: 12 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights up to 10mtrs. Distance with suitable panel board. 	




4	<p>DOME WITH GEYSER FOUNTAIN (20' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 20' dia • WATER EFFECT: 16' Height • PUMP: 10Hp Three phase submersible open-well pump • LIGHTING: 21 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable Panel board. 	
5	<p>DOME WITH GEYSER FOUNTAIN (15' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 15' dia • WATER EFFECT: 13' Height • PUMP: 05Hp Three phase submersible open-well pump • LIGHTING: 16 nos of multi-color 12 watt LED light PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
6	<p>DOME WITH GEYSER FOUNTAIN (10' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 10' dia • WATER EFFECT: 8' Height • PUMP: 02Hp Single phase submersible open-well pump • LIGHTING: 10 nos of multi-color 12 watt LED light PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel 	
7	<p>WATER ROCKET FOUNTAIN (20' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 20' DIA • WATER EFFECT: 15' Height • PUMP: 5 Hp Three phase submersible open-well pump • LIGHTING: 17 nos of multi-color 12 watt LED light • PANEL BOAR: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	



8	WATER ROCKET FOUNTAIN (14' Dia Pool)	<ul style="list-style-type: none"> • POOL: 14' DIA • WATER EFFECT: 12' Height • PUMP: 1.5HP Single phase submersible open-well pump • LIGHTING: 10 no.s of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. • Distance with suitable panel board. 	
9	WATER ROCKET FOUNTAIN (10' Dia Pool)	<ul style="list-style-type: none"> • POOL: 10' DIA • WATER EFFECT: 10' Height • PUMP: 01Hp Single phase submersible open-well pump • LIGHTING: 08 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
10	NEW VULKAN FOUNTAIN (15' Dia Pool)	<ul style="list-style-type: none"> • POOL: 15' DIA • WATER EFFECT: 04' Ht(outer), 8' height (middle), 12' ht(center) • PUMP: 1.5Hp Single phase submersible open-well pump • LIGHTING: 12 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

11	NEW VULKAN FOUNTAIN (12' Dia Pool)	<ul style="list-style-type: none"> • POOL: 12' DIA • WATER EFFECT: 03' Ht(outer),6'height (middle),9'ht(center) • PUMP:01Hp Single phase submersible open-wellpump • LIGHTING: 10 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable Panel board. 	
12	NEW VULKAN FOUNTAIN (8' Dia Pool)	<ul style="list-style-type: none"> • POOL: 8' DIA • WATER EFFECT: 02' Ht(outer),6'height (middle),8'ht(center) • PUMP:0.5HpSingle phase submersible open-wellpump • LIGHTING: 06 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
13	NEW CROWN FOUNTAIN (20' Dia Pool)	<ul style="list-style-type: none"> • POOL: 20' DIA • WATER EFFECT: 04' Ht(outer), 10' height (middle), 14'ht (center) • PUMP: 5Hp three submersible open-well pump • LIGHTING: 16 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

14	NEW CROWN FOUNTAIN (14' Dia Pool)	<ul style="list-style-type: none"> • POOL: 14' DIA • WATER EFFECT: 03' Ht(outer), 09' height (middle), 12'ht (center) • PUMP: 3Hp three submersible open-well pump • LIGHTING: 12 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel Board. 	
15	NEW CROWN FOUNTAIN (10' Dia Pool)	<ul style="list-style-type: none"> • POOL: 10' DIA • WATER EFFECT: 02' Ht(outer), 06' height (middle), 10'ht (center) • PUMP: 1Hp Single submersible open-well pump • LIGHTING: 10 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
16	ARCHITECTURAL FOUNTAIN (35' Dia Pool)	<ul style="list-style-type: none"> • POOL: 35' DIA • WATER EFFECT 12' Height • PUMP: 5 Hp three phase submersible open-well pump • LIGHTING: 20 nos of multi color 12watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

17	ARCHITECTURAL FOUNTAIN (25' Dia Pool)	<ul style="list-style-type: none"> • POOL: 25' DIA • WATER EFFECT 10' Height • PUMP: 5 Hp three phase submersible open-well pump • LIGHTING 16 nos of multi color 12watt LED light • PANEL BOARD Cable for pump set and lights upto 10mtrs. Distance with suitable Panel board. 	
18	ARCHITECTURAL FOUNTAIN (15' Dia Pool)	<ul style="list-style-type: none"> • POOL: 15' DIA • WATER EFFECT 8' Height • PUMP: 3 Hp three phase submersible open-well pump • LIGHTING: 12 nos of multi color 12watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable Panel board. 	
19	GEYSER LINE FOUNTAIN	<ul style="list-style-type: none"> • POOL: 7'(W) X 20'(L) • WATER EFFECT: 3' Height • PUMP: 02 Hp Single phase submersible open-well pump • LIGHTING: 07 Nos. of 18 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable Panel board. 	
20	MAGIC TAP FOUNTAIN	<ul style="list-style-type: none"> • POOL: 12' DIA • WATER EFFECT: 10' Height • PUMP: 03 Hp Three phase submersible open-well pump • LIGHTING: 04 nos of multi-color 12-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

21	<p>FLOATING FOUNTAIN (VULKAN)</p>	<ul style="list-style-type: none"> • POOL: Existing Pond • WATER EFFECT: 20' Height • PUMP: 02 Hp Single phase submersible open-well pump • LIGHTING: 06 nos of multi color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
22	<p>CALYX FOUNTAIN</p>	<ul style="list-style-type: none"> • POOL: 15' dia • WATER EFFECT: 3' Height • PUMP: 1 Hp single phase submersible open-well pump • LIGHTING: 01 nos of multi-color 18-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
23	<p>FOAM FOUNTAIN (7'(W) X 28'(L) Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 7'(W) X 28'(L) • WATER EFFECT: 5' Height • PUMP: 5Hp Three phase submersible open-well pump • LIGHTING: 10 nos of multi-color 18-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

24	FOAM FOUNTAIN (6'(W) X 18'(L) Dia pool)	<ul style="list-style-type: none"> • POOL: 6'(W) X 18'(L) • WATER EFFECT: 5' Height • PUMP: 3 Hp Three phase submersible open-well pump • LIGHTING: 07 nos of multi-color 18-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
25	TRIPLE GEYSER FOUNTAIN	<ul style="list-style-type: none"> • POOL: 7'(W) X 12'(L) • WATER EFFECT: 6' Height (center), 3'ht (Side) • PUMP: 1.5 Hp Singlephase submersible open-well pump • LIGHTING: 3 Nos. of 18 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable Panel board. 	
26	CIRCULAR GEYSER FOUNTAIN	<ul style="list-style-type: none"> • POOL: 20' DIA • WATER EFFECT 8' Height(center),3'ht(Si de) • PUMP: 7.5 Hp Three phase submersible open-well pump • LIGHTING:04 Nos. of 18-watt LED light & 03 nos12-wattLED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

**SD/-
Commissioner
Rourkela Municipal Corporation**