



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	01.01.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.12.2021; 09:00 A.M.
Date & Time of receipt of specimen	31.12.2021; 01:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/213807	2137301009922	Surju Bag	60	M	Nasal Swab	01.01.2022	Negative	7684920291	RGH IPD Rourkela
2	Cov/213808	2137301009934	Sura Munda	58	M	Nasal Swab	01.01.2022	Negative	9777859889	RGH IPD Rourkela
3	Cov/213809	2137301009946	Mohan Karmakar	55	M	Nasal Swab	01.01.2022	Negative	6372443998	RGH IPD Rourkela
4	Cov/213810	2137301009991	Rupesh Mahato	18	M	Nasal Swab	01.01.2022	Negative	9905349625	RGH IPD Rourkela
5	Cov/213811	2137301010018	Rekha Senapati	35	F	Nasal Swab	01.01.2022	Negative	7735799497	RGH IPD Rourkela
6	Cov/213812	2137301010034	Sukha Kishan	70	F	Nasal Swab	01.01.2022	Negative	8114676234	RGH IPD Rourkela
7	Cov/213813	2137301010044	Jahar Khatoon	40	F	Nasal Swab	01.01.2022	Negative	9348123039	RGH IPD Rourkela
8	Cov/213814	2137301010058	Sumita Lohar	40	F	Nasal Swab	01.01.2022	Negative	7894311370	RGH IPD Rourkela
9	Cov/213815	2137301010074	Khaira Kumbhar	50	F	Nasal Swab	01.01.2022	Negative	8144928645	RGH IPD Rourkela
10	Cov/213816	2137301010102	Dashmi Oram	75	F	Nasal Swab	01.01.2022	Negative	8280452047	RGH IPD Rourkela
11	Cov/213817	2137301010128	Sahnaz Begam	60	F	Nasal Swab	01.01.2022	Negative	8260894410	RGH IPD Rourkela
12	Cov/213818	2137301010156	Sukhmani Devi	40	F	Nasal Swab	01.01.2022	Negative	8252581445	RGH IPD Rourkela
13	Cov/213819	2137301010169	Yasmin Khan	25	F	Nasal Swab	01.01.2022	Negative	8599035108	RGH IPD Rourkela
14	Cov/213820	2137301010185	Dayamati Samasi	60	F	Nasal Swab	01.01.2022	Negative	9692655279	RGH IPD Rourkela
15	Cov/213821	2137301010197	Sahoda Parween	40	F	Nasal Swab	01.01.2022	Negative	9938848804	RGH IPD Rourkela
16	Cov/213822	2137301010216	Ratani Patra	40	F	Nasal Swab	01.01.2022	Negative	8249517171	RGH IPD Rourkela
17	Cov/213823	2137301010226	Kamla Das	50	F	Nasal Swab	01.01.2022	Negative	9337703537	RGH IPD Rourkela
18	Cov/213824	2137301009184	Abinash Kumar Padhee	19	M	Nasal Swab	01.01.2022	Negative	7789954732	Sector-21 Rourkela
19	Cov/213825	2137301009423	Dilip Sinsh	65	M	Nasal Swab	01.01.2022	Negative	9937463013	C/328 Koelnagar Rourkela
20	Cov/213826	2137301009436	Sarvesh Sinsh	64	F	Nasal Swab	01.01.2022	Negative	9937463013	C/328 Koelnagar Rourkela

21	Cov/213827	2137301009445	Dev Das	31	M	Nasal Swab	01.01.2022	Negative	9585505990	D/224 Koelnagar Rourkela
22	Cov/213828	2137301009460	Vandana Singh	37	F	Nasal Swab	01.01.2022	Negative	9585505990	D/224 Koelnagar Rourkela
23	Cov/213829	2137301009471	Divyansh Das	4	M	Nasal Swab	01.01.2022	Negative	9585505990	D/224 Koelnagar Rourkela
24	Cov/213830	2137301009480	Vikram Behera	45	M	Nasal Swab	01.01.2022	Negative	9811598172	A/182 Koelnagar Rourkela
25	Cov/213831	2137301009498	Goutam Nayak	34	M	Nasal Swab	01.01.2022	Negative	9776242472	A/548 Koelnagar Rourkela
26	Cov/213833	2137301009524	Rahul Patnaik	25	M	Nasal Swab	01.01.2022	Negative	6360269074	Cc/13 Civil Township Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*