



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	01.02.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.01.2022; 09:00 A.M.
Date & Time of receipt of specimen	31.01.2022; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/240993	2137301135444	Sameer Kumar Mahanta	27	M	Nasal Swab	01.02.2022	Negative	7978525759	Gopna Koida Sundargarh
2	Cov/240994	2137301135456	Sabera Khatoon	22	F	Nasal Swab	01.02.2022	Negative	8249105782	Malgodam Rourkela
3	Cov/240996	2137301135473	Brundabati Kamik	50	F	Nasal Swab	01.02.2022	Negative	8457812502	Vedvyas Mandir Road Rourkela
4	Cov/240997	2137301135482	Suman Badaik	25	F	Nasal Swab	01.02.2022	Negative	7008382502	Ruputola Balughat Rourkela
5	Cov/240999	2137301135511	Malaya Ranjan Das	21	M	Nasal Swab	01.02.2022	Negative	9348897155	H/256 Sector-2 Rourkela
6	Cov/241000	2137301135534	Bamia Munda	45	M	Nasal Swab	01.02.2022	Negative	9437758867	Sahaj Bahal Sundargarh
7	Cov/241001	2137301135543	Sunamuni Munda	42	F	Nasal Swab	01.02.2022	Negative	9437758867	Sahaj Bahal Sundargarh
8	Cov/241002	2137301135659	Santosh Kumar Mistiry	76	M	Nasal Swab	01.02.2022	Negative	7978558811	RGH IPD Rourkela
9	Cov/241003	2137301135679	Phool Mani Kumari	70	F	Nasal Swab	01.02.2022	Negative	8260298552	RGH IPD Rourkela
10	Cov/241004	2137301135685	Mintu Sharma	40	M	Nasal Swab	01.02.2022	Negative	6371108286	RGH IPD Rourkela
11	Cov/241005	2137301135692	Sukha Oram	57	F	Nasal Swab	01.02.2022	Negative	8114673471	RGH IPD Rourkela
12	Cov/241006	2137301135700	Jayanti Mallik	42	F	Nasal Swab	01.02.2022	Negative	9337816720	RGH IPD Rourkela
13	Cov/241007	2137301135708	Ratna Devi	45	F	Nasal Swab	01.02.2022	Negative	9337994966	RGH IPD Rourkela
14	Cov/241008	2137301135720	Subarna Majhi	43	M	Nasal Swab	01.02.2022	Negative	9692629932	RGH IPD Rourkela
15	Cov/241009	2137301135781	Chintamani Mundari	36	F	Nasal Swab	01.02.2022	Negative	7846878199	RGH IPD Rourkela
16	Cov/241010	2137301135800	Rajani Kishan	24	F	Nasal Swab	01.02.2022	Negative	9438180956	RGH IPD Rourkela
17	Cov/241011	2137301135818	Sunita Nayak	27	F	Nasal Swab	01.02.2022	Negative	8926392164	RGH IPD Rourkela
18	Cov/241012	2137301135971	Basanti Singh	45	F	Nasal Swab	01.02.2022	Negative	7205686673	RGH IPD Rourkela
19	Cov/241013	2137301135981	Ramita Das	18	F	Nasal Swab	01.02.2022	Negative	7846802473	RGH IPD Rourkela
20	Cov/241014	2137301135985	Kharman Gudia	55	M	Nasal Swab	01.02.2022	Negative	7008529763	RGH IPD Rourkela
21	Cov/241015	2137301136032	Chinmay Dash	19	M	Nasal Swab	01.02.2022	Negative	8249424923	D/84 Sector-15 Rourkela

22	Cov/241017	2137301136391	Kabita Pradhan	55	F	Nasal Swab	01.02.2022	Negative	9777905835	Bondamunda Rourkela
23	Cov/241018	2137301136392	Satyajit Mishra	29	M	Nasal Swab	01.02.2022	Negative	6372500967	C3L1-49 Chhend Rourkela
24	Cov/241019	2137301136146	Lingaraj Rout	60	M	Nasal Swab	01.02.2022	Negative	9348308200	Kenabeta Bonai Sundargarh
25	Cov/241074	2137301136830	Venkat Avinash Reddy	35	M	Nasal Swab	01.02.2022	Negative	9884794535	X-09 Civil Township Rourkela
26	Cov/241075	2137301136875	Suchismita Nayak	35	F	Nasal Swab	01.02.2022	Negative	9833566409	M-65 Gopabandhu Nagar Rourkela
27	Cov/241076	2137301136900	Deepankar Pandit	38	M	Nasal Swab	01.02.2022	Negative	9438349458	MIG-24 Co Operative Colony Chhend Rourkela
28	Cov/241077	2137301136940	Pramod Patra	29	M	Nasal Swab	01.02.2022	Negative	9040864286	DE-42 Basanti Colony Rourkela
29	Cov/241078	2137301137184	Pradipta Kumar Swain	42	M	Nasal Swab	01.02.2022	Negative	9337473685	RGH Staff Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*