



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	01.06.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	31.05.2022; 09:00 A.M.
Date & Time of receipt of specimen	01.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/275245	2137301288675	Putuli Munda	22	F	Nasal Swab	01.06.2022	Negative	8280854912	Taldihi K Balang, Sundargarh
2	Cov/275246	2137301288676	Saraswati Gochhayat	32	F	Nasal Swab	01.06.2022	Negative	8658402168	Subhas Palli, Rourkela
3	Cov/275247	2137301288677	Bijli Badaik	45	F	Nasal Swab	01.06.2022	Negative	7846837499	Gopa Palli Vedvyaas, Rourkela
4	Cov/275248	2137301288679	Baisakhu Majhi	65	M	Nasal Swab	01.06.2022	Negative	7609877163	Tunmura Kutra, Sundargarh
5	Cov/275249	2137301288681	Mutul Oram	42	M	Nasal Swab	01.06.2022	Negative	6370785045	Jagda Rourkela
6	Cov/275250	2137301288682	Nilamani Rout	52	M	Nasal Swab	01.06.2022	Negative	7894006418	Tangarpalli, Rourkela
7	Cov/275251	2137301288683	Biju Devi	62	F	Nasal Swab	01.06.2022	Negative	9348814266	Basanti Colony, Rourkela
8	Cov/275252	2137301288687	Sanjay Kumar Pasayat	38	M	Nasal Swab	01.06.2022	Negative	9853833250	Jalda C Block, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ  
Dr. RAJEEV KUMAR SETH  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR