



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	01.09.2021; 08:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	01.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	01.09.2021; 01:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/140341	Kunal Yadav	36	M	Nasal Swab	01.09.2021	Negative	6206801457	Monaharpur Jharkhand
2	Cov/140342	Surendra Badnayak	25	M	Nasal Swab	01.09.2021	Negative	8763007161	Bonai Sundargarh
3	Cov/140343	Arhan Ansari	18	M	Nasal Swab	01.09.2021	Negative	7978064312	Rajgangpur Sundargarh
4	Cov/140344	Chesia Xalxo	35	F	Nasal Swab	01.09.2021	Negative	7684905436	Birkeria Sundargarh
5	Cov/140345	Saraswati Lohar	32	F	Nasal Swab	01.09.2021	Negative	9345630042	Sector 15 Basti Rourkela
6	Cov/140346	Bijay Kishan	29	M	Nasal Swab	01.09.2021	Negative	7978552993	Bonai Sundargarh
7	Cov/140347	Sudhir Sahu	21	M	Nasal Swab	01.09.2021	Negative	8596000144	Bisra Road Rourkela
8	Cov/140349	Kashish Singh	17	F	Nasal Swab	01.09.2021	Negative	9337926860	G D Palli, R N Palli Rourkela
9	Cov/140350	Ashima Kujur	17	F	Nasal Swab	01.09.2021	Negative	9938043534	Ranchi Road Kutra Sundargarh
10	Cov/140351	Santosh Singh	17	M	Nasal Swab	01.09.2021	Negative	7873795722	Rajgangpur Sundargarh
11	Cov/140352	Sagar Soy	18	M	Nasal Swab	01.09.2021	Negative	9326301408	Rajgangpur Sundargarh
12	Cov/140353	Josman Toppo	20	M	Nasal Swab	01.09.2021	Negative	6370953225	Simdega Jharkhand
13	Cov/140354	Puja Rajbhar	20	F	Nasal Swab	01.09.2021	Negative	6370341292	Kansbahal Rourkela
14	Cov/140355	Saswat Swain	21	M	Nasal Swab	01.09.2021	Negative	9348441837	E/7 Phase-2 Basanti Colony Rourkela
15	Cov/140356	Dimpy Kerketta	25	F	Nasal Swab	01.09.2021	Negative	8177938562	RGH STAFF Rourkela
16	Cov/140357	Satrugan Prasad	72	M	Nasal Swab	01.09.2021	Negative	9861018357	RGH IPD, Rourkela
17	Cov/140358	Subhadra Chick	27	F	Nasal Swab	01.09.2021	Negative	7853819801	RGH IPD, Rourkela
18	Cov/140359	Samra Ekka	18	M	Nasal Swab	01.09.2021	Negative	7855061237	RGH IPD, Rourkela
19	Cov/140360	Sanjay Paswan	22	M	Nasal Swab	01.09.2021	Negative	9348470930	RGH IPD, Rourkela
20	Cov/140361	Gandul Xalxo	35	M	Nasal Swab	01.09.2021	Negative	7853834303	RGH IPD, Rourkela

21	Cov/140362	Pradeep Kumar Das	55	M	Nasal Swab	01.09.2021	Negative	9439551844	RGH IPD, Rourkela
22	Cov/140363	Kamlakanta Das	42	M	Nasal Swab	01.09.2021	Negative	7504100684	RGH IPD, Rourkela
23	Cov/140364	Ula Kerketta	63	F	Nasal Swab	01.09.2021	Negative	7377683224	RGH IPD, Rourkela
24	Cov/140365	Mamta Sahu	48	F	Nasal Swab	01.09.2021	Negative	6371085321	RGH IPD, Rourkela
25	Cov/140366	Anitarani Sethy	33	F	Nasal Swab	01.09.2021	Negative	9861584922	RGH IPD, Rourkela
26	Cov/140367	Debanand Kumar	21	M	Nasal Swab	01.09.2021	Negative	8984008204	RGH IPD, Rourkela
27	Cov/140368	Mahadev Munday	33	M	Nasal Swab	01.09.2021	Negative	8895372936	RGH IPD, Rourkela
28	Cov/140369	Narotam Mallick	26	M	Nasal Swab	01.09.2021	Negative	8917283903	RGH IPD, Rourkela
29	Cov/140370	Debi Prasad Mangrat	42	M	Nasal Swab	01.09.2021	Negative	9019084717	Sector 15 H/709 Rourkela
30	Cov/140371	Saket Agarwal	3	M	Nasal Swab	01.09.2021	Negative	9090306789	Lalbuilding Gali Rourkela

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR