



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	02.02.2022; 07:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	02.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	02.02.2022; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/242196	2137301140747	Jhala Lakra	55	F	Nasal Swab	02.02.2022	Negative	9439788931	ITI Vyasnagar Rourkela
2	Cov/242198	2137301140759	Tanu Devi	25	F	Nasal Swab	02.02.2022	Negative	7848847314	M S Palli Rourkela
3	Cov/242199	2137301140768	Laxmi Badaik	52	F	Nasal Swab	02.02.2022	Negative	6370701383	Badgaon Sundargarh
4	Cov/242200	2137301140772	Brijlal Sahu	48	M	Nasal Swab	02.02.2022	Negative	9090549425	Malgodam Rourkela
5	Cov/242201	2137301140775	Jagabandhu Mishra	52	M	Nasal Swab	02.02.2022	Negative	8249624338	P F Colony Rourkela
6	Cov/242202	2137301140778	Sogostian Soren	70	F	Nasal Swab	02.02.2022	Negative	8763002690	Birda Rourkela Sundargarh
7	Cov/242203	2137301140783	Rahil Topno	26	F	Nasal Swab	02.02.2022	Negative	9438814435	Tensa Rourkela Sundargarh
8	Cov/242204	2137301140787	Sumitra Das	24	F	Nasal Swab	02.02.2022	Negative	7657049611	Khariabahal Basti Sector-2 Rourkela
9	Cov/242205	2137301140792	Sania Tamrin	16	F	Nasal Swab	02.02.2022	Negative	9334569422	Banegad Sundargarh
10	Cov/242206	2137301140796	Laxman Marandi	38	M	Nasal Swab	02.02.2022	Negative	6372677357	Fertilizer Rourkela
11	Cov/242207	2137301140815	Pratima Behera	46	F	Nasal Swab	02.02.2022	Negative	9937906202	Sector-2 Rourkela
12	Cov/242208	2137301140970	Labo Chasa	65	M	Nasal Swab	02.02.2022	Negative	9337389513	M S Palli Rourkela
13	Cov/242209	2137301140987	Sabitri Loria	50	F	Nasal Swab	02.02.2022	Negative	9827117523	Servent Qtr Civil Township Rourkela
14	Cov/242210	2137301140997	Ampal Soren	42	M	Nasal Swab	02.02.2022	Negative	7978669389	Bondamunda Tilka Nagar Rourkela
15	Cov/242211	2137301141006	Subhadra Mahali	30	F	Nasal Swab	02.02.2022	Negative	8144021347	Balughat New Basti Rourkela
16	Cov/242212	2137301141019	Junas Ekka	65	M	Nasal Swab	02.02.2022	Negative	9777466934	Kuchilu RGH Rourkela
17	Cov/242213	2137301141149	Raimani Gudia	70	F	Nasal Swab	02.02.2022	Negative	9439791801	RGH IPD Rourkela
18	Cov/242214	2137301141187	Niyati Tirkey	53	F	Nasal Swab	02.02.2022	Negative	9583462017	RGH IPD Rourkela
19	Cov/242215	2137301141230	Krishna Goud	19	M	Nasal Swab	02.02.2022	Negative	9437862219	RGH IPD Rourkela
20	Cov/242216	2137301141239	Bijay Swain	60	M	Nasal Swab	02.02.2022	Negative	9861113095	RGH IPD Rourkela
21	Cov/242217	2137301141251	Binita Badaik	30	F	Nasal Swab	02.02.2022	Negative	8144984774	RGH IPD Rourkela
22	Cov/242218	2137301141264	Shantilata Ray	62	F	Nasal Swab	02.02.2022	Negative	8984336444	RGH IPD Rourkela

23	Cov/242219	2137301141275	Rajat Kumar Patra	29	M	Nasal Swab	02.02.2022	Negative	9861370793	RGH IPD Rourkela
24	Cov/242220	2137301141282	Bhuban Sahoo	60	M	Nasal Swab	02.02.2022	Negative	9348142255	RGH IPD Rourkela
25	Cov/242221	2137301141292	Sanjukta Kullu	33	F	Nasal Swab	02.02.2022	Negative	7749847968	RGH IPD Rourkela
26	Cov/242222	2137301141781	Pragati Pattnaik	33	F	Nasal Swab	02.02.2022	Negative	8917390054	Plot No-17 Chhend Rourkela
27	Cov/242223	2137301141788	Karam Pattnaik	36	M	Nasal Swab	02.02.2022	Negative	8917390054	Plot No-17 Chhend Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*