



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**Covid-19 (RT-PCR) Test Report**

Date and time of reporting	03.05.2021; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govenment Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	28.04.2021; 08:00 A.M.
Date & Time of receipt of specimen	30.04.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/62225	JAGDISH PASAYAT	50	M	Nasal Swab	03.05.2021	NEGATIVE
2	Cov/62226	JANMAYA JAYA PASAYAT	43	M	Nasal Swab	03.05.2021	NEGATIVE
3	Cov/62227	JAGDISH PASAYAT	45	M	Nasal Swab	03.05.2021	NEGATIVE
4	Cov/62228	BISWAMBAR PASAYAT	44	M	Nasal Swab	03.05.2021	NEGATIVE
5	Cov/62229	SUNIL KUMAR PANDA	38	M	Nasal Swab	03.05.2021	NEGATIVE
6	Cov/62230	JYOTISH BARIK	37	M	Nasal Swab	03.05.2021	NEGATIVE
7	Cov/62231	BIKASH RAY	26	M	Nasal Swab	03.05.2021	NEGATIVE
8	Cov/62232	SUNDARLAL PASAYAT	46	M	Nasal Swab	03.05.2021	NEGATIVE
9	Cov/62233	SATYANANADA PASAYAT	64	M	Nasal Swab	03.05.2021	NEGATIVE
10	Cov/62234	BHASKAR PASAYAT	27	M	Nasal Swab	03.05.2021	NEGATIVE
11	Cov/62235	BIRIH KISHOR PASAYAT	39	M	Nasal Swab	03.05.2021	NEGATIVE
12	Cov/62236	SURENDR PASAYAT	42	M	Nasal Swab	03.05.2021	NEGATIVE
13	Cov/62237	PRAM CHANDAN PASAYAT	46	M	Nasal Swab	03.05.2021	NEGATIVE
14	Cov/62238	LOKESH PASAYAT	24	M	Nasal Swab	03.05.2021	NEGATIVE
15	Cov/62239	AMIT KUMAR GUPTA	34	M	Nasal Swab	03.05.2021	NEGATIVE
16	Cov/62240	RAM RATAM PASAYAT	51	M	Nasal Swab	03.05.2021	NEGATIVE

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

***Interpretation guidance:-***

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*