



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	04.07.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	02.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	04.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/279616	2137301311074	Tanvir Ahamed	43	M	Nasal Swab	04.07.2022	Negative	8763065549	Sector 7 Rourkela
02	Cov/279617	2137301311079	Rehena Parween	36	F	Nasal Swab	04.07.2022	Negative	8763065549	Sector 7 Rourkela
03	Cov/279618	2137301311084	Aariz Ahmed	5	M	Nasal Swab	04.07.2022	Negative	8763065549	Sector 7 Rourkela
04	Cov/279619	2137301311089	Awesh Ahmed	12	M	Nasal Swab	04.07.2022	Negative	8763065549	Sector 7 Rourkela
05	Cov/279620	2137301311094	Anaaya Maryam	6	F	Nasal Swab	04.07.2022	Negative	8763065549	Sector 7 Rourkela
06	Cov/279621	2137301311104	Somanath Tripathy	58	M	Nasal Swab	04.07.2022	Negative	8895501026	A 14 Nit Rourkela
07	Cov/279622	2137301311107	Susmita Das	55	F	Nasal Swab	04.07.2022	Negative	8895501026	A 14 Nit Rourkela
08	Cov/279623	2137301311110	Arunkumar Harikrishna	48	M	Nasal Swab	04.07.2022	Negative	7008327795	Mmm 07 Civil Township RKL
09	Cov/279624	2137301311112	Adityakumar Arunkumar	18	M	Nasal Swab	04.07.2022	Negative	7008327795	Mmm 07 Civil Township RKL
10	Cov/279625	2137301311115	Amit Kumar Choudhury	36	M	Nasal Swab	04.07.2022	Negative	8847816324	Dl 190 Basanti Colony RKL
11	Cov/279626	2137301311118	Mohit Kayal	32	M	Nasal Swab	04.07.2022	Negative	9776110935	T 09 Civil Township RKL
12	Cov/279627	2137301311150	Tapas Kumar Acharya	56	M	Nasal Swab	04.07.2022	Negative	9776647997	H4 33 Civil Township RKL
13	Cov/279628	2137301311153	Samir Kumar	45	M	Nasal Swab	04.07.2022	Negative	9437977021	X 02 Civil Township RKL
14	Cov/279629	2137301311157	Swati Jaiswal	34	F	Nasal Swab	04.07.2022	Negative	9437977021	X 02 Civil Township RKL
15	Cov/279630	2137301311163	Aayansh Behera	5	M	Nasal Swab	04.07.2022	Negative	9437977021	X 02 Civil Township RKL
16	Cov/279631	2137301311168	Aaryash Behera	5	M	Nasal Swab	04.07.2022	Negative	9437977021	X 02 Civil Township RKL
17	Cov/279632	2137301311174	Aanya Behera	9	F	Nasal Swab	04.07.2022	Negative	9437977021	X 02 Civil Township RKL

Prepared by:

*Koushik*

Checked and Approved by:

*Dr. Ashit Bhusan Kess*

Dr. Ashit Bhusan Kess

डॉ. अशीत भुषन केश  
Dr. ASHIT BHUSAN KESS  
Consultant Microbiologist  
SAIL, RSP, RGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

***Interpretation guidance:-***

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*