



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.09.2021; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	05.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	06.09.2021; 10:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/137679	Pragya Priyadarsini Mahara	18	F	Nasal Swab	06.09.2021	Negative	9040516105	Baljodi Rourkela
2	Cov/137680	Bikash Nayak	24	M	Nasal Swab	06.09.2021	Negative	9937544725	Jharbahal B Tarang Rourkela
3	Cov/137681	Khusbu Devi	30	F	Nasal Swab	06.09.2021	Negative	8984608745	Vedyash Rourkela
4	Cov/137682	Sidhartha Sethi	31	M	Nasal Swab	06.09.2021	Negative	9348400955	Deogaon Sundargarh
5	Cov/137683	Renu Gupta	44	F	Nasal Swab	06.09.2021	Negative	7978532916	Mangal Bhawan Rourkela
6	Cov/137684	Saraswati Pradhan	45	F	Nasal Swab	06.09.2021	Negative	8895527988	Panposh Rourkela
7	Cov/137685	Sukanti Kar	36	F	Nasal Swab	06.09.2021	Negative	9861018858	Chhend Rourkela
8	Cov/137686	Sa Shikant Kar	43	M	Nasal Swab	06.09.2021	Negative	9861018858	Chhend Rourkela
9	Cov/137687	Ranjan Naik	32	M	Nasal Swab	06.09.2021	Negative	7978941253	Basanti Colony Rourkela
10	Cov/137688	Sabita Devi	45	F	Nasal Swab	06.09.2021	Negative	8260975450	Basanti Colony Rourkela
11	Cov/137689	Nitai Jena	35	M	Nasal Swab	06.09.2021	Negative	7377227718	CTS E/77 Rourkela
12	Cov/137690	Sarat Mohanty	45	M	Nasal Swab	06.09.2021	Negative	7788905005	MS Palli Rourkela
13	Cov/137691	Jyotirmayee Pradhan	40	F	Nasal Swab	06.09.2021	Negative	9776050868	Gajapati Pali Rourkela
14	Cov/137692	Sachitananda Yadav	12	M	Nasal Swab	06.09.2021	Negative	9090354048	Malgodam Rourkela
15	Cov/137693	Mahima Choudhury	17	F	Nasal Swab	06.09.2021	Negative	7735196134	Malgodam Rourkela
16	Cov/137694	Khusbu Prajapati	18	F	Nasal Swab	06.09.2021	Negative	8249889064	Bondamunda Rourkela
17	Cov/137695	Sana Parween	23	F	Nasal Swab	06.09.2021	Negative	9583462183	Malgodam Uditnagar Rourkela
18	Cov/137696	Rupadhar Kalo	50	M	Nasal Swab	06.09.2021	Negative	8895275873	Nayabazar Rourkela
19	Cov/137697	Aksat Parween	1	F	Nasal Swab	06.09.2021	Negative	9124389991	Plant Site Rourkela
20	Cov/137698	Adyasha Priyadarshini	17	F	Nasal Swab	06.09.2021	Negative	8144235977	C/49 Sector 14 Rourkela
21	Cov/137699	Swapna Deep	16	F	Nasal Swab	06.09.2021	Negative	9861720026	Kalunga Rourkela
22	Cov/137700	Subham Mahakud	4	M	Nasal Swab	06.09.2021	Negative	7854959297	Sector 21 Nayabazar Rourkela
23	Cov/137701	Bishnu Mahakud	7	M	Nasal Swab	06.09.2021	Negative	7854959297	Sector 21 Nayabazar Rourkela

24	Cov/137702	Nilu Biswakarma	30	M	Nasal Swab	06.09.2021	Negative	9937717580	Daily Market Rourkela
25	Cov/137703	Sweta Rani Nanda	22	F	Nasal Swab	06.09.2021	Negative	6371853514	Jhirpani Rourkela
26	Cov/137704	Elisha Kerketta	1	F	Nasal Swab	06.09.2021	Negative	6372666036	Deogaon Rourkela
27	Cov/137705	Mahima Kerketta	5	F	Nasal Swab	06.09.2021	Negative	6372666036	Deogaon Rourkela
28	Cov/137706	Abhijeet Swain	15	M	Nasal Swab	06.09.2021	Negative	8908353218	Plant Site Rourkela
29	Cov/137707	Satyam Prasad	19	M	Nasal Swab	06.09.2021	Negative	7735128834	Main Road Rourkela
30	Cov/137708	Kajal Behera	20	F	Nasal Swab	06.09.2021	Negative	6370904317	Tulsitola Jhirpani Rourkela
31	Cov/137709	Mohan Nayak	35	M	Nasal Swab	06.09.2021	Negative	9437829127	Timber Colony Rourkela
32	Cov/137710	Biswaranjan Parida	35	M	Nasal Swab	06.09.2021	Negative	7008444735	Labour Tournament Rourkela
33	Cov/137711	Niharika Bahalia	8	F	Nasal Swab	06.09.2021	Negative	9776363311	Chhend Kalinga Vihar L1-299 Rourkela
34	Cov/137712	Banita Bahalia	23	F	Nasal Swab	06.09.2021	Negative	9776363311	L1-299 Chhend Kalinga Vihar Rourkela
35	Cov/137713	Basish Kumar Oram	30	M	Nasal Swab	06.09.2021	Negative	9337066396	Bagdega Bishra Rourkela
36	Cov/137714	Sima Kachhap	18	F	Nasal Swab	06.09.2021	Negative	8480386731	L1 Phase 2 Basanti Colony Rourkela
37	Cov/137715	Sulochana Sahoo	56	F	Nasal Swab	06.09.2021	Negative	7978955203	Civil Township Mm/12 Rourkela
38	Cov/137716	Anima Lakra	38	F	Nasal Swab	06.09.2021	Negative	8658390396	Birjapalli A K Nagar Rourkela
39	Cov/137717	Prajna Pushpita Rout	27	F	Nasal Swab	06.09.2021	Negative	7978629990	Deogaon Rourkela
40	Cov/137718	Baidehi Nag	53	F	Nasal Swab	06.09.2021	Negative	8917300373	B-23 Sector 3 Rourkela
41	Cov/137719	Mamata Mayee Mallick	43	F	Nasal Swab	06.09.2021	Negative	7008696755	E/30 Chhend Rourkela
42	Cov/137720	Gudu Khan	7	M	Nasal Swab	06.09.2021	Negative	8984979216	Sitalpada Uditnagar Rourkela
43	Cov/137721	Ankit Kishan	2	M	Nasal Swab	06.09.2021	Negative	8763223753	Gurundia Jodakai Sundargarh
44	Cov/137722	Maheswar Dhal	58	M	Nasal Swab	06.09.2021	Negative	9937813296	Lathikata Block Dipa Rourkela
45	Cov/137723	Nilamani Sah	28	M	Nasal Swab	06.09.2021	Negative	8637218104	FCR/7 Basanti Colony Rourkela
46	Cov/137724	Rabi Yadav	30	M	Nasal Swab	06.09.2021	Negative	9090300496	Daily Market Rourkela
47	Cov/137725	Sidhi Raijra	2	F	Nasal Swab	06.09.2021	Negative	7992621574	Kalyani Basti Rourkela
48	Cov/137726	S Rajora	43	M	Nasal Swab	06.09.2021	Negative	7684863851	Kalyani Basti Rourkela
49	Cov/137727	Kamala Kanta Sahoo	42	M	Nasal Swab	06.09.2021	Negative	9437152974	D-510 Sector 20 Rourkela
50	Cov/137728	Ritesh Ekka	2	M	Nasal Swab	06.09.2021	Negative	7608880839	Birmitrapur Sundargarh
51	Cov/137729	Goloria Minz	52	F	Nasal Swab	06.09.2021	Negative	9668387118	G D Palli Rourkela
52	Cov/137730	Deepak Kumar Patra	19	M	Nasal Swab	06.09.2021	Negative	9556309674	Tainsar Sundargarh

Prepared by:

Checked and Approved by:


Krishna Ch. Majhi

Krishna Ch. Majhi


Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*