



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	07.02.2022; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	05.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	07.02.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/243632	2137301148282	Laxmi Narayan Rath	59	M	Nasal Swab	07.02.2022	Negative	9437104765	QQ/1 Civil Township RKL
2	Cov/243633	2137301148311	Pratiksha Taunka	15	F	Nasal Swab	07.02.2022	Negative	8637268011	Bl/73 Basanti Colony RKL
3	Cov/243634	2137301148319	Tribhuman Suniani	14	M	Nasal Swab	07.02.2022	Negative	7609988043	Sagjore Rajgangpur SNG
4	Cov/243635	2137301148327	Kishor Moharana	35	M	Nasal Swab	07.02.2022	Negative	8596900047	Sector 6 Contractor Colony RKL
5	Cov/243636	2137301148337	Santi Devi	55	F	Nasal Swab	07.02.2022	Negative	7504264844	Railway Colony Rourkela
6	Cov/243637	2137301148343	Bibekananda Panigrahi	15	M	Nasal Swab	07.02.2022	Negative	8917466546	Dhamra Basti Chhend RKL
7	Cov/243638	2137301148530	Bimal Soren	16	M	Nasal Swab	07.02.2022	Negative	9668746832	Tangarpalli RKL
8	Cov/243639	2137301148554	Minati Barik	48	F	Nasal Swab	07.02.2022	Negative	9861038840	STI Chowk RKL
9	Cov/243640	2137301148565	Damayanti Naik	45	F	Nasal Swab	07.02.2022	Negative	9777690112	Haribeda Tola TCI Chowk RKL
10	Cov/243641	2137301148583	Monika Kispotta	15	F	Nasal Swab	07.02.2022	Negative	9556424607	Jhirpani RKL
11	Cov/243642	2137301148600	Jaysmita Barik	27	F	Nasal Swab	07.02.2022	Negative	9348455280	Fertilizer RKL
12	Cov/243643	2137301148608	Smaranika Rout	31	F	Nasal Swab	07.02.2022	Negative	9438441029	G D Palli R N Palli RKL
13	Cov/243644	2137301148614	Ramjan Ali Mondal	47	M	Nasal Swab	07.02.2022	Negative	8599034460	Tangarpalli RKL
14	Cov/243645	2137301148630	Krush Muli Tirkey	50	F	Nasal Swab	07.02.2022	Negative	9437676784	Chhend HIGB-11 Ph-Iii RKL
15	Cov/243646	2137301148639	Anjeli Tirkey	10	F	Nasal Swab	07.02.2022	Negative	9437676784	Chhend HIGB-11 Ph-Iii RKL
16	Cov/243647	2137301148659	Basant Patra	17	M	Nasal Swab	07.02.2022	Negative	9337428662	Tangarpalli RKL
17	Cov/243649	2137301148705	Bulbul Sahoo	19	F	Nasal Swab	07.02.2022	Negative	6371201030	Bagdega SNG
18	Cov/243650	2137301148720	Mina Agarwal	51	F	Nasal Swab	07.02.2022	Negative	9937362131	C4/13 Civil Township RKL
19	Cov/243651	2137301148734	Subrat Kumar Sahoo	34	M	Nasal Swab	07.02.2022	Negative	7309243550	C/17 Sector 18 RKL
20	Cov/243652	2137301149807	Monalisha Swain	21	F	Nasal Swab	07.02.2022	Negative	9337841668	Vedvyas RKL
21	Cov/243653	2137301149810	Ramesh Nayak	51	M	Nasal Swab	07.02.2022	Negative	7653877642	Banposh Chhend RKL
22	Cov/243654	2137301149814	Amit Kumar Sahoo	17	M	Nasal Swab	07.02.2022	Negative	8817206701	CC/6 Civil Township RKL

23	Cov/243655	2137301149836	Pramila Mahannda	34	F	Nasal Swab	07.02.2022	Negative	9668053562	Orampada Uditnagar RKL
24	Cov/243656	2137301149841	Sushmita Xalxo	22	F	Nasal Swab	07.02.2022	Negative	9556102691	Balanda B.Tarang SNG
25	Cov/243657	2137301149850	Anish Kujur	14	M	Nasal Swab	07.02.2022	Negative	9668676300	San Nuagaon SNG
26	Cov/243658	2137301149857	Gurubari Nayak	35	F	Nasal Swab	07.02.2022	Negative	7381158482	Jagadhatri Basti Sector-1 RKL
27	Cov/243659	2137301149867	Kishore Bisoi	53	M	Nasal Swab	07.02.2022	Negative	9861175664	PI Colony RKL
28	Cov/243660	2137301149935	Sradha Samasi	13	F	Nasal Swab	07.02.2022	Negative	8895763635	Jabaghat Bondamunda RKL
29	Cov/243661	2137301149939	Priyanka Minz	14	F	Nasal Swab	07.02.2022	Negative	8018199282	Uditnagar RKL
30	Cov/243662	2137301149944	Mayandi Sekar	58	M	Nasal Swab	07.02.2022	Negative	8895441818	Shakti Nagar RKL
31	Cov/243663	2137301149949	Ruchismita Jena	21	F	Nasal Swab	07.02.2022	Negative	9861738348	A/240 Sector-19 RKL
32	Cov/243664	2137301149951	Rinky Devi	26	F	Nasal Swab	07.02.2022	Negative	6201293423	Plant Site RKL
33	Cov/243665	2137301149953	Pravakar Routray	56	M	Nasal Swab	07.02.2022	Negative	8763796673	GD Palli RKL
34	Cov/243666	2137301149955	Menaka Kumari	24	F	Nasal Swab	07.02.2022	Negative	8455026771	Timber Colony RKL
35	Cov/243667	2137301149998	Bulbul Kumari	15	F	Nasal Swab	07.02.2022	Negative	9938736679	Vedvyas RKL
36	Cov/243668	2137301150000	Haridhan Bhagat	60	M	Nasal Swab	07.02.2022	Negative	7894097510	Rajgangpur SNG
37	Cov/243669	2137301150002	Sangeeta Soren	26	F	Nasal Swab	07.02.2022	Negative	7847803176	LCR-148 P-1 Chhend RKL
38	Cov/243670	2137301150006	Pratksha Bhengra	24	F	Nasal Swab	07.02.2022	Negative	8917200819	A-82 Sector-6 RKL
39	Cov/243671	2137301150012	Anil Sahani	45	M	Nasal Swab	07.02.2022	Negative	8457985220	Vedvyas RKL

Prepared by:




Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:



Dr Rajeev Seth

डॉ. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela