



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	08.08.2021; 07:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	06.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	07.08.2021; 09:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/116425	Jagorani Oram	42	F	Nasal Swab	08.08.2021	Negative	8280453140	Mandelia GND
2	Cov/116426	Sita Kisan	35	F	Nasal Swab	08.08.2021	Negative	9439103790	Mandelia GND
3	Cov/116427	Sanjita Kisan	23	F	Nasal Swab	08.08.2021	Negative	8280478695	Mandelia GND
4	Cov/116428	Sanamoti Patra	23	F	Nasal Swab	08.08.2021	Negative	8018063840	Bhurung GND
5	Cov/116429	Ambika Naik	32	F	Nasal Swab	08.08.2021	Negative	8018063840	Bhalundugri GND
6	Cov/116430	Jitni Oram	21	F	Nasal Swab	08.08.2021	Negative	8280453138	Saplata GND
7	Cov/116431	Malsali Jojo	30	F	Nasal Swab	08.08.2021	Negative	8280369483	Pankadihi GND
8	Cov/116432	Jaymani Bag	15	F	Nasal Swab	08.08.2021	Negative	7656031201	Satkuta GND
9	Cov/116433	Argnu Oram	26	M	Nasal Swab	08.08.2021	Negative	6372785283	Badgaon GND
10	Cov/116434	Dango Oram	60	F	Nasal Swab	08.08.2021	Negative	6372785283	Nuniapali GND
11	Cov/116435	Sabita Ekka	18	F	Nasal Swab	08.08.2021	Negative	7653910582	Badgaon GND
12	Cov/116436	Sanju Soreng	23	M	Nasal Swab	08.08.2021	Negative	7750800629	Gangachua GND
13	Cov/116437	Sarojini Kisan	29	F	Nasal Swab	08.08.2021	Negative	7894065532	Mandelia GND
14	Cov/116438	Julatha Haro	21	F	Nasal Swab	08.08.2021	Negative	7894065532	Mandelia GND


15	Cov/116439	Ajit Mahakul	19	M	Nasal Swab	08.08.2021	Negative	8763922857	Madhupur GND
----	------------	--------------	----	---	------------	------------	----------	------------	--------------

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*