



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP,, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	09.05.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	08.05.2022; 09:00 A.M.
Date & Time of receipt of specimen	09.05.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/272842	2137301275086	Bikram Birgothia	42	M	Nasal Swab	09.05.2022	Negative	7847070691	Mandiakudar SNG
02	Cov/272843	2137301275087	Prabin Naik	21	M	Nasal Swab	09.05.2022	Negative	9777508137	Birmitrapur SNG
03	Cov/272844	2137301275089	Naina Devi	70	F	Nasal Swab	09.05.2022	Negative	7684912908	Rajgangpur SNG
04	Cov/272845	2137301275093	Pradeep Khadia	50	M	Nasal Swab	09.05.2022	Negative	7855939376	Jhirpani Rourkela
05	Cov/272846	2137301275094	Birsa Ekka	45	M	Nasal Swab	09.05.2022	Negative	7064541071	Koel Bank Panposh RKL
06	Cov/272847	2137301275095	Runtu Sahoo	75	M	Nasal Swab	09.05.2022	Negative	6372787173	Hatibari Sundargarh
07	Cov/272848	2137301275098	Arun Nag	27	M	Nasal Swab	09.05.2022	Negative	9861155232	Rajgangpur SNG
08	Cov/272849	2137301275113	Krishna Kamar	35	M	Nasal Swab	09.05.2022	Negative	9692770823	Chandiposh Moshabira SNG
09	Cov/272850	2137301275117	Kanhu Ch Dash	24	M	Nasal Swab	09.05.2022	Negative	6370715332	Sector 6 RKL
10	Cov/272851	2137301275118	Sonu Bagha	28	M	Nasal Swab	09.05.2022	Negative	8249803977	Kesarinagar Rourkela
11	Cov/272852	2137301275120	Sasti Rani Mandal	66	F	Nasal Swab	09.05.2022	Negative	9776516339	Jamuna Dhipa SNG
12	Cov/272853	2137301275121	Jasmati Sahu	75	F	Nasal Swab	09.05.2022	Negative	9438210968	Khuntagaon Nuagaon SNG

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*