



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	11.07.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	10.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	11.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/280809	2137301317659	Rita Nayak	44	F	Nasal Swab	11.07.2022	Negative	8144792719	Kiringsera Kutra
2	Cov/280810	2137301317661	Jiramani Kerketta	45	F	Nasal Swab	11.07.2022	Negative	8093791075	G B Palli, Rourkela
3	Cov/280811	2137301317663	Sushil Yadav	30	M	Nasal Swab	11.07.2022	Negative	6260150764	G B Palli, Rourkela
4	Cov/280812	2137301317664	Raju Sahoo	21	M	Nasal Swab	11.07.2022	Negative	8917624976	Malgodam, Rourkela
5	Cov/280813	2137301317666	Haarshita Routray	17	F	Nasal Swab	11.07.2022	Negative	9437248209	Basanti Colony, Rourkela
6	Cov/280814	2137301317667	Meena Puthal	30	F	Nasal Swab	11.07.2022	Negative	9437341564	Chhend, Rourkela
7	Cov/280815	2137301317670	Satya Chandra Ray	63	M	Nasal Swab	11.07.2022	Negative	8700929976	AD-Y3,Civil Township, Rourkela
8	Cov/280816	2137301317672	Om Pal Singh	82	M	Nasal Swab	11.07.2022	Negative	8328924007	C/193,Sector-14, Rourkela
9	Cov/280817	2137301317676	Brahmdev Viswakarma	69	M	Nasal Swab	11.07.2022	Negative	7605978751	Gandhi Road, Rourkela
10	Cov/280818	2137301317679	Kanhu Charan Parida	54	M	Nasal Swab	11.07.2022	Negative	8895836389	CC Colony Fertilizer, Rourkela
11	Cov/280819	2137301317680	Pradeep Nag	27	M	Nasal Swab	11.07.2022	Negative	8093185296	Chhend, Rourkela
12	Cov/280820	2137301317634	Vrinda Lall	20	F	Nasal Swab	11.07.2022	Negative	9437044988	H/1,Civil Township, Rourkela
13	Cov/280821	2137301317635	Vedant Krishnn Lall	15	M	Nasal Swab	11.07.2022	Negative	9437044988	H/1,Civil Township, Rourkela
14	Cov/280822	2137301317636	Vibek Agarwal	32	M	Nasal Swab	11.07.2022	Negative	9937040632	T3,Civil Township, Rourkela
15	Cov/280823	2137301317637	Komal Agarwal	31	F	Nasal Swab	11.07.2022	Negative	9937040632	T3,Civil Township, Rourkela
16	Cov/280824	2137301317639	Kalandi Charan Nayak	65	M	Nasal Swab	11.07.2022	Negative	9178498110	E-183 Chhend Colony, Rourkela
17	Cov/280825	2137301317640	Sandhya Rani Nayak	62	F	Nasal Swab	11.07.2022	Negative	9178498110	E-183 Chhend Colony, Rourkela
18	Cov/280826	2137301317642	Timiri Vikram	24	M	Nasal Swab	11.07.2022	Negative	8763906895	D-04,Sector-19, Rourkela
19	Cov/280827	2137301317645	Tipusultan Khan	31	M	Nasal Swab	11.07.2022	Negative	7064995172	Uditnagar, Rourkela
20	Cov/280828	2137301317648	Mohit Prasad	33	M	Nasal Swab	11.07.2022	Negative	7381001000	Bisra Road, Rourkela
21	Cov/280829	2137301317650	Resham Soni	32	F	Nasal Swab	11.07.2022	Negative	7381001000	Bisra Road, Rourkela
22	Cov/280830	2137301317652	Arpit Modi	32	M	Nasal Swab	11.07.2022	Negative	8249918474	Power House Road, Rourkela

23	Cov/280831	2137301317653	Kajal Modi	29	F	Nasal Swab	11.07.2022	Negative	8249918474	Power House Road, Rourkela
24	Cov/280832	2137301317655	Disha Modi	10	F	Nasal Swab	11.07.2022	Negative	8249918474	Power House Road, Rourkela
25	Cov/280833	2137301317657	Rishika Modi	6	F	Nasal Swab	11.07.2022	Negative	8249918474	Power House Road, Rourkela
26	Cov/280834	2137301318483	Hemanti Sabar	25	F	Nasal Swab	11.07.2022	Negative	7752070969	Uper Balijodi, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.



Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*