



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	11.09.2021; 08:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	10.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	11.09.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/142659	Nisha Panda	21	F	Nasal Swab	11.09.2021	Negative	9937921157	MS Palli RKL
2	Cov/142660	Trilochan Mohanty	41	M	Nasal Swab	11.09.2021	Negative	9439428812	H No-21/C Shakti Nagar RKL
3	Cov/142661	Khali Mohanty	81	M	Nasal Swab	11.09.2021	Negative	9439428812	H No-21/C Shakti Nagar RKL
4	Cov/142662	Biswajit Sahoo	50	M	Nasal Swab	11.09.2021	Negative	9337423244	Santoshpur Bishra Sng
5	Cov/142663	Manoj Kumar Patra	35	M	Nasal Swab	11.09.2021	Negative	8144282389	C-83 Sector-17 RKL
6	Cov/142664	Madhabi Patra	30	F	Nasal Swab	11.09.2021	Negative	8144282389	C-83 Sector-17 RKL
7	Cov/142665	Saswati Mohapatra	27	F	Nasal Swab	11.09.2021	Negative	8249402353	C-90 Sector-4 RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*