



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.07.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	14.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/281274	2137301320071	Hansa Agarwal	33	F	Nasal Swab	14.07.2022	Negative	9008146699	Basanti Colony, Rourkela
2	Cov/281275	2137301320080	Dipak Kumar Sahu	28	M	Nasal Swab	14.07.2022	Negative	9040802956	Jalda C Block, Rourkela
3	Cov/281276	2137301320093	Madhup Murarka	56	M	Nasal Swab	14.07.2022	Negative	7377420266	KK-50,Civil Township, Rourkela
4	Cov/281277	2137301320114	Roshni Murarka	24	F	Nasal Swab	14.07.2022	Negative	7377420266	KK-50,Civil Township, Rourkela
5	Cov/281278	2137301320124	Babita Murarka	53	F	Nasal Swab	14.07.2022	Negative	7377420266	KK-50,Civil Township, Rourkela
6	Cov/281279	2137301320137	Vedant Murarka	22	M	Nasal Swab	14.07.2022	Negative	7377420266	KK-50,Civil Township, Rourkela
7	Cov/281280	2137301320147	Swagatika Mishra	37	F	Nasal Swab	14.07.2022	Negative	9739831966	L-81,Basanti Colony, Rourkela
8	Cov/281281	2137301320161	Aaradhya Dash	7	F	Nasal Swab	14.07.2022	Negative	9739831966	L-81,Basanti Colony, Rourkela
9	Cov/281282	2137301320194	Manas Ranjan Dash	42	M	Nasal Swab	14.07.2022	Negative	9739831966	L-81,Basanti Colony, Rourkela
10	Cov/281283	2137301320203	Ayush Shaw	21	M	Nasal Swab	14.07.2022	Negative	7008010774	Bisra Road, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.

- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*