



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	14.10.2021; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	14.10.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/160939	2137300827507	Bidyadhar Ram	56	M	Nasal Swab	14.10.2021	Negative	7587840791	Digha Campos
02	Cov/160940	2137300827525	Sagupta Parween	23	F	Nasal Swab	14.10.2021	Negative	7683958483	Asiyana Bisra
03	Cov/160941	2137300827527	Lakha Sharma	38	M	Nasal Swab	14.10.2021	Negative	9437678549	Bisra Bisra
04	Cov/160942	2137300827530	Sidra Parween	2	F	Nasal Swab	14.10.2021	Negative	7689871138	Asiyana Bisra
05	Cov/160943	2137300827533	Adit Thakur	14	M	Nasal Swab	14.10.2021	Negative	8455910426	Bisra Bisra
06	Cov/160944	2137300827536	Afan Hussain	1	M	Nasal Swab	14.10.2021	Negative	8280452142	Bisra Bisra
07	Cov/160945	2137300827542	Akriti Kawa	5	F	Nasal Swab	14.10.2021	Negative	9439069970	Jodabandh Bisra
08	Cov/160946	2137300827547	Alina Kawa	1	M	Nasal Swab	14.10.2021	Negative	9439069970	Jodabandh Bisra
09	Cov/160947	2137300827551	Radhika Oram	4	F	Nasal Swab	14.10.2021	Negative	8280452121	Manko Bisra
10	Cov/160948	2137300827552	Sibani Munda	45	F	Nasal Swab	14.10.2021	Negative	8280452121	Kopranda Bisra
11	Cov/160949	2137300827554	Arahan Raza	4	M	Nasal Swab	14.10.2021	Negative	9040323209	Bisra Bisra
12	Cov/160950	2137300827557	Ghasiram Gope	60	M	Nasal Swab	14.10.2021	Negative	7325970525	Sabnam Bua
13	Cov/160951	2137300827559	Sundarmani Kumbhar	55	F	Nasal Swab	14.10.2021	Negative	8280452100	Jodabandh Bisra
14	Cov/160952	2137300828076	Seemita Toppo	26	F	Nasal Swab	14.10.2021	Negative	7657058286	Birkeria Birkeria
15	Cov/160953	2137300828078	Seema Parween	27	F	Nasal Swab	14.10.2021	Negative	8455031314	Nayabasti Bisra
16	Cov/160954	2137300827564	Laxman Oram	6	F	Nasal Swab	14.10.2021	Negative	7077434297	Ratakhandi Bisra
17	Cov/160955	2137300827578	Abu Bakar	11	M	Nasal Swab	14.10.2021	Negative	8280452142	Bisra Bisra
18	Cov/160956	2137300827581	Sehenaz	9	M	Nasal Swab	14.10.2021	Negative	8280452142	Bisra Bisra
19	Cov/160957	2137300827585	Sana Fatma	7	F	Nasal Swab	14.10.2021	Negative	9938440786	Bisra Bisra
20	Cov/160958	2137300827506	Chumani Oram	38	F	Nasal Swab	14.10.2021	Negative	7205916445	Sarubahal Bisra
21	Cov/160959	2137300827510	Rajendra Mundari	38	M	Nasal Swab	14.10.2021	Negative	8971129058	Bangurkela Bisra

22	Cov/160960	2137300827519	Jogeswar Mundari	39	M	Nasal Swab	14.10.2021	Negative	7978523243	Bangurkela Bisra
23	Cov/160961	2137300827524	Gandala Oram	18	M	Nasal Swab	14.10.2021	Negative	6371782917	Khatangkudar Bisra
24	Cov/160962	2137300827528	Vijay Kumar Oram	39	M	Nasal Swab	14.10.2021	Negative	8895532498	Udusu Bisra
25	Cov/160963	2137300827531	Rama Oram	50	M	Nasal Swab	14.10.2021	Negative	7855922405	Udusu Bisra
26	Cov/160964	2137300827596	Judhisthir Singh	19	M	Nasal Swab	14.10.2021	Negative	7735012830	Khatangkudar Bisra
27	Cov/160965	2137300827670	Bhagabati Singh	26	F	Nasal Swab	14.10.2021	Negative	8260360129	Khatangkudar Bisra
28	Cov/160966	2137300827674	Jayaram Oram	38	M	Nasal Swab	14.10.2021	Negative	9937828528	Dhadhari Bisra
29	Cov/160967	2137300827680	Budhani Oram	21	F	Nasal Swab	14.10.2021	Negative	7848994518	Khatangkudar Bisra
30	Cov/160968	2137300827701	Nagia Oram	50	F	Nasal Swab	14.10.2021	Negative	7848994518	Khatangkudar Bisra

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR