



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	15.07.2021; 08:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	15.07.2021; 10:30 A.M.
Date & Time of receipt of specimen	15.07.2021; 11:15 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/98625	Iva Choudhury	72	F	Nasal Swab	15.07.2021	Negative	9861125606	RGH OPD, Rourkela
02	Cov/98626	Sagar Lohar	50	M	Nasal Swab	15.07.2021	Negative	9777477678	RGH IPD, Rourkela
03	Cov/98627	Puja Srivasthav	26	F	Nasal Swab	15.07.2021	Negative	9337957986	RGH IPD, Rourkela
04	Cov/98628	Lily Gandharia	13	F	Nasal Swab	15.07.2021	Negative	9437200886	RGH IPD, Rourkela
05	Cov/98629	Monsukh Munda	40	M	Nasal Swab	15.07.2021	Negative	8895463770	RGH IPD, Rourkela
06	Cov/98630	Sunita Mukhi	28	F	Nasal Swab	15.07.2021	Negative	6372549976	RGH IPD, Rourkela
07	Cov/98631	Sumati Haibura	46	F	Nasal Swab	15.07.2021	Negative	8895780090	RGH IPD, Rourkela
08	Cov/98632	Mukta Pradhan	50	F	Nasal Swab	15.07.2021	Negative	8986861520	RGH IPD, Rourkela
09	Cov/98633	Anil Barwa	50	M	Nasal Swab	15.07.2021	Negative	8986861520	RGH IPD, Rourkela
10	Cov/98634	Kanchan Rani Giri	24	F	Nasal Swab	15.07.2021	Negative	7684971467	RGH OPD, Rourkela
11	Cov/98635	Kishan Gupta	54	M	Nasal Swab	15.07.2021	Negative	8763905399	RGH OPD, Rourkela
12	Cov/98636	Savita Gupta	50	F	Nasal Swab	15.07.2021	Negative	9439749117	RGH OPD, Rourkela
13	Cov/98637	Rehana Parween	30	F	Nasal Swab	15.07.2021	Negative	7004486159	RGH IPD, Rourkela
14	Cov/98638	Saloni Gope	15	F	Nasal Swab	15.07.2021	Negative	8763859319	RGH IPD, Rourkela
15	Cov/98640	Pappu Nayar	50	M	Nasal Swab	15.07.2021	Negative	8260692537	RGH IPD, Rourkela
16	Cov/98641	Supra Tirkey	54	M	Nasal Swab	15.07.2021	Negative	9853372580	RGH IPD, Rourkela
17	Cov/98642	Nirmal Dey	38	M	Nasal Swab	15.07.2021	Negative	9064610310	RGH IPD, Rourkela
18	Cov/98643	Biswanath Tripathi	55	M	Nasal Swab	15.07.2021	Negative	9437502683	RGH IPD, Rourkela
19	Cov/98644	Joseph Kandulana	22	M	Nasal Swab	15.07.2021	Negative	7655980647	RGH IPD, Rourkela
20	Cov/98645	Jharana Lakra	20	F	Nasal Swab	15.07.2021	Negative	8018528557	RGH IPD, Rourkela


21	Cov/98646	Abinash Madki	17	M	Nasal Swab	15.07.2021	Negative	8260109216	RGH IPD, Rourkela
22	Cov/98647	Gatanand Sahoo	65	M	Nasal Swab	15.07.2021	Negative	9437151774	RGH IPD, Rourkela
23	Cov/98648	Mathura Mahanand	48	M	Nasal Swab	15.07.2021	Negative	7609807684	RGH IPD, Rourkela
24	Cov/98649	Ravindar Rajbhar	30	M	Nasal Swab	15.07.2021	Negative	9777758585	RGH IPD, Rourkela
25	Cov/98650	Bhim Sethy	35	M	Nasal Swab	15.07.2021	Negative	8260355289	RGH IPD, Rourkela
26	Cov/98651	Subash Sharma	22	M	Nasal Swab	15.07.2021	Negative	7735633323	RGH IPD, Rourkela
27	Cov/98652	Achyuta Patra	29	M	Nasal Swab	15.07.2021	Negative	8249750565	RGH IPD, Rourkela
28	Cov/98653	Arun Ku Patra	29	M	Nasal Swab	15.07.2021	Negative	8280105855	RGH IPD, Rourkela
29	Cov/98654	Pradeep Ku Naik	29	M	Nasal Swab	15.07.2021	Negative	9439538730	RGH IPD, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*