



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	15.11.2021; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	13.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	15.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/182489	2137300900400	Namita Bagen	14	F	Nasal Swab	15.11.2021	Negative	9692425161	Madhupur Gurundia
02	Cov/182490	2137300900406	Priya Ekka	12	F	Nasal Swab	15.11.2021	Negative	8249097308	Gurundia Gurundia
03	Cov/182491	2137300900419	Rashmita Munda	14	F	Nasal Swab	15.11.2021	Negative	6372501246	Kansar Gurundia
04	Cov/182492	2137300900428	Sunita Oram	12	F	Nasal Swab	15.11.2021	Negative	9348325553	Kanyaashram Gurundia
05	Cov/182570	2137300901129	Prem Kumar Behera	13	M	Nasal Swab	15.11.2021	Negative	8327752600	Bonai, Bonai
06	Cov/182571	2137300901132	Subhadra Nayak	12	F	Nasal Swab	15.11.2021	Negative	8455898286	Brahmangaon, Lahunipara
07	Cov/182572	2137300901137	Nikita Dalei	13	F	Nasal Swab	15.11.2021	Negative	8455898286	Amatpali, Lahunipara

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR