



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	15.11.2021; 05:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	14.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	15.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/182464	2137300900569	Raja Shree Das	26	F	Nasal Swab	16.11.2021	Negative	7008619796	Sector-8 Rourkela
02	Cov/182465	2137300900890	Amit Singh	28	M	Nasal Swab	16.11.2021	Negative	8249668491	Chhend Rourkela
03	Cov/182466	2137300900895	Puja Goud	24	F	Nasal Swab	16.11.2021	Negative	8093469625	Vedvyas Rourkela
04	Cov/182468	2137300900905	Baleram Ganju	30	M	Nasal Swab	16.11.2021	Negative	7903106595	Jaldega Hatibari Sundargarh
05	Cov/182477	2137300900953	Jitni Lohar	23	F	Nasal Swab	16.11.2021	Negative	7488342002	Lathikata Rourkela
06	Cov/182478	2137300900956	Abhisek Kishan	16	M	Nasal Swab	16.11.2021	Negative	9178948310	Civil Township Rourkela
07	Cov/182479	2137300900964	Rabi Ranjan Barik	18	M	Nasal Swab	16.11.2021	Negative	7847822036	Nuagaon Rourkela
08	Cov/182480	2137300900966	Amlan Amitabh Swain	21	M	Nasal Swab	16.11.2021	Negative	7381034107	Chhend Rourkela
09	Cov/182574	2137300901394	Anisha Sahoo	22	F	Nasal Swab	16.11.2021	Negative	7008448587	MS Palli Plant Site Rourkela
10	Cov/182575	2137300901397	Priyanka Nayak	27	F	Nasal Swab	16.11.2021	Negative	9937206063	F/AE-35 Basanti Colony
11	Cov/182576	2137300901408	Janmejaya Sahoo	25	M	Nasal Swab	16.11.2021	Negative	8328987294	S2M 162 Chhend Rourkela
12	Cov/182577	2137300901416	Manish Mohapatra	22	M	Nasal Swab	16.11.2021	Negative	7978754858	Pradhanpalli Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*