



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	17.04.2021; 12:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.04.2021; 09:00 A.M.
Date & Time of receipt of specimen	16.04.2021; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result
							2019-nCoV
1	Cov/52681	RAKESH ORAM	20	MALE	NASAL SWAB	17.04.2021	NEGATIVE
2	Cov/52683	NASINA KHATUN	44	FEMALE	NASAL SWAB	17.04.2021	NEGATIVE
3	Cov/52686	RUMI NAYAK	52	FEMALE	NASAL SWAB	17.04.2021	NEGATIVE
4	Cov/52687	RAJA BADAİK	38	MALE	NASAL SWAB	17.04.2021	NEGATIVE
5	Cov/52692	CHATRAM ROUT	55	MALE	NASAL SWAB	17.04.2021	NEGATIVE
6	Cov/52693	SHIV PRASAD YADAV	71	MALE	NASAL SWAB	17.04.2021	NEGATIVE
7	Cov/52695	MAHENDRA KUJUR	26	MALE	NASAL SWAB	17.04.2021	NEGATIVE
8	Cov/52696	ABHIMANYU SINGH	31	MALE	NASAL SWAB	17.04.2021	NEGATIVE

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR