



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	17.08.2021; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	17.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	17.08.2021; 02:20 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/124104	Prabash Ranjan Lenka	36	M	Nasal Swab	17.08.2021	Negative	6370952109	RMC Office Rourkela
2	Cov/124105	Shiva Sankar Barik	35	M	Nasal Swab	17.08.2021	Negative	6370868145	RMC Office Rourkela
3	Cov/124106	Soumya Sucharita Dash	31	F	Nasal Swab	17.08.2021	Negative	6370868144	RMC Office Rourkela
4	Cov/124107	Shashanka Sekhar Dash	43	M	Nasal Swab	17.08.2021	Negative	9861172605	RMC Office Rourkela
5	Cov/124108	Ajay Kumar Sahoo	44	M	Nasal Swab	17.08.2021	Negative	9427686581	Panposh Rourkela
6	Cov/124109	Manash Chandra Nayak	34	M	Nasal Swab	17.08.2021	Negative	7008331823	Hotel Mefer Panposh Rourkela
7	Cov/124110	Laxman Kumar Pradhan	34	M	Nasal Swab	17.08.2021	Negative	9776119577	Hotel Mefer Panposh Rourkela
8	Cov/124111	Shavla Ray	23	F	Nasal Swab	17.08.2021	Negative	7735991564	Hotel Mefer Panposh Rourkela
9	Cov/124112	Sanjay Kumar Nanda	54	M	Nasal Swab	17.08.2021	Negative	9437092721	Smart City Rourkela
10	Cov/124113	Dibyajyoti Parida	33	M	Nasal Swab	17.08.2021	Negative	9205207183	Commissioner House Rourkela
11	Cov/124114	Rajesh Kumar Panigrahi	33	M	Nasal Swab	17.08.2021	Negative	8249290862	Commissioner House Rourkela
12	Cov/124115	Pramod Kumar Nayak	40	M	Nasal Swab	17.08.2021	Negative	7978701574	Commissioner House Rourkela
13	Cov/124116	Sarat Kumar Deep	35	M	Nasal Swab	17.08.2021	Negative	9776053886	Commissioner House Rourkela
14	Cov/124117	Sushil Kumar Dung Dung	35	M	Nasal Swab	17.08.2021	Negative	7894275091	Commissioner House Rourkela

15	Cov/124118	Subrat Rai Choudhury	35	M	Nasal Swab	17.08.2021	Negative	9439017572	S P House Rourkela
16	Cov/124119	Trinath Mahanta	32	M	Nasal Swab	17.08.2021	Negative	7008903353	S P House Rourkela
17	Cov/124120	Sandeep Ku Rajak	44	M	Nasal Swab	17.08.2021	Negative	9438509294	S P House Rourkela
18	Cov/124121	Sanjay Ku Patra	34	M	Nasal Swab	17.08.2021	Negative	8895270888	S P House Rourkela
19	Cov/124122	Tralakya Ku Sahu	56	M	Nasal Swab	17.08.2021	Negative	9938613355	S P House Rourkela
20	Cov/124123	Manoj Ku Hansh	33	M	Nasal Swab	17.08.2021	Negative	8658419565	S P House Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*