



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.07.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	16.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	18.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/282428	2137301326132	Santosh Kumar Dash	34	M	Nasal Swab	18.07.2022	Negative	8093764832	D-393,Sector-8, Rourkela
02	Cov/282429	2137301326140	Jagadish Sethy	45	M	Nasal Swab	18.07.2022	Negative	9040583062	D-708,Sector-8, Rourkela
03	Cov/282430	2137301326147	Tushar Kanti Mohapatra	49	M	Nasal Swab	18.07.2022	Negative	8763323219	E-97,Sector-4, Rourkela
04	Cov/282431	2137301326152	Pragnya Sutar	25	F	Nasal Swab	18.07.2022	Negative	8917293929	B-78,Sector-6, Rourkela
05	Cov/282432	2137301326158	Shibaram Behera	47	M	Nasal Swab	18.07.2022	Negative	8637204824	A-185,Sector-7, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR