



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	18.08.2021; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	18.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	18.08.2021; 02:20 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/125208	Niranjan Sah	40	M	Nasal Swab	18.08.2021	Negative	9090299851	G B Palli Rourkela
2	Cov/125209	Dulo Dom	55	M	Nasal Swab	18.08.2021	Negative	7859068063	Jharkhand Jharkhand
3	Cov/125210	Anil Sorania	40	M	Nasal Swab	18.08.2021	Negative	9861669180	Raibaga Rourkela Sundargarh
4	Cov/125211	Raman Bhumij	40	M	Nasal Swab	18.08.2021	Negative	7854950065	Kuchita Sundargarh
5	Cov/125212	Asrita Kerketa	55	F	Nasal Swab	18.08.2021	Negative	7735065211	Purnapadhi Rourkela Sundargarh
6	Cov/125213	Chandan Kumar	29	M	Nasal Swab	18.08.2021	Negative	7205621756	Brajaranagar Rourkela
7	Cov/125214	Samal Prasad Singh	51	M	Nasal Swab	18.08.2021	Negative	9439231754	Chandiposh Rourkela
8	Cov/125215	Sujuta Tirkey	37	M	Nasal Swab	18.08.2021	Negative	7077825902	Sector 19 Rourkela
9	Cov/125216	Deepti Rani Mallick	20	F	Nasal Swab	18.08.2021	Negative	8260065460	Panposh Rourkela
10	Cov/125217	Jayshree Mukhi	16	F	Nasal Swab	18.08.2021	Negative	9861138442	RGH IPD, Rourkela
11	Cov/125218	Salmi Kerketta	72	F	Nasal Swab	18.08.2021	Negative	8328952630	RGH IPD, Rourkela
12	Cov/125219	Puja Swain	22	F	Nasal Swab	18.08.2021	Negative	8456868922	RGH IPD, Rourkela
13	Cov/125220	Dinesh Kumar Parida	21	M	Nasal Swab	18.08.2021	Negative	9692373174	RGH IPD, Rourkela
14	Cov/125221	Tenha Gouda	63	M	Nasal Swab	18.08.2021	Negative	7326882499	RGH IPD, Rourkela

15	Cov/125222	Sushila Beldar	15	F	Nasal Swab	18.08.2021	Negative	9505431975	RGH IPD, Rourkela
16	Cov/125223	Siman Kerketta	80	M	Nasal Swab	18.08.2021	Negative	8457084389	RGH IPD, Rourkela
17	Cov/125224	Mian Singh	75	M	Nasal Swab	18.08.2021	Negative	8763349408	RGH IPD, Rourkela
18	Cov/125225	Md Arbaz	17	M	Nasal Swab	18.08.2021	Negative	8339042426	RGH IPD, Rourkela
19	Cov/125226	Bijay Kumar Sonar	22	M	Nasal Swab	18.08.2021	Negative	8658500343	RGH IPD, Rourkela
20	Cov/125227	Jasmin Bhengra	26	F	Nasal Swab	18.08.2021	Negative	7854906567	RGH IPD, Rourkela
21	Cov/125228	Santosh Naik	22	M	Nasal Swab	18.08.2021	Negative	6370745875	RGH IPD, Rourkela
22	Cov/125229	Saiyad Nasim	40	M	Nasal Swab	18.08.2021	Negative	8895761603	RGH IPD, Rourkela
23	Cov/125230	Khetu Mohanta	70	M	Nasal Swab	18.08.2021	Negative	9337927236	RGH IPD, Rourkela
24	Cov/125231	Dharanidhar Sahu	44	M	Nasal Swab	18.08.2021	Negative	9438131141	RGH IPD, Rourkela
25	Cov/125232	Manaj Behera	40	M	Nasal Swab	18.08.2021	Negative	7684852061	RGH IPD, Rourkela
26	Cov/125233	Soma Munday	45	M	Nasal Swab	18.08.2021	Negative	8280453595	RGH IPD, Rourkela
27	Cov/125234	Rabindra Kumar Mohanta	29	M	Nasal Swab	18.08.2021	Negative	7878137030	RGH IPD, Rourkela
28	Cov/125235	Gayatri Devi	35	F	Nasal Swab	18.08.2021	Negative	7655940089	RGH IPD, Rourkela
29	Cov/125236	Jema Munda	60	F	Nasal Swab	18.08.2021	Negative	8658375091	RGH IPD, Rourkela
30	Cov/125237	Sangita Pati	40	F	Nasal Swab	18.08.2021	Negative	8757764253	Raj Anandpur Jharkhand

Prepared by:

Kr. Ch. Majhi

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*

- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*