



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	18.10.2021; 07:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	14.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	16.10.2021; 09:45 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/161800	2137300828383	Pradeepta Ku Biswal	42	M	Nasal Swab	18.10.2021	Negative	9937453756	Bonaigarh, Sundargarh,770038
2	Cov/161801	2137300828386	Satyabhama Sahu	35	F	Nasal Swab	18.10.2021	Negative	7008400253	Bonaigarh, Sundargarh,770038
3	Cov/161802	2137300828392	Aryan Biswal	9	M	Nasal Swab	18.10.2021	Negative	7008400253	Bonaigarh, Sundargarh,770038
4	Cov/161803	2137300828407	Ananya Biswal	14	F	Nasal Swab	18.10.2021	Negative	7008400253	Bonaigarh, Sundargarh,770038
5	Cov/161804	2137300828415	Mayadhar Dagara	63	M	Nasal Swab	18.10.2021	Negative	8637266916	Bonaigarh, Sundargarh,770038
6	Cov/161805	2137300828420	Sorajini Biswal	63	F	Nasal Swab	18.10.2021	Negative	6371225805	Bonaigarh, Sundargarh,770038
7	Cov/161806	2137300828467	Chandramani Sahu	62	M	Nasal Swab	18.10.2021	Negative	8114705399	Bonaigarh, Sundargarh,770038
8	Cov/161807	2137300828478	Sukanti Sahu	58	F	Nasal Swab	18.10.2021	Negative	7656031628	Bonaigarh, Sundargarh,770038
9	Cov/161808	2137300828486	Satyajit Sahu	38	M	Nasal Swab	18.10.2021	Negative	9438539325	Bonaigarh, Sundargarh,770038

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR