



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	18.12.2021; 05:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	17.12.2021; 09:00 A.M.
Date & Time of receipt of specimen	18.12.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/201518	2137300967709	Aditya Patel	27	M	Nasal Swab	18.12.2021	Negative	8763321357	C-12 NIT Campus Rourkela
2	Cov/201519	2137300967716	Ajoy Krishna Patel	63	M	Nasal Swab	18.12.2021	Negative	8763321357	C-12 NIT Campus Rourkela
3	Cov/201520	2137300967720	Asha Patel	58	F	Nasal Swab	18.12.2021	Negative	8763321357	C-12 NIT Campus Rourkela
4	Cov/201521	2137300967725	Madhab Naik	46	M	Nasal Swab	18.12.2021	Negative	9178874818	Gandhi Road Birmitrapur Sundargarh
5	Cov/201522	2137300967732	Mrutunjay Chell	36	M	Nasal Swab	18.12.2021	Negative	9948340345	Roy Lane Master Atta Chaki Line Rourkela
6	Cov/201523	2137300967738	Priyanjali Dey	36	M	Nasal Swab	18.12.2021	Negative	9948340345	Roy Lane, Master Atta Chaki Lane Rourkela
7	Cov/201524	2137300967750	Tanvir Chell	1	M	Nasal Swab	18.12.2021	Negative	9948340345	Roy Lane, Master Atta Chaki Lane Rourkela
8	Cov/201525	2137300967755	Pravat Kumar Dalbehera	47	M	Nasal Swab	18.12.2021	Negative	7606000508	M-12 Chhend Rourkela
9	Cov/201526	2137300967759	Deepi Sahoo	39	F	Nasal Swab	18.12.2021	Negative	7606000508	M-12 Chhend Rourkela
10	Cov/201527	2137300967765	Prateek Dalbehera	11	M	Nasal Swab	18.12.2021	Negative	7606000508	M-12 Chhend Rourkela
11	Cov/201528	2137300967770	Siddhant Dalbehera	11	M	Nasal Swab	18.12.2021	Negative	7606000508	M-12 Chhend Rourkela
12	Cov/201529	2137300967774	Pratima Barik	34	F	Nasal Swab	18.12.2021	Negative	9556424822	Mi-114 Kalinga Vihar Rourkela
13	Cov/201530	2137300967779	Gathika Dakua	5	F	Nasal Swab	18.12.2021	Negative	9556424822	Mi-114 Kalinga Vihar Rourkela
14	Cov/201531	2137300967781	Abhishek Rout	25	M	Nasal Swab	18.12.2021	Negative	9040756252	C-572 Koelnagar Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess  
डा. अशीत भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

**Interpretation guidance:-**

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*