



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	19.11.2021; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	18.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	19.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/183641	2137300908718	Anu Oram	13	F	Nasal Swab	19.11.2021	Negative	9078235989	Bagdega Nuagaon
2	Cov/183642	2137300908720	Sanjay Tirkey	55	M	Nasal Swab	19.11.2021	Negative	9439491024	Sanpokher Bisra
3	Cov/183643	2137300908722	Anup Kumar Saha	48	M	Nasal Swab	19.11.2021	Negative	9402847009	Kaliaposh CRPF Bisra
4	Cov/183644	2137300908728	Sabita Mahato	29	F	Nasal Swab	19.11.2021	Negative	9438202137	Manko Bisra
5	Cov/184011	2137300907881	Ruturaj Mahakul	13	M	Nasal Swab	19.11.2021	Negative	9439947524	Pankadihi Gurundia
6	Cov/184012	2137300907904	Juspin Xess	12	M	Nasal Swab	19.11.2021	Negative	9827279252	Badgaon Gurundia
7	Cov/184013	2137300908435	Rani Thakur	11	F	Nasal Swab	19.11.2021	Negative	8895941183	Ghantiali Gurundia
8	Cov/184086	2137300907525	Santilata Das	66	F	Nasal Swab	19.11.2021	Negative	7605998615	Liploi Rajgangpur
9	Cov/184087	2137300907527	Swagatika Das	13	F	Nasal Swab	19.11.2021	Negative	9337173624	Liploi Rajgangpur
10	Cov/184089	2137300907545	Manas Das	48	M	Nasal Swab	19.11.2021	Negative	7008460995	Starionpada Rajgangpur

Krishna

Dr. Ashit

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela