



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	20.06.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	19.06.2022; 09:00 A.M.
Date & Time of receipt of specimen	20.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/277570	2137301300583	Munu Induar	60	M	Nasal Swab	20.06.2022	Negative	9827939815	Kundupada RGP, Sundargarh
02	Cov/277571	2137301300584	Susanta Naik	28	M	Nasal Swab	20.06.2022	Negative	7848846008	Sector-5, Rourkela
03	Cov/277572	2137301300585	Sangram Munda	42	M	Nasal Swab	20.06.2022	Negative	9337795494	Bondamunda, Rourkela
04	Cov/277573	2137301300586	Dharma Deep	90	M	Nasal Swab	20.06.2022	Negative	9337821268	Kumbharpada, Sundargarh
05	Cov/277574	2137301300587	Robet Ekka	63	M	Nasal Swab	20.06.2022	Negative	7655914052	Balisankara, Sundargarh
06	Cov/277575	2137301300588	Asni Bhumij	35	F	Nasal Swab	20.06.2022	Negative	8280688453	Barkani Birmitrapur, Sundargarh
07	Cov/277576	2137301300589	Sukru Nayak	47	M	Nasal Swab	20.06.2022	Negative	8763066195	Netaji Nagar, Rourkela
08	Cov/277577	2137301300580	Chinmoy Kumar Das	52	M	Nasal Swab	20.06.2022	Negative	9437340762	ECR-37 Chhend, Rourkela
09	Cov/277578	2137301300581	Abhinash Kumar Nayak	36	M	Nasal Swab	20.06.2022	Negative	9348178844	Fl-75 Basanti Colony, Rourkela
10	Cov/277579	2137301300582	Anshul Gupta	33	M	Nasal Swab	20.06.2022	Negative	9937042926	Bisra Road, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR