



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	20.09.2021; 07:45 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	18.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	20.09.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/147311	Rajesh Toppo	39	M	Nasal Swab	20.09.2021	Negative	8250350441	Ward No 19, Rajgangpur
2	Cov/147404	Bikash Munda	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
3	Cov/147405	Saluka Munda	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
4	Cov/147406	Johan Gabrel Munda	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
5	Cov/147407	Sudam Munda	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
6	Cov/147408	Rahul Ganjhu	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
7	Cov/147409	Sankar Tanty	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
8	Cov/147410	Sunil Kumar Kishan	15	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
9	Cov/147411	Sasidhar Munda	14	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
10	Cov/147412	Bikas Naik	15	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
11	Cov/147413	Bises Munday	15	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira
12	Cov/147414	Sunil Munday	15	M	Nasal Swab	20.09.2021	Negative	9337087895	Gopna SSD High School, Koira

Prepared by:

Krishna

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/

any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*