



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	21.03.2022; 04:20 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	20.03.2022; 09:00 A.M.
Date & Time of receipt of specimen	21.03.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/264662	2137301240961	Tribeni Bankra	50	F	Nasal Swab	21.03.2022	Negative	9556480592	Jhartarang Lathikata Rourkela
2	Cov/264663	2137301240964	Daud Surin	50	M	Nasal Swab	21.03.2022	Negative	9337557847	Birmitrapur Sundargarh
3	Cov/264664	2137301240965	Sudam Patra	60	M	Nasal Swab	21.03.2022	Negative	9692751827	Sector-5 Rourkela
4	Cov/264665	2137301240968	Manju Dash	57	F	Nasal Swab	21.03.2022	Negative	7701814309	Koelnagar Rourkela Sundargarh
5	Cov/264666	2137301240970	Rakhi Mukhi	19	F	Nasal Swab	21.03.2022	Negative	7033807945	Manoharpur Jharkhand

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR