



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	21.05.2021; 07:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	18.05.2021; 09:00 A.M
Date & Time of receipt of specimen	19.05.2021; 10:25 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/66527	Prakash Rajat	32	M	Nasal Swab	21.05.2022	Negative
2	Cov/66528	Devender Singh Coday	37	M	Nasal Swab	21.05.2022	Negative
3	Cov/66529	Mukesh Singh	44	M	Nasal Swab	21.05.2022	Negative
4	Cov/66535	Raj Mohapatra	17	M	Nasal Swab	21.05.2022	Negative
5	Cov/66538	Baidya Nath Sethi	49	M	Nasal Swab	21.05.2022	Negative
6	Cov/66541	Sangita Rajak	52	F	Nasal Swab	21.05.2022	Negative
7	Cov/66544	Prakash Kumar Jena	40	M	Nasal Swab	21.05.2022	Negative
8	Cov/66546	Mukesh Sah	32	M	Nasal Swab	21.05.2022	Negative
9	Cov/66547	Bikash Kumar	19	M	Nasal Swab	21.05.2022	Negative
10	Cov/66548	Radheshyam Kumar	25	M	Nasal Swab	21.05.2022	Negative

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR