



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	21.08.2021; 07:45 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	21.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	21.08.2021; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/128144	Purusottam Kabi	39	M	Nasal Swab	21.08.2021	Negative	9078817770	PANPOSH HOCKEY STADIUM RKL
02	Cov/128145	Dropodi Tanty	45	F	Nasal Swab	21.08.2021	Negative	7894511547	RAICHA PALLI RKL
03	Cov/128146	Bundini Patro	51	F	Nasal Swab	21.08.2021	Negative	8018317604	PATRO PALLI RKL
04	Cov/128147	Sukhani Kumbhar	48	F	Nasal Swab	21.08.2021	Negative	8144106182	LEMDU HATIBARI RKL
05	Cov/128148	Jiju Kujur	60	M	Nasal Swab	21.08.2021	Negative	8260958009	GOPO PALLI RKL
06	Cov/128149	Sandhya Singh	21	F	Nasal Swab	21.08.2021	Negative	9556712437	DANDIYA PALLI B TARANG RKL
07	Cov/128150	Debchan Dsa Pandey	55	M	Nasal Swab	21.08.2021	Negative	7077919450	KUTRA SUNDARGARH
08	Cov/128151	Sumendsa Saa	51	M	Nasal Swab	21.08.2021	Negative	8328892384	BIRMITRAPUR SNG
09	Cov/128152	Kanak Prusty	45	M	Nasal Swab	21.08.2021	Negative	8249416311	SECTOR 15 MALLIDE BASTI RKL
10	Cov/128153	Akshaya Kumar Jena	56	M	Nasal Swab	21.08.2021	Negative	9438112205	SECTOR 18 QN D/142 RKL
11	Cov/128154	Rabi Giri	50	M	Nasal Swab	21.08.2021	Negative	9078931650	RGH IPD RKL
12	Cov/128155	Kerem Tanty	60	M	Nasal Swab	21.08.2021	Negative	8457009133	RGH IPD RKL
13	Cov/128156	Subhadra Lohar	65	M	Nasal Swab	21.08.2021	Negative	8656349280	RGH IPD RKL
14	Cov/128157	Renu Chawda	47	F	Nasal Swab	21.08.2021	Negative	9337269406	RGH IPD RKL
15	Cov/128158	Sabita Kandhe	40	F	Nasal Swab	21.08.2021	Negative	9692534834	RGH IPD RKL
16	Cov/128159	Suruj Mani Prasad	78	F	Nasal Swab	21.08.2021	Negative	8849085146	RGH IPD RKL
17	Cov/128160	Sauna Xalxo	60	M	Nasal Swab	21.08.2021	Negative	6371908016	LATHIKATA RKL

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*