



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	21.09.2021; 07:15 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	21.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	21.09.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/148824	Saraswati Kishan	45	F	Nasal Swab	21.09.2021	Negative	7684891622	Gutidara Sundargarh
2	Cov/148825	Soshivti Topno	41	F	Nasal Swab	21.09.2021	Negative	8093442154	Kardega Hatibari
3	Cov/148826	Laliti Mundari	40	F	Nasal Swab	21.09.2021	Negative	8249115890	Jalda A Block Rourkela
4	Cov/148827	Basanti Tirky	52	F	Nasal Swab	21.09.2021	Negative	8480525537	Vedvyas Rourkela
5	Cov/148828	Damrudhar Ghusi	28	M	Nasal Swab	21.09.2021	Negative	7848874316	Nirabahal Sundargarh
6	Cov/148829	Shivnath Oram	27	M	Nasal Swab	21.09.2021	Negative	7024771411	Taisar Pandri Pathar
7	Cov/148830	Radhika Simasi	21	F	Nasal Swab	21.09.2021	Negative	8018112056	Jalda C Block Rourkela
8	Cov/148831	Sangeeta Lakua	27	F	Nasal Swab	21.09.2021	Negative	7928983360	Tilkanagar Bondamunda Rourkela
9	Cov/148832	Sarita Bhumij	35	F	Nasal Swab	21.09.2021	Negative	9438647684	Azad Basti Sector-19 Rourkela
10	Cov/148833	Sundar Nag	45	M	Nasal Swab	21.09.2021	Negative	9431972776	Manoharpur Jharkhand
11	Cov/148834	Ameya Ranjan Parida	35	M	Nasal Swab	21.09.2021	Negative	7008474836	Bondamunda Rourkela
12	Cov/148835	Sumitra Mahato	27	F	Nasal Swab	21.09.2021	Negative	9937016080	Jabapanposh Rourkela
13	Cov/148836	Sheetal Prabha Krishna	32	F	Nasal Swab	21.09.2021	Negative	7070093686	Kausianal Sundargarh
14	Cov/148837	Reena Rani Sahoo	48	F	Nasal Swab	21.09.2021	Negative	6372007308	C2L2/51 Chhend Rourkela
15	Cov/148838	Gurbari Kula	50	F	Nasal Swab	21.09.2021	Negative	9679539755	RGH IPD, Rourkela
16	Cov/148839	Nirasa Singh	40	F	Nasal Swab	21.09.2021	Negative	6370289272	RGH IPD, Rourkela
17	Cov/148840	Ganesh Turi	22	M	Nasal Swab	21.09.2021	Negative	7735802409	RGH IPD, Rourkela
18	Cov/148841	Nanda Kujur	28	M	Nasal Swab	21.09.2021	Negative	8280453847	RGH IPD, Rourkela
19	Cov/148842	Kalo Kujur	60	M	Nasal Swab	21.09.2021	Negative	7735324943	RGH IPD, Rourkela
20	Cov/148843	Rajesh Kandulana	36	M	Nasal Swab	21.09.2021	Negative	7077479789	RGH IPD, Rourkela
21	Cov/148844	Raja Oram	23	M	Nasal Swab	21.09.2021	Negative	9439090307	RGH IPD, Rourkela

22	Cov/148845	Mansi Dehuri	18	F	Nasal Swab	21.09.2021	Negative	9668003708	RGH IPD, Rourkela
23	Cov/148846	Khymasari Samasi	44	F	Nasal Swab	21.09.2021	Negative	8144480972	RGH IPD, Rourkela
24	Cov/148847	Alkan Banjo	34	F	Nasal Swab	21.09.2021	Negative	8763656203	RGH IPD, Rourkela
25	Cov/148848	Pange Toppno	45	F	Nasal Swab	21.09.2021	Negative	7064210175	RGH IPD, Rourkela
26	Cov/148849	Sandeep Naik	15	M	Nasal Swab	21.09.2021	Negative	6371212367	Labour Turnament Rourkela
27	Cov/148850	Mrutyunjaya Mahakud	41	M	Nasal Swab	21.09.2021	Negative	6355132724	B-245 Sector-02 Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*