



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	22.12.2021; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	21.12.2021; 09:00 A.M.
Date & Time of receipt of specimen	22.12.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/204379	2137300975611	Ranjan Kumar Jena	47	M	Nasal Swab	22.12.2021	Negative	9178874353	C-37 Sector-7 Rourkela
02	Cov/204380	2137300975618	Gitishree Panda	42	F	Nasal Swab	22.12.2021	Negative	9437610548	D-356 Koelnagar Rourkela
03	Cov/204381	2137300975626	Smita Lakra	34	F	Nasal Swab	22.12.2021	Negative	9945988066	Near F-139 Hamirpur Upper Basti Rourkela
04	Cov/204382	2137300975638	Dharmesh Parmar	49	M	Nasal Swab	22.12.2021	Negative	8280282828	Parmar Building Kacheri Road Rourkela
05	Cov/204383	2137300975653	Sukanti Lakra	36	F	Nasal Swab	22.12.2021	Negative	9438130895	Plot No-327 Kalinga Vihar Rourkela
06	Cov/204384	2137300975659	Avishek Singh	34	M	Nasal Swab	22.12.2021	Negative	7006962337	HD-32 Phase-2 Rourkela
07	Cov/204385	2137300975666	Sangeeta Singh	33	F	Nasal Swab	22.12.2021	Negative	7006962337	HD-32 Phase-2 Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR