

## Test Report

Date and time of reporting (dd/mm/yyyy) : 12 hour format	23/04/2021
Address of the referring facility/Hospital	CDM & PHO, ROURKELA
<b>SPECIMEN DETAILS</b>	
Date & Time of receipt of specimen at State VRDL, SCBMCH (dd/mm/yyyy)	22/04/2021
Condition of specimen received / Quality on arrival	Under cold chain
<b>REPORTING DETAILS</b>	

SL No.	Patient ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV RTPCR
1	nCoV7L57637	SATYAJIT SARKAR	43	M	NP. Swab	23/4/2021	NEGATIVE
2	nCoV7L57638	BISAL ORAM	19	M	NP. Swab	23/4/2021	NEGATIVE
3	nCoV7L57639	SIDHARTH RATHA	25	M	NP. Swab	23/4/2021	NEGATIVE
4	nCoV7L57640	GOBIND MINZ	36	M	NP. Swab	23/4/2021	NEGATIVE
5	nCoV7L57641	JYOTI RANI MALLICK	25	F	NP. Swab	23/4/2021	NEGATIVE
6	nCoV7L57642	SONALI MOHAPATRA	27	F	NP. Swab	23/4/2021	NEGATIVE
7	nCoV7L57643	SUMANTA MALLICK	47	M	NP. Swab	23/4/2021	NEGATIVE
8	nCoV7L57644	PRAMILA DEVI	46	F	NP. Swab	23/4/2021	NEGATIVE
9	nCoV7L57645	ANJAN KUMAR DHAL	47	M	NP. Swab	23/4/2021	NEGATIVE
10	nCoV7L57649	PRIYANKA PATI	20	F	NP. Swab	23/4/2021	NEGATIVE
11	nCoV7L57650	BINDULATA PATI	46	F	NP. Swab	23/4/2021	NEGATIVE
12	nCoV7L57651	ARUP PATI	23	M	NP. Swab	23/4/2021	NEGATIVE
13	nCoV7L57652	BALARAM NAYAK	23	M	NP. Swab	23/4/2021	NEGATIVE
14	nCoV7L57653	JHASKETAN BARIHA	39	M	NP. Swab	23/4/2021	NEGATIVE
15	nCoV7L57654	CHETANA NAND SRICHANDAN	53	M	NP. Swab	23/4/2021	NEGATIVE
16	nCoV7L57655	TARACHAN BARIHA	37	M	NP. Swab	23/4/2021	NEGATIVE
17	nCoV7L57656	ALOK PATTANAIK	50	M	NP. Swab	23/4/2021	NEGATIVE
18	nCoV7L57657	SARAT KUMAR NAYAK	50	M	NP. Swab	23/4/2021	NEGATIVE
19	nCoV7L57661	AMAR SINGH	36	M	NP. Swab	23/4/2021	NEGATIVE
20	nCoV7L57662	PITAMBAR SATPATHY	44	M	NP. Swab	23/4/2021	NEGATIVE
21	nCoV7L57663	ASHALATA MOHANTY	52	F	NP. Swab	23/4/2021	NEGATIVE
22	nCoV7L57664	RASHMITA BEHERA	30	F	NP. Swab	23/4/2021	NEGATIVE
23	nCoV7L57665	DIGAMBAR SAMAL	30	M	NP. Swab	23/4/2021	NEGATIVE
24	nCoV7L57666	MANORANJAN BARIK	31	M	NP. Swab	23/4/2021	NEGATIVE
25	nCoV7L57667	ARCHANA BARIK	28	F	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gayatri Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeat sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

26	nCoV7L57668	KAMALA BARIK	52	F	NP. Swab	23/4/2021	NEGATIVE
27	nCoV7L57669	RATNAKAR NAYAK	56	M	NP. Swab	23/4/2021	NEGATIVE
28	nCoV7L57670	SUKANTI NAYAK	54	F	NP. Swab	23/4/2021	NEGATIVE
29	nCoV7L57671	MINATI BAL	22	F	NP. Swab	23/4/2021	NEGATIVE
30	nCoV7L57672	NIRUPAMA PRADHAN	32	F	NP. Swab	23/4/2021	NEGATIVE
31	nCoV7L57694	SHIBA NAG	28	M	NP. Swab	23/4/2021	NEGATIVE
32	nCoV7L57695	HARBHAJAN SINGH	48	M	NP. Swab	23/4/2021	NEGATIVE
33	nCoV7L57696	SURAJ BAG	25	M	NP. Swab	23/4/2021	NEGATIVE
34	nCoV7L57697	MAHENDRA KUJUR	24	M	NP. Swab	23/4/2021	NEGATIVE
35	nCoV7L57698	GOPAL CH DAS	32	M	NP. Swab	23/4/2021	NEGATIVE
36	nCoV7L57699	SIRNASH DUNG DUNG	23	M	NP. Swab	23/4/2021	NEGATIVE
37	nCoV7L57700	BIKRAM LAKRA	30	M	NP. Swab	23/4/2021	NEGATIVE
38	nCoV7L57701	DALBIR SINGH	60	M	NP. Swab	23/4/2021	NEGATIVE
39	nCoV7L57702	LAKHI GHOSE	37	F	NP. Swab	23/4/2021	NEGATIVE
40	nCoV7L57703	ANANDA CH SAHOO	45	M	NP. Swab	23/4/2021	NEGATIVE
41	nCoV7L57704	VIJAN NAYAK	53	M	NP. Swab	23/4/2021	NEGATIVE
42	nCoV7L57705	LAKHAN DALAI	29	M	NP. Swab	23/4/2021	NEGATIVE
43	nCoV7L57706	JOGESH RANA	28	M	NP. Swab	23/4/2021	NEGATIVE
44	nCoV7L57707	SULOCHANA SAHOO	41	F	NP. Swab	23/4/2021	NEGATIVE
45	nCoV7L57708	CHABIRANI BARIK	26	F	NP. Swab	23/4/2021	NEGATIVE
46	nCoV7L57709	REETA BARIK	45	F	NP. Swab	23/4/2021	NEGATIVE
47	nCoV7L57710	SASMITA PARAMANIK	35	F	NP. Swab	23/4/2021	NEGATIVE
48	nCoV7L57711	KAMALAKANTA TRIPATHY	66	M	NP. Swab	23/4/2021	NEGATIVE
49	nCoV7L57712	PAPU GURU	32	M	NP. Swab	23/4/2021	NEGATIVE
50	nCoV7L57713	REKHA KUMARI	38	F	NP. Swab	23/4/2021	NEGATIVE
51	nCoV7L57714	RAJESH KUMAR VERMA	46	M	NP. Swab	23/4/2021	NEGATIVE
52	nCoV7L57715	PRAMICA NANDA	53	F	NP. Swab	23/4/2021	NEGATIVE
53	nCoV7L57716	KRUSHNA NANDA	22	M	NP. Swab	23/4/2021	NEGATIVE
54	nCoV7L57717	KAMALAKANTA PRAHARI	53	M	NP. Swab	23/4/2021	NEGATIVE
55	nCoV7L57718	PRADYUMNA KUMAR KHANDAI	57	M	NP. Swab	23/4/2021	NEGATIVE
56	nCoV7L57719	KIRAN KUMAR SAHU	56	M	NP. Swab	23/4/2021	NEGATIVE
57	nCoV7L57720	GANESWAR NAYAK	28	M	NP. Swab	23/4/2021	NEGATIVE
58	nCoV7L57721	KAILASH CHANDRA BARIK	56	M	NP. Swab	23/4/2021	NEGATIVE
59	nCoV7L57722	M G RAJENDRA NAIR	52	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gayatri Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

60	nCoV7L57723	SUDHAMANI AMMA	50	F	NP. Swab	23/4/2021	NEGATIVE
61	nCoV7L57724	SOUMNATH NAYAK	50	M	NP. Swab	23/4/2021	NEGATIVE
62	nCoV7L57725	DEBABRATA BEHERA	52	M	NP. Swab	23/4/2021	NEGATIVE
63	nCoV7L57726	SANTOSH KUMAR BADAJENA	31	M	NP. Swab	23/4/2021	NEGATIVE
64	nCoV7L57727	RAJARAM SWAIN	52	M	NP. Swab	23/4/2021	NEGATIVE
65	nCoV7L57728	DEBABRATA BINDHANI	13	M	NP. Swab	23/4/2021	NEGATIVE
66	nCoV7L57729	SUSHAMA BINDHANI	35	F	NP. Swab	23/4/2021	NEGATIVE
67	nCoV7L57730	AKRURA CHARAN PANDA	81	M	NP. Swab	23/4/2021	NEGATIVE
68	nCoV7L57731	DEBAN PANDA	74	F	NP. Swab	23/4/2021	NEGATIVE
69	nCoV7L57732	HEMANTA PATI	50	M	NP. Swab	23/4/2021	NEGATIVE
70	nCoV7L57733	TARANSINI JOSHI	48	F	NP. Swab	23/4/2021	NEGATIVE
71	nCoV7L57734	TARUNADITYA PATI	17	M	NP. Swab	23/4/2021	NEGATIVE
72	nCoV7L57735	HARIKESH MAHATO	20	M	NP. Swab	23/4/2021	NEGATIVE
73	nCoV7L57736	NEELIMA MISHRA	45	F	NP. Swab	23/4/2021	NEGATIVE
74	nCoV7L57737	RAKESH KUMAR TRIPATHY	28	M	NP. Swab	23/4/2021	NEGATIVE
75	nCoV7L57738	RAJENDRA PATRO	52	M	NP. Swab	23/4/2021	NEGATIVE
76	nCoV7L57739	GEETANJALI SWAIN	33	F	NP. Swab	23/4/2021	NEGATIVE
77	nCoV7L57740	RASHMI RAY	27	F	NP. Swab	23/4/2021	NEGATIVE
78	nCoV7L57741	SUSHAMA BALA RAY	45	F	NP. Swab	23/4/2021	NEGATIVE
79	nCoV7L57742	BARAMARABAR SETHI	63	M	NP. Swab	23/4/2021	NEGATIVE
80	nCoV7L57743	MINATI SETHI	30	F	NP. Swab	23/4/2021	NEGATIVE
81	nCoV7L57744	MULTI NIHARIKA SETHI	5	M	NP. Swab	23/4/2021	NEGATIVE
82	nCoV7L57745	SMRUTI SMARANIKA SETHI	10	F	NP. Swab	23/4/2021	NEGATIVE
83	nCoV7L57746	PURNA CHANDRA DALAI	64	M	NP. Swab	23/4/2021	NEGATIVE
84	nCoV7L57747	ABHIJIT DAS	42	M	NP. Swab	23/4/2021	NEGATIVE
85	nCoV7L57751	SUJATA BEHERA	48	F	NP. Swab	23/4/2021	NEGATIVE
86	nCoV7L57752	BINOD BIHARI BISWAL	43	M	NP. Swab	23/4/2021	NEGATIVE
87	nCoV7L57753	MINATI BISWAL	46	F	NP. Swab	23/4/2021	NEGATIVE
88	nCoV7L57754	SMRUTI RANJAN RAY	52	M	NP. Swab	23/4/2021	NEGATIVE
89	nCoV7L57755	SOMANTA MEHER	44	M	NP. Swab	23/4/2021	NEGATIVE
90	nCoV7L57756	ARUN OREYA	32	M	NP. Swab	23/4/2021	NEGATIVE
91	nCoV7L57757	SAROJINI DAS	80	F	NP. Swab	23/4/2021	NEGATIVE
92	nCoV7L57758	MAMITA BHUYAN	57	F	NP. Swab	23/4/2021	NEGATIVE
93	nCoV7L57759	PRATIK BHUYAN	26	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gagan Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeats sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

94	nCoV7L57760	DWITIYA BHOI	46	M	NP. Swab	23/4/2021	NEGATIVE
95	nCoV7L57761	ADYASHA RANI BHOI	20	F	NP. Swab	23/4/2021	NEGATIVE
96	nCoV7L57762	ANUSKA BHOI	12	F	NP. Swab	23/4/2021	NEGATIVE
97	nCoV7L57763	BOBITA BHOI	42	F	NP. Swab	23/4/2021	NEGATIVE
98	nCoV7L57764	SURENDRA KUMAR PADHI	54	M	NP. Swab	23/4/2021	NEGATIVE
99	nCoV7L57765	SURENDRA KUMAR SETHY	59	M	NP. Swab	23/4/2021	NEGATIVE
100	nCoV7L57766	ESTOR LUGUN	29	M	NP. Swab	23/4/2021	NEGATIVE
101	nCoV7L57767	MAHIMA LUGUN	21	F	NP. Swab	23/4/2021	NEGATIVE
102	nCoV7L57768	S K NANDA	33	M	NP. Swab	23/4/2021	NEGATIVE
103	nCoV7L57772	SUHASINI RAY	53	F	NP. Swab	23/4/2021	NEGATIVE
104	nCoV7L57773	MANOJ KUMAR SAMAL	48	M	NP. Swab	23/4/2021	NEGATIVE
105	nCoV7L57774	GITARANI SAMAL	45	F	NP. Swab	23/4/2021	NEGATIVE
106	nCoV7L57775	MANAS RANJAN SAMAL	19	M	NP. Swab	23/4/2021	NEGATIVE
107	nCoV7L57776	KULDEEP SAMAL	15	M	NP. Swab	23/4/2021	NEGATIVE
108	nCoV7L57777	ASIM DEY	28	M	NP. Swab	23/4/2021	NEGATIVE
109	nCoV7L57778	MANOJ KERKETTA	40	M	NP. Swab	23/4/2021	NEGATIVE
110	nCoV7L57779	TILOTTAMA MAHATO	45	F	NP. Swab	23/4/2021	NEGATIVE
111	nCoV7L57780	DUKHA MAHATO	70	F	NP. Swab	23/4/2021	NEGATIVE
112	nCoV7L57781	SAJAN BHATACHARJA	60	M	NP. Swab	23/4/2021	NEGATIVE
113	nCoV7L57782	UJJAL BHATACHARJA	56	M	NP. Swab	23/4/2021	NEGATIVE
114	nCoV7L57783	MD FIROJ	44	M	NP. Swab	23/4/2021	NEGATIVE
115	nCoV7L57784	BIKASH MUNDARY	25	M	NP. Swab	23/4/2021	NEGATIVE
116	nCoV7L57785	KATRINA HEMBRAM	22	F	NP. Swab	23/4/2021	NEGATIVE
117	nCoV7L57786	MD LATIF	18	M	NP. Swab	23/4/2021	NEGATIVE
118	nCoV7L57787	MANOJ MUNDA	31	M	NP. Swab	23/4/2021	NEGATIVE
119	nCoV7L57788	SAMARI MUNDA	50	F	NP. Swab	23/4/2021	NEGATIVE
120	nCoV7L57789	CHANDMANI MAHATO	19	F	NP. Swab	23/4/2021	NEGATIVE
121	nCoV7L57790	JANKI MAHATO	60	F	NP. Swab	23/4/2021	NEGATIVE
122	nCoV7L57791	RINKI MAHATO	26	F	NP. Swab	23/4/2021	NEGATIVE
123	nCoV7L57792	GS CNDRA SEKHAR	47	M	NP. Swab	23/4/2021	NEGATIVE
124	nCoV7L57796	KAPIL SINGH	35	M	NP. Swab	23/4/2021	NEGATIVE
125	nCoV7L57797	RUKMONA XAXA	42	M	NP. Swab	23/4/2021	NEGATIVE
126	nCoV7L57798	SHASHI MUNDRA	53	F	NP. Swab	23/4/2021	NEGATIVE
127	nCoV7L57799	KATA SOM SHEKHAR RAO	47	M	NP. Swab	23/4/2021	NEGATIVE
128	nCoV7L57800	OM SHARMA	18	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gagan Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

129	nCoV7L57801	SABITRI ORAM	27	F	NP. Swab	23/4/2021	NEGATIVE
130	nCoV7L57802	AKHATARI KHATUN	41	F	NP. Swab	23/4/2021	NEGATIVE
131	nCoV7L57803	NN BETHARIYA	78	M	NP. Swab	23/4/2021	NEGATIVE
132	nCoV7L57804	SASWATI SUNAYANA	33	F	NP. Swab	23/4/2021	NEGATIVE
133	nCoV7L57808	MANGU ORAM	60	M	NP. Swab	23/4/2021	NEGATIVE
134	nCoV7L57809	KAPILA MUNDA	57	M	NP. Swab	23/4/2021	NEGATIVE
135	nCoV7L57810	SURAJ MUNDA	50	M	NP. Swab	23/4/2021	NEGATIVE
136	nCoV7L57811	SURAJ GUMAN SINGH	20	M	NP. Swab	23/4/2021	NEGATIVE
137	nCoV7L57812	SANJABATI LUHURA	24	F	NP. Swab	23/4/2021	NEGATIVE
138	nCoV7L57813	ANIMA LUHURA	14	F	NP. Swab	23/4/2021	NEGATIVE
139	nCoV7L57814	PRASANTA ORAM	30	M	NP. Swab	23/4/2021	NEGATIVE
140	nCoV7L57815	SUMITRA ORAM	26	F	NP. Swab	23/4/2021	NEGATIVE
141	nCoV7L57816	IJAJAL HAQ	40	M	NP. Swab	23/4/2021	NEGATIVE
142	nCoV7L57817	LILI KISAN	21	F	NP. Swab	23/4/2021	NEGATIVE
143	nCoV7L57818	RAJNI SINGH	30	F	NP. Swab	23/4/2021	NEGATIVE
144	nCoV7L57819	JULEKHA MINZ	47	F	NP. Swab	23/4/2021	NEGATIVE
145	nCoV7L57820	FULKI KISHAN	25	F	NP. Swab	23/4/2021	NEGATIVE
146	nCoV7L57821	JOYTI LAKRA	40	F	NP. Swab	23/4/2021	NEGATIVE
147	nCoV7L57822	BHALERIA MINZ	50	F	NP. Swab	23/4/2021	NEGATIVE
148	nCoV7L57823	LORESIA BAHALA	62	F	NP. Swab	23/4/2021	NEGATIVE
149	nCoV7L57824	LILYGRESH DUNGUNG	36	F	NP. Swab	23/4/2021	NEGATIVE
150	nCoV7L57825	SALMI LAKRA	42	F	NP. Swab	23/4/2021	NEGATIVE
151	nCoV7L57826	RUMILA KUJUR	80	F	NP. Swab	23/4/2021	NEGATIVE
152	nCoV7L57827	SURESH KISHAN	40	M	NP. Swab	23/4/2021	NEGATIVE
153	nCoV7L57828	LORNEB BAXALA	45	M	NP. Swab	23/4/2021	NEGATIVE
154	nCoV7L57829	RESHMA BAXALA	13	F	NP. Swab	23/4/2021	NEGATIVE
155	nCoV7L57830	MARIYAM LAKRA	33	F	NP. Swab	23/4/2021	NEGATIVE
156	nCoV7L57831	ADILINA TIRKEY	23	F	NP. Swab	23/4/2021	NEGATIVE
157	nCoV7L57832	HIRIDA KISHAN	60	F	NP. Swab	23/4/2021	NEGATIVE
158	nCoV7L57833	MATHIAS PURTY	65	F	NP. Swab	23/4/2021	NEGATIVE
159	nCoV7L57834	LILY EKKA	42	F	NP. Swab	23/4/2021	NEGATIVE
160	nCoV7L57835	ANIKET LAKRA	11	M	NP. Swab	23/4/2021	NEGATIVE
161	nCoV7L57836	KIRTINATH LAKRA	45	M	NP. Swab	23/4/2021	NEGATIVE
162	nCoV7L57837	JUGAL KISHOR BAXALA	47	M	NP. Swab	23/4/2021	NEGATIVE
163	nCoV7L57838	BIBIANA MINZ	30	F	NP. Swab	23/4/2021	NEGATIVE
164	nCoV7L57839	AMRUSH XALXO	62	M	NP. Swab	23/4/2021	NEGATIVE
165	nCoV7L57840	SALIB SUSHIL KUJUR	37	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gayatri Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

166	nCoV7L57844	SARITA LAKRA	30	F	NP. Swab	23/4/2021	NEGATIVE
167	nCoV7L57845	BIJAYNANDA NAYAK	40	M	NP. Swab	23/4/2021	NEGATIVE
168	nCoV7L57846	ANIMA ORAM	20	F	NP. Swab	23/4/2021	NEGATIVE
169	nCoV7L57847	MAMATA TOPPNO	23	F	NP. Swab	23/4/2021	NEGATIVE
170	nCoV7L57848	ANIMA TOPPNO	28	F	NP. Swab	23/4/2021	NEGATIVE
171	nCoV7L57849	RAMIYA KERKETTA	76	F	NP. Swab	23/4/2021	NEGATIVE
172	nCoV7L57850	LUCIA LAKRA	32	F	NP. Swab	23/4/2021	NEGATIVE
173	nCoV7L57851	MAGRITA KERKETTA	33	F	NP. Swab	23/4/2021	NEGATIVE
174	nCoV7L57852	BUDHU KISHAN	50	M	NP. Swab	23/4/2021	NEGATIVE
175	nCoV7L57853	SARGU KISHAN	53	M	NP. Swab	23/4/2021	NEGATIVE
176	nCoV7L57854	SUDHIR ASHOK KERKETTA	39	M	NP. Swab	23/4/2021	NEGATIVE
177	nCoV7L57855	PRADEEP EKKA	51	M	NP. Swab	23/4/2021	NEGATIVE
178	nCoV7L57856	FILICITA EKKA	49	F	NP. Swab	23/4/2021	NEGATIVE
179	nCoV7L57857	LUCIA EKKA	60	F	NP. Swab	23/4/2021	NEGATIVE
180	nCoV7L57858	HITESWARI BARA	36	F	NP. Swab	23/4/2021	NEGATIVE
181	nCoV7L57862	CHAMRU XALXO	50	M	NP. Swab	23/4/2021	NEGATIVE
182	nCoV7L57863	NAMRATA SINGH	24	F	NP. Swab	23/4/2021	NEGATIVE
183	nCoV7L57864	PRABHA MANJARI BARA	25	F	NP. Swab	23/4/2021	NEGATIVE
184	nCoV7L57868	SOHARMATI BADAIAK	40	F	NP. Swab	23/4/2021	NEGATIVE
185	nCoV7L57869	AJAY GUPTA	34	M	NP. Swab	23/4/2021	NEGATIVE
186	nCoV7L57870	SITA KUMBHAR	35	F	NP. Swab	23/4/2021	NEGATIVE
187	nCoV7L57874	MAHESWAR SINGH	7	M	NP. Swab	23/4/2021	NEGATIVE
188	nCoV7L57875	NAMITA SINGH	16	F	NP. Swab	23/4/2021	NEGATIVE
189	nCoV7L57876	NALINI SINGH	16	F	NP. Swab	23/4/2021	NEGATIVE
190	nCoV7L57877	RANGAMANI SINGH	60	F	NP. Swab	23/4/2021	NEGATIVE
191	nCoV7L57878	SAMIR TOPPO	21	M	NP. Swab	23/4/2021	NEGATIVE
192	nCoV7L57879	KULDEEP LAKRA	15	M	NP. Swab	23/4/2021	NEGATIVE
193	nCoV7L57880	RAJENDRA PRASAD	52	M	NP. Swab	23/4/2021	NEGATIVE
194	nCoV7L57881	MANOHAR EKKA	61	M	NP. Swab	23/4/2021	NEGATIVE
195	nCoV7L57882	MARTHA EKKA	60	F	NP. Swab	23/4/2021	NEGATIVE
196	nCoV7L57883	MADHUSMITA EKKA	27	F	NP. Swab	23/4/2021	NEGATIVE
197	nCoV7L57884	LALITA KERKETTA	57	F	NP. Swab	23/4/2021	NEGATIVE
198	nCoV7L57885	BIDHUSHAN PARIDA	55	M	NP. Swab	23/4/2021	NEGATIVE
199	nCoV7L57886	DINESH KUMBHAR	20	M	NP. Swab	23/4/2021	NEGATIVE
200	nCoV7L57887	OHOMA EKKA	65	M	NP. Swab	23/4/2021	NEGATIVE
201	nCoV7L57888	RAJANI PRATIBHA MINZ	47	F	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gayatri Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

202	nCoV7L57889	SANDEEP EKKA	34	M	NP. Swab	23/4/2021	NEGATIVE
203	nCoV7L57890	KAMIL MINZ	58	M	NP. Swab	23/4/2021	NEGATIVE
204	nCoV7L57891	PUSPARANI KUJUR	56	F	NP. Swab	23/4/2021	NEGATIVE
205	nCoV7L57892	BIJAYA KUMARI MINZ	62	F	NP. Swab	23/4/2021	NEGATIVE
206	nCoV7L57893	SUNITA KUJUR	32	F	NP. Swab	23/4/2021	NEGATIVE
207	nCoV7L57894	PURUSOTTAMLAL SHARMA	68	M	NP. Swab	23/4/2021	NEGATIVE
208	nCoV7L57898	KARTIK KABI	55	M	NP. Swab	23/4/2021	NEGATIVE
209	nCoV7L57899	SOBHNA KABI	45	F	NP. Swab	23/4/2021	NEGATIVE
210	nCoV7L57900	MARTIN EKKA	30	M	NP. Swab	23/4/2021	NEGATIVE
211	nCoV7L57901	KANHUCHARAN PADHI	35	M	NP. Swab	23/4/2021	NEGATIVE
212	nCoV7L57902	SATISH CHANDRA SHARMA	53	M	NP. Swab	23/4/2021	NEGATIVE
213	nCoV7L57903	JUGAL SINGH	35	M	NP. Swab	23/4/2021	NEGATIVE
214	nCoV7L57904	MEENA SINGH	28	F	NP. Swab	23/4/2021	NEGATIVE
215	nCoV7L57905	JYOTIMAYEE SINGH	3	F	NP. Swab	23/4/2021	NEGATIVE
216	nCoV7L57906	CHAMESWAR SINGH	49	M	NP. Swab	23/4/2021	NEGATIVE
217	nCoV7L57910	BINITA EKKA	19	F	NP. Swab	23/4/2021	NEGATIVE
218	nCoV7L57911	BINITA MAJHI	36	F	NP. Swab	23/4/2021	NEGATIVE
219	nCoV7L57912	PRAFUL KINDO	41	M	NP. Swab	23/4/2021	NEGATIVE
220	nCoV7L57913	KALICHARAN SINGH	60	M	NP. Swab	23/4/2021	NEGATIVE
221	nCoV7L57914	SANTOSH MUNDARI	21	M	NP. Swab	23/4/2021	NEGATIVE
222	nCoV7L57915	RAMAI BAHANDA	61	M	NP. Swab	23/4/2021	NEGATIVE
223	nCoV7L57916	SUDARSHAN DASH	60	M	NP. Swab	23/4/2021	NEGATIVE
224	nCoV7L57917	GOURI DASH	58	F	NP. Swab	23/4/2021	NEGATIVE
225	nCoV7L57918	DEEPAK DASH	9	M	NP. Swab	23/4/2021	NEGATIVE
226	nCoV7L57919	MANONIT XESS	41	F	NP. Swab	23/4/2021	NEGATIVE
227	nCoV7L57920	GEETANJALI DASH	50	F	NP. Swab	23/4/2021	NEGATIVE
228	nCoV7L57921	ARJUN DASH	48	M	NP. Swab	23/4/2021	NEGATIVE
229	nCoV7L57925	KAMA JUJUR	33	M	NP. Swab	23/4/2021	NEGATIVE
230	nCoV7L57926	PRITILATA DUNG DUNG	22	F	NP. Swab	23/4/2021	NEGATIVE
231	nCoV7L57927	VIJAY PASWAN	50	M	NP. Swab	23/4/2021	NEGATIVE
232	nCoV7L57928	SIBIAN BARJO	55	M	NP. Swab	23/4/2021	NEGATIVE
233	nCoV7L57929	SAMROON JOJO	39	M	NP. Swab	23/4/2021	NEGATIVE
234	nCoV7L57930	SAROJINI MINZ	49	F	NP. Swab	23/4/2021	NEGATIVE
235	nCoV7L57931	MANJULA SORENG	26	M	NP. Swab	23/4/2021	NEGATIVE
236	nCoV7L57932	AJIT KANDULNA	40	M	NP. Swab	23/4/2021	NEGATIVE
237	nCoV7L57933	SUMAN XESS	22	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

Checked and Approved by

*Gagan Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

238	nCoV7L57934	ALOK XESS	21	M	NP. Swab	23/4/2021	NEGATIVE
239	nCoV7L57935	PRAKASH EKKA	21	M	NP. Swab	23/4/2021	NEGATIVE
240	nCoV7L57936	KASINATH MAHANANDIA	36	M	NP. Swab	23/4/2021	NEGATIVE
241	nCoV7L57943	SANJAY KU SINGH	50	M	NP. Swab	23/4/2021	NEGATIVE
242	nCoV7L57944	RITA AKHORI	55	F	NP. Swab	23/4/2021	NEGATIVE
243	nCoV7L57945	RIYA AKHORI	26	F	NP. Swab	23/4/2021	NEGATIVE
244	nCoV7L57955	SUPRITI PATEL	18	F	NP. Swab	23/4/2021	NEGATIVE
245	nCoV7L57956	RAMKUMAR BHALABI	22	M	NP. Swab	23/4/2021	NEGATIVE
246	nCoV7L57957	TARANISEN PATEL	56	M	NP. Swab	23/4/2021	NEGATIVE
247	nCoV7L57961	M RENU DAS	56	F	NP. Swab	23/4/2021	NEGATIVE
248	nCoV7L57962	MOUSUMI SINGH MANKI	24	F	NP. Swab	23/4/2021	NEGATIVE
249	nCoV7L57963	CHANDINI	30	F	NP. Swab	23/4/2021	NEGATIVE
250	nCoV7L57964	ASHOK KUMAR SAMAL	24	M	NP. Swab	23/4/2021	NEGATIVE
251	nCoV7L57965	SHIV VEER SINGH	38	M	NP. Swab	23/4/2021	NEGATIVE
252	nCoV7L57966	SANDHYARANI BEHERA	27	F	NP. Swab	23/4/2021	NEGATIVE
253	nCoV7L57967	SANJUKTA DEVI	75	F	NP. Swab	23/4/2021	NEGATIVE
254	nCoV7L57968	BINOD KUMAR SHARMA	60	M	NP. Swab	23/4/2021	NEGATIVE
255	nCoV7L57969	TAPASI BANARJEE	59	F	NP. Swab	23/4/2021	NEGATIVE
256	nCoV7L57970	UPENDRA PRADHAN	62	M	NP. Swab	23/4/2021	NEGATIVE
257	nCoV7L57971	KIRAN PARIJA	16	F	NP. Swab	23/4/2021	NEGATIVE
258	nCoV7L57972	HEMANTA BEURA	49	M	NP. Swab	23/4/2021	NEGATIVE
259	nCoV7L57976	MANJU SHARMA	56	F	NP. Swab	23/4/2021	NEGATIVE
260	nCoV7L57977	GARIMA SHARMA	21	F	NP. Swab	23/4/2021	NEGATIVE
261	nCoV7L57978	MADHAB SHARMA	19	M	NP. Swab	23/4/2021	NEGATIVE
262	nCoV7L57979	KESHAB SHARMA	23	M	NP. Swab	23/4/2021	NEGATIVE
263	nCoV7L57980	SANJAY KUMAR SHARMA	56	M	NP. Swab	23/4/2021	NEGATIVE
264	nCoV7L57981	SANJANA SHARMA	28	M	NP. Swab	23/4/2021	NEGATIVE
265	nCoV7L57982	VIKRAM KELKAR	28	M	NP. Swab	23/4/2021	NEGATIVE
266	nCoV7L57983	PRIYANKA SHARMA	32	F	NP. Swab	23/4/2021	NEGATIVE
267	nCoV7L57984	ADITYA SINGH KUSHWA	28	M	NP. Swab	23/4/2021	NEGATIVE
268	nCoV7L57988	RANJULATA BARIK	28	F	NP. Swab	23/4/2021	NEGATIVE
269	nCoV7L57989	DISHITA SAMAL	6	F	NP. Swab	23/4/2021	NEGATIVE
270	nCoV7L57990	PANKAJ PAREEK	56	M	NP. Swab	23/4/2021	NEGATIVE
271	nCoV7L58000	PURNA CHANDRA PANI	50	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gayatri Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeats sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune



## Test Report

272	nCoV7L58001	CHANDRA SEKHAR BEHERA	31	M	NP. Swab	23/4/2021	NEGATIVE
273	nCoV7L58002	REJHU BADAIAK	40	M	NP. Swab	23/4/2021	NEGATIVE
274	nCoV7L58003	TANWEER ALAM	42	M	NP. Swab	23/4/2021	NEGATIVE
275	nCoV7L58004	SANOJ JU SINGH	56	M	NP. Swab	23/4/2021	NEGATIVE
276	nCoV7L58005	A K KAUSHBA	56	M	NP. Swab	23/4/2021	NEGATIVE
277	nCoV7L58006	ABHIJEET SINGH	25	M	NP. Swab	23/4/2021	NEGATIVE
278	nCoV7L58007	JYOSNA MAYEE	60	F	NP. Swab	23/4/2021	NEGATIVE
279	nCoV7L58008	RAJU SUNANI	30	M	NP. Swab	23/4/2021	NEGATIVE
280	nCoV7L58009	SOMUNATH PARIDA	48	M	NP. Swab	23/4/2021	NEGATIVE
281	nCoV7L58010	BINOD AGRAWAL	57	M	NP. Swab	23/4/2021	NEGATIVE
282	nCoV7L58011	MANJU DEVI	60	F	NP. Swab	23/4/2021	NEGATIVE
283	nCoV7L58012	KRISHNA VERMA	62	M	NP. Swab	23/4/2021	NEGATIVE
284	nCoV7L58013	SUMIT EKKA	21	M	NP. Swab	23/4/2021	NEGATIVE
285	nCoV7L58014	SARASWATI LIMBU	30	F	NP. Swab	23/4/2021	NEGATIVE
286	nCoV7L58015	Shreemani Kandian	34	F	NP. Swab	23/4/2021	NEGATIVE
287	nCoV7L58016	Ajit Ku Pradhan	26	M	NP. Swab	23/4/2021	NEGATIVE
288	nCoV7L58017	Pitabasa Patra	57	M	NP. Swab	23/4/2021	NEGATIVE
289	nCoV7L58018	Jagyaseni Pruthal	22	F	NP. Swab	23/4/2021	NEGATIVE
290	nCoV7L58019	Tileswar Patra	31	M	NP. Swab	23/4/2021	NEGATIVE
291	nCoV7L58020	Dilip Ku Bagarti	38	M	NP. Swab	23/4/2021	NEGATIVE
292	nCoV7L58024	Suraj Ku Deo	33	M	NP. Swab	23/4/2021	NEGATIVE
293	nCoV7L58025	Ramesh Ch Pradhan	60	M	NP. Swab	23/4/2021	NEGATIVE
294	nCoV7L58026	Prakash Luhura	26	M	NP. Swab	23/4/2021	NEGATIVE
295	nCoV7L58027	Sushree Saudamini Atti	16	F	NP. Swab	23/4/2021	NEGATIVE
296	nCoV7L58028	Binapani Atti	36	F	NP. Swab	23/4/2021	NEGATIVE
297	nCoV7L58029	Sushil Ku Atti	13	M	NP. Swab	23/4/2021	NEGATIVE
298	nCoV7L58030	Ajit Kumbhar	33	M	NP. Swab	23/4/2021	NEGATIVE
299	nCoV7L58031	Mangaraj Sahu	25	M	NP. Swab	23/4/2021	NEGATIVE
300	nCoV7L58032	Lali Patra	24	F	NP. Swab	23/4/2021	NEGATIVE
301	nCoV7L58033	Akhaya Ku Behera	34	M	NP. Swab	23/4/2021	NEGATIVE
302	nCoV7L58034	Rahasa Kallo	41	M	NP. Swab	23/4/2021	NEGATIVE
303	nCoV7L58035	Sukanti Sahu	55	F	NP. Swab	23/4/2021	NEGATIVE
304	nCoV7L58036	Sudhansu Ranjan Pradhan	29	M	NP. Swab	23/4/2021	NEGATIVE
305	nCoV7L58037	A K Dalbehera	48	M	NP. Swab	23/4/2021	NEGATIVE
306	nCoV7L58038	Baldev Mohanta	40	M	NP. Swab	23/4/2021	NEGATIVE

Prepared by

*Gagan Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

307	nCoV7L58042	Bijay Ku Nayak	26	M	NP. Swab	23/4/2021	NEGATIVE
308	nCoV7L58043	Sourav Suman	25	M	NP. Swab	23/4/2021	NEGATIVE
309	nCoV7L58044	Banmali Kishan	48	M	NP. Swab	23/4/2021	NEGATIVE
310	nCoV7L58045	Sabitri Sahu	50	F	NP. Swab	23/4/2021	NEGATIVE
311	nCoV7L58046	Hirisia Oram	37	F	NP. Swab	23/4/2021	NEGATIVE
312	nCoV7L58047	Nialmani Pradhan	50	M	NP. Swab	23/4/2021	NEGATIVE
313	nCoV7L58048	Lacha Munda	22	M	NP. Swab	23/4/2021	NEGATIVE
314	nCoV7L58049	Surendra Naik	40	M	NP. Swab	23/4/2021	NEGATIVE
315	nCoV7L58050	Prakash Patra	14	M	NP. Swab	23/4/2021	NEGATIVE
316	nCoV7L58051	Geeta Patra	19	F	NP. Swab	23/4/2021	NEGATIVE
317		ABHISHEK AGARWAL	34	M	NP. Swab	23/4/2021	NO SAMPLE
318		KIRAN AGARWAL	54	F	NP. Swab	23/4/2021	NO SAMPLE
319		RAM BHAJAN AGARWAL	88	M	NP. Swab	23/4/2021	NO SAMPLE
320		FILISITA DEVI	40	F	NP. Swab	23/4/2021	NO SAMPLE
321		SITA KISHAN	30	F	NP. Swab	23/4/2021	NO SAMPLE
322		SANATAN BARIK	54	M	NP. Swab	23/4/2021	NO SAMPLE
323		MINA RANI BARIK	48	F	NP. Swab	23/4/2021	NO SAMPLE
324		SOUMYA RANJAN BARIK	25	M	NP. Swab	23/4/2021	NO SAMPLE
325		SANGITA BARIK	20	F	NP. Swab	23/4/2021	NO SAMPLE
326		FLAVY SORENG	35	F	NP. Swab	23/4/2021	NO SAMPLE
327		DEEPALI MOHANTY	34	F	NP. Swab	23/4/2021	NO SAMPLE
328		MINA KINDO	31	F	NP. Swab	23/4/2021	NO SAMPLE
329		MUSKAN AGRAWAL	25	F	NP. Swab	23/4/2021	NO SAMPLE
330		DASARATHA MAHANTA	28	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE
331		TAPASWINI MAHANTA	23	F	NP. Swab	23/4/2021	SAMPLE SPILLAGE
332		DEBENDRA KUMAR BARIK	31	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE

Prepared by

*Gayatri Mishra*  
Research Scientist- VRDL  
S.C.B Medical College & Hospital  
Cuttack

Checked and Approved by

*Dm*  
PI, VRDL  
SCB Medical College & Hospital  
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeated specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

## Test Report

333		PABITRA KISHAN	40	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE
334		DIPIKA LUGUN	24	F	NP. Swab	23/4/2021	SAMPLE SPILLAGE
335		PRAKASH KUMBHAR	26	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE
336		SUMAN MAHANTA	18	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE
337		SONALI MAHANTA	11	F	NP. Swab	23/4/2021	SAMPLE SPILLAGE
338		INDRABATI MAHANTA	40	F	NP. Swab	23/4/2021	SAMPLE SPILLAGE
339		SANTOSH MAHANTA	18	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE
340		TANMAY JAISWAL	22	M	NP. Swab	23/4/2021	SAMPLE SPILLAGE

Prepared by

*Gayatri Mishra*  
 Research Scientist- VRDL  
 S.C.B Medical College & Hospital  
 Cuttack

Checked and Approved by

*Dm*  
 PI, VRDL  
 SCB Medical College & Hospital  
 Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

## Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.\*
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.\*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune