



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	24.06.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	23.06.2022; 09:00 A.M.
Date & Time of receipt of specimen	24.06.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/278031	2137301303931	Biswajit Biswal	26	M	Nasal Swab	24.06.2022	Negative	9087860302	Kalinga Bihar, Rourkela
2	Cov/278032	2137301303935	Ajay Kumar Sahoo	33	M	Nasal Swab	24.06.2022	Negative	9937570338	Bonaigarh Nuagaon, Sundargarh
3	Cov/278033	2137301303941	Elias Kullu	52	M	Nasal Swab	24.06.2022	Negative	7784022852	Raidihi Panchara, Sundargarh
4	Cov/278034	2137301303948	Kaushal Kumar Singh	19	M	Nasal Swab	24.06.2022	Negative	8458085115	Vedvyas, Rourkela
5	Cov/278035	2137301303954	Manoranjan Sahoo	19	M	Nasal Swab	24.06.2022	Negative	8260940007	Fertilizer, Rourkela
6	Cov/278036	2137301303959	Ganesh Sethi	62	M	Nasal Swab	24.06.2022	Negative	9853370840	Basanti Colony, Rourkela
7	Cov/278037	2137301303964	Vinodrai J Poptani	78	M	Nasal Swab	24.06.2022	Negative	9937051454	Basanti Colony, Rourkela
8	Cov/278038	2137301303971	Amit Ddungdung	25	M	Nasal Swab	24.06.2022	Negative	8114734429	Jurapali, Bamra
9	Cov/278039	2137301303976	C H Mina Dora	27	F	Nasal Swab	24.06.2022	Negative	7655830300	Sector,8, Rourkela
10	Cov/278040	2137301303980	Krishna Panikar	19	M	Nasal Swab	24.06.2022	Negative	9337399256	Sector-22,Fertilizer, Rourkela
11	Cov/278041	2137301303983	Ippili Shyam Sunder	41	M	Nasal Swab	24.06.2022	Negative	9437783777	Sector-2,Jagadhatri Basti, Rourkela

Prepared by:

Krishna Ch. Majhi

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*