



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	25.07.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	23.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	25.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/285342	2137301341266	Subhrajit Bhadra	26	M	Nasal Swab	25.07.2022	Negative	9437144528	Lahunipara, Sundarharh
02	Cov/285343	2137301341267	Abhay Pati	30	M	Nasal Swab	25.07.2022	Negative	9337864850	Civil Township, Rourkela
03	Cov/285344	2137301341268	Rudra Prasad Bhuyan	18	M	Nasal Swab	25.07.2022	Negative	6370874791	IT Colony Rajgangpur
04	Cov/285345	2137301341269	Krishna Das	19	M	Nasal Swab	25.07.2022	Negative	6370769103	Chhend Colony, Rourkela
05	Cov/285346	2137301341270	Swagat Kumar Sahu	17	M	Nasal Swab	25.07.2022	Negative	7848878780	Chhend Colony, Rourkela
06	Cov/285347	2137301341271	Kushal Singhal	14	M	Nasal Swab	25.07.2022	Negative	9437085163	HIGB-242, Rourkela
07	Cov/285348	2137301341272	Ramesh Chandra Sethi	51	M	Nasal Swab	25.07.2022	Negative	9437249101	C-47 Sector-20, Rourkela
08	Cov/285349	2137301341298	Surubali Suna	50	F	Nasal Swab	25.07.2022	Negative	7750886387	Jail Road, Rourkela
09	Cov/285350	2137301341274	Arvind Sahoo	21	M	Nasal Swab	25.07.2022	Negative	6370769103	Chhend Colony, Rourkela
10	Cov/285351	2137301341275	Arjit Roy	26	M	Nasal Swab	25.07.2022	Negative	7001638508	Hi-Tech, Rourkela

Prepared by:

Checked and Approved by:

Kushina

Dr. Ashit Bhusan Xess

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme

(IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*