



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	26.07.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	25.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	26.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/285879	2137301343159	Siddharth Kumar Panda	21	M	Nasal Swab	26.07.2022	Negative	7008039546	C-39,Sector-2, Rourkela
02	Cov/285880	2137301343168	Santosh Kumar Panda	52	M	Nasal Swab	26.07.2022	Negative	7008039546	C-39,Sector-2, Rourkela
03	Cov/285881	2137301343173	Rajeswari Banarjee	22	F	Nasal Swab	26.07.2022	Negative	8902788117	CBR,Hall NIT, Rourkela
04	Cov/285882	2137301343178	Sangeeta Barik	29	F	Nasal Swab	26.07.2022	Negative	7735601982	C-55,Koelnagar, Rourkela
05	Cov/285883	2137301342902	Charles Dung Dung	62	M	Nasal Swab	26.07.2022	Negative	9437777834	PTN-114 Sector-6, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR