



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	28.02.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	27.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	28.02.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/255825	2137301206932	Mallick Tabrezali	21	M	Nasal Swab	28.02.2022	Negative	8637292463	Tarkera RN Palli RKL
02	Cov/255826	2137301206980	Tulasi Chouhan	31	F	Nasal Swab	28.02.2022	Negative	7205188210	Sector 20 Chip Type RKL
03	Cov/255827	2137301206988	Rajashri Rout	30	F	Nasal Swab	28.02.2022	Negative	8114804187	Chhend Colony Lcr 432 RKL
04	Cov/255828	2137301206994	Bendali Munda	33	F	Nasal Swab	28.02.2022	Negative	8342045668	Jalda C Block RKL
05	Cov/255829	2137301207001	Monalika Boral	20	F	Nasal Swab	28.02.2022	Negative	8249575661	Chhend ECR /84 RKL
06	Cov/255830	2137301207005	Rajani Xalxo	23	F	Nasal Swab	28.02.2022	Negative	7750858164	Jhartarang SNG
07	Cov/255831	2137301207009	Mijhren Jaipuria	29	F	Nasal Swab	28.02.2022	Negative	7684907010	Kumbarkela Rajgangpur SNG
08	Cov/255832	2137301207013	Saraswati Sahoo	30	F	Nasal Swab	28.02.2022	Negative	8895330679	Uditnagar RKL
09	Cov/255833	2137301207016	Tarsila Baghel	24	F	Nasal Swab	28.02.2022	Negative	7327990795	Lungai Basti Vedvyas RKL
10	Cov/255834	2137301207022	Sunita Tajan	29	F	Nasal Swab	28.02.2022	Negative	6370838381	Badbeura Lephripada RKL
11	Cov/255835	2137301207026	Dulari Badaik	30	F	Nasal Swab	28.02.2022	Negative	6370765133	Bondamunda RKL
12	Cov/255836	2137301207029	Indu Sahoo	35	F	Nasal Swab	28.02.2022	Negative	9938572824	Kardega Bisra RKL
13	Cov/255837	2137301206966	Kumari Sapna	26	F	Nasal Swab	28.02.2022	Negative	9304046797	B Colony L - 41 RKL
14	Cov/255838	2137301206972	Ankit Singh	24	M	Nasal Swab	28.02.2022	Negative	8439280741	D/133 Sector 14 RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डा. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*