

Test Report

Date and time of reporting (dd/mm/yyyy) : 12 hour format	30/04/2021
Address of the referring facility/Hospital	CDM & PHO-ROURKELA
SPECIMEN DETAILS	
Date & Time of receipt of specimen at State VRDL, SCBMCH (dd/mm/yyyy)	29/04/2021
Condition of specimen received / Quality on arrival	Under cold chain
REPORTING DETAILS	

Sl. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV RTPCR
1	nCoV7L99264	BIJAYA KUMAR DASH	49	M	NP. Swab	30/4/2021	NEGATIVE
2	nCoV7L99266	SANTOSH KUMBHAR	20	M	NP. Swab	30/4/2021	NEGATIVE
3	nCoV7L99268	SANTOSH MAHATO	23	M	NP. Swab	30/4/2021	NEGATIVE
4	nCoV7L99269	GIRIDHARI SARDAR	52	M	NP. Swab	30/4/2021	NEGATIVE
5	nCoV7L99271	BALA KRUSHNA MAHANTA	52	M	NP. Swab	30/4/2021	NEGATIVE
6	nCoV7L99272	AJGAR SINGH	29	M	NP. Swab	30/4/2021	REPEAT SAMPLE
7	nCoV7L99273	GOPAL MAHATO	50	M	NP. Swab	30/4/2021	NEGATIVE
8	nCoV7L99274	ROSHNI MAHATO	19	F	NP. Swab	30/4/2021	NEGATIVE
9	nCoV7L99275	SUBHAM MAHATO	16	M	NP. Swab	30/4/2021	NEGATIVE
10	nCoV7L99276	BIRSHA TOPPO	30	M	NP. Swab	30/4/2021	NEGATIVE
11	nCoV7L99277	HEMANTA NAIK	26	M	NP. Swab	30/4/2021	NEGATIVE
12	nCoV7L99279	BASANTA MAHATO	35	M	NP. Swab	30/4/2021	NEGATIVE
13	nCoV7L99281	SAMSER ALAM	60	M	NP. Swab	30/4/2021	NEGATIVE
14	nCoV7L99282	DROPATI MAHATO	24	F	NP. Swab	30/4/2021	NEGATIVE
15	nCoV7L99283	DUKHA MAHATO	70	F	NP. Swab	30/4/2021	NEGATIVE
16	nCoV7L99285	NIRANJAN MAHATO	42	M	NP. Swab	30/4/2021	NEGATIVE

Prepared by

Gagan Mishra
Research Scientist - VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by

Dm
PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.


Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

17	nCoV7L99286	PUSPA MAHATO	34	F	NP. Swab	30/4/2021	NEGATIVE
18	nCoV7L99287	BUDA ORAM	55	M	NP. Swab	30/4/2021	NEGATIVE
19	nCoV7L99288	ARUN KUMAR SAHU	30	M	NP. Swab	30/4/2021	NEGATIVE
20	nCoV7L99289	PINA LOHAR	45	M	NP. Swab	30/4/2021	NEGATIVE
21	nCoV7L99290	ZAIDA KHATUN	55	F	NP. Swab	30/4/2021	NEGATIVE
22	nCoV7L99291	AMRESH JHAA	46	M	NP. Swab	30/4/2021	NEGATIVE
23	nCoV7L99292	MANJULATA BARIK	38	F	NP. Swab	30/4/2021	NEGATIVE
24	nCoV7L99293	BHASKAR JEENA	29	M	NP. Swab	30/4/2021	NEGATIVE
25	nCoV7L99294	NIRAJ KUMAR GUPTA	38	M	NP. Swab	30/4/2021	NEGATIVE
26	nCoV7L99295	ARJUN KUMBHAR	51	M	NP. Swab	30/4/2021	NEGATIVE
27	nCoV7L99296	SUKRAMANI KUMBHAR	43	F	NP. Swab	30/4/2021	NEGATIVE
28	nCoV7L99301	SAMRIN PARWEEN	25	F	NP. Swab	30/4/2021	NEGATIVE
29	nCoV7L99306	RUBEN SURIN	64	M	NP. Swab	30/4/2021	NEGATIVE
30	nCoV7L99308	MAGRET SURIN	70	F	NP. Swab	30/4/2021	NEGATIVE
31	nCoV7L99309	BARSA KANDULANA	80	M	NP. Swab	30/4/2021	NEGATIVE
32	nCoV7L99310	MARKUS SURIN	80	M	NP. Swab	30/4/2021	NEGATIVE
33	nCoV7L99311	BARNABAS BAGE	65	M	NP. Swab	30/4/2021	NEGATIVE
34	nCoV7L99312	SAROJ BGE	14	M	NP. Swab	30/4/2021	NEGATIVE
35	nCoV7L99317	SANIYAR KANDULANA	65	F	NP. Swab	30/4/2021	NEGATIVE
36	nCoV7L99320	SUCHITA SURIN	45	F	NP. Swab	30/4/2021	NEGATIVE
37	nCoV7L99323	PIYARI SURIN	48	F	NP. Swab	30/4/2021	NEGATIVE
38	nCoV7L99324	ARATI SURIN	6	F	NP. Swab	30/4/2021	NEGATIVE
39	nCoV7L99325	ABHIJIT SURIN	11	M	NP. Swab	30/4/2021	NEGATIVE
40	nCoV7L99326	BIRAJ KERKERKETTA	7	M	NP. Swab	30/4/2021	NEGATIVE
41	nCoV7L99327	ANKIT JATRMA	11	M	NP. Swab	30/4/2021	NEGATIVE

Prepared by


 Research Scientist- VRDL
 S.C.B Medical College & Hospital
 Cuttack

Checked and Approved by


 PI, VRDL
 S.C.B Medical College & Hospital
 Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.


Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

42	nCoV7L99328	CHANDABATI NAYAK	35	F	NP. Swab	30/4/2021	NEGATIVE
43	nCoV7L99329	JUGAL KISHOR BEHERA	26	M	NP. Swab	30/4/2021	NEGATIVE
44	nCoV7L99330	PRADIP MALLICK	27	M	NP. Swab	30/4/2021	NEGATIVE
45	nCoV7L99331	NELSON BUD	36	M	NP. Swab	30/4/2021	NEGATIVE
46	nCoV7L99333	MERY KANDULANA	38	F	NP. Swab	30/4/2021	NEGATIVE
47	nCoV7L99335	NIRAJ SURIN	14	M	NP. Swab	30/4/2021	NEGATIVE
48	nCoV7L99337	PATRIS SURIN	21	M	NP. Swab	30/4/2021	NEGATIVE
49	nCoV7L99339	DIPIKA KANDULUNA	8	F	NP. Swab	30/4/2021	NEGATIVE
50	nCoV7L99344	KUMARI PRADHAN	46	F	NP. Swab	30/4/2021	REPEAT SAMPLE
51	nCoV7L99345	PRAKASH NARAYAN JENA	39	M	NP. Swab	30/4/2021	NEGATIVE
52	nCoV7L99349	MUNI SAHU	53	F	NP. Swab	30/4/2021	NEGATIVE
53	nCoV7L99351	STEPHON TAPPO	65	M	NP. Swab	30/4/2021	NEGATIVE
54	nCoV7L99356	MADHUSUDAN SARLIA	75	M	NP. Swab	30/4/2021	NEGATIVE
55	nCoV7L99357	SARASWATI SARLIA	64	F	NP. Swab	30/4/2021	NEGATIVE
56	nCoV7L99358	SANJAY BHAISA	17	M	NP. Swab	30/4/2021	NEGATIVE
57	nCoV7L99360	RENU RAY	29	F	NP. Swab	30/4/2021	NEGATIVE
58	nCoV7L99361	DASARATHA KU KUMBHAR	40	M	NP. Swab	30/4/2021	NEGATIVE
59	nCoV7L99364	RAKHI JAISWAL	33	F	NP. Swab	30/4/2021	NEGATIVE
60	nCoV7L99365	EMLAL KINDO	54	F	NP. Swab	30/4/2021	NEGATIVE
61	nCoV7L99367	SEEMA LAKRA	37	F	NP. Swab	30/4/2021	NEGATIVE
62	nCoV7L99370	SUSILA NAIK	70	F	NP. Swab	30/4/2021	NEGATIVE
63	nCoV7L99371	ROHIT SHARMA	20	M	NP. Swab	30/4/2021	NEGATIVE
64	nCoV7L99372	DILIP KU DASH	51	M	NP. Swab	30/4/2021	NEGATIVE
65	nCoV7L99373	JAYANTI DASH	41	F	NP. Swab	30/4/2021	NEGATIVE

Prepared by


 Research Scientist- VRDL
 S.C.B Medical College & Hospital
 Cuttack

Checked and Approved by


 PI, VRDL
 S.C.B Medical College & Hospital
 Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.


Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

66	nCoV7L99374	MANTOSH KUMAR	40	M	NP. Swab	30/4/2021	NEGATIVE
67	nCoV7L99376	RAJKUMAR TETE	38	M	NP. Swab	30/4/2021	NEGATIVE
68	nCoV7L99377	MANOJ KUMAR PATEL	50	M	NP. Swab	30/4/2021	NEGATIVE
69	nCoV7L99378	KULAMANI KALO	37	M	NP. Swab	30/4/2021	NEGATIVE
70	nCoV7L99379	PRATIVA SANDHA	40	F	NP. Swab	30/4/2021	NEGATIVE
71	nCoV7L99380	MINATI MAHAPATRA	40	F	NP. Swab	30/4/2021	NEGATIVE
72	nCoV7L99384	KAILASH CHANDRA ORAM	35	M	NP. Swab	30/4/2021	NEGATIVE
73	nCoV7L99385	ANITA MANJARI SAHOO	35	F	NP. Swab	30/4/2021	NEGATIVE
74	nCoV7L99386	SANTOSH SAHOO	48	M	NP. Swab	30/4/2021	NEGATIVE
75	nCoV7L99390	NANDINI MALLIK	20	F	NP. Swab	30/4/2021	NEGATIVE
76	nCoV7L99391	ABHIPSA	3	F	NP. Swab	30/4/2021	NEGATIVE
77	nCoV7L99392	ANITA MALLIK	29	F	NP. Swab	30/4/2021	NEGATIVE
78	nCoV7L99394	BHARGHABI DASH	34	F	NP. Swab	30/4/2021	NEGATIVE
79	nCoV7L99397	RAJENDRA SAHOO	26	M	NP. Swab	30/4/2021	NEGATIVE
80	nCoV7L99398	NIYATI SAHU	32	F	NP. Swab	30/4/2021	NEGATIVE
81	nCoV7L99401	LOPITA DALA	30	F	NP. Swab	30/4/2021	NEGATIVE
82	nCoV7L99402	RUDRAMANI SAHOO	38	M	NP. Swab	30/4/2021	NEGATIVE
83	nCoV7L99406	KUNI MUNDA	40	F	NP. Swab	30/4/2021	NEGATIVE
84	nCoV7L99412	SANKARI KISHAN	60	F	NP. Swab	30/4/2021	NEGATIVE
85	nCoV7L99414	JAHAJA KISHAN	40	M	NP. Swab	30/4/2021	NEGATIVE
86	nCoV7L99416	SUBASH CHANDAR MOHAPATRA	40	M	NP. Swab	30/4/2021	NEGATIVE
87	nCoV7L99419	NIKHIL KUMAR BARIK	15	M	NP. Swab	30/4/2021	NEGATIVE
88	nCoV7L99422	TILOTTAMA MAHANTA	42	F	NP. Swab	30/4/2021	NEGATIVE
89	nCoV7L99423	ROJALIN DAS	25	F	NP. Swab	30/4/2021	NEGATIVE

Prepared by


 Research Scientist- VRDL
 S.C.B Medical College & Hospital
 Cuttack

Checked and Approved by


 PI, VRDL
 S.C.B Medical College & Hospital
 Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. Therepeated specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

90	nCoV7L99424	LUMEN DAS	41	M	NP. Swab	30/4/2021	NEGATIVE
91	nCoV7L99428	RANJITA SETHY	40	F	NP. Swab	30/4/2021	NEGATIVE
92	nCoV7L99429	GOPINATH MANDAL	33	M	NP. Swab	30/4/2021	NEGATIVE
93	nCoV7L99431	SABITRI MUNDA	20	F	NP. Swab	30/4/2021	NEGATIVE
94	nCoV7L99432	SUMITRA PATRA	32	F	NP. Swab	30/4/2021	NEGATIVE
95	nCoV7L99433	BIRASMANI SINGH	21	F	NP. Swab	30/4/2021	NEGATIVE
96	nCoV7L99434	MAHABIR SINGH	23	M	NP. Swab	30/4/2021	NEGATIVE
97	nCoV7L99435	GANGI ORAM	37	F	NP. Swab	30/4/2021	NEGATIVE
98	nCoV7L99436	PADMA GIRI	22	F	NP. Swab	30/4/2021	NEGATIVE
99	nCoV7L99437	NISAMANI MAHANTA	20	F	NP. Swab	30/4/2021	NEGATIVE
100	nCoV7L99440	SUSARI AIND	25	F	NP. Swab	30/4/2021	NEGATIVE
101	nCoV7L99441	LILMANI MUNDARY	34	F	NP. Swab	30/4/2021	NEGATIVE
102	nCoV7L99442	NANIKA MUNDA (A)	20	F	NP. Swab	30/4/2021	NEGATIVE
103	nCoV7L99443	HIRAMANI SINKU	24	F	NP. Swab	30/4/2021	NEGATIVE
104	nCoV7L99444	SAPANI MUNDA	25	F	NP. Swab	30/4/2021	NEGATIVE
105	nCoV7L99445	MAGDALI MUNDA	18	F	NP. Swab	30/4/2021	NEGATIVE
106	nCoV7L99446	KULKULI SINGH	22	F	NP. Swab	30/4/2021	NEGATIVE
107	nCoV7L99447	MANGULI ORAM	20	F	NP. Swab	30/4/2021	NEGATIVE
108	nCoV7L99448	CHUMMANI MUNDA	20	F	NP. Swab	30/4/2021	NEGATIVE
109	nCoV7L99450	NIRAJ ANGADIA	19	F	NP. Swab	30/4/2021	NEGATIVE
110	nCoV7L99452	GANGAMANI MUNDARY	27	F	NP. Swab	30/4/2021	NEGATIVE
111	nCoV7L99453	NANIKA MUNDA (B)	19	F	NP. Swab	30/4/2021	NEGATIVE
112	nCoV7L99454	JAIMANTI HEMBROM	27	F	NP. Swab	30/4/2021	NEGATIVE
113	nCoV7L99455	NILAMANI SINGH	20	F	NP. Swab	30/4/2021	NEGATIVE
114	nCoV7L99456	JASMINI MUNDA	26	F	NP. Swab	30/4/2021	NEGATIVE

Prepared by

Gagan Mishra
Research Scientist - VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by

Dm
PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

115	nCoV7L99457	NANDINI EKKA	27	F	NP. Swab	30/4/2021	NEGATIVE
116	nCoV7L99458	GUMI MUNDA	18	F	NP. Swab	30/4/2021	NEGATIVE
117	nCoV7L99459	SANTI MUNDA	21	F	NP. Swab	30/4/2021	NEGATIVE
118	nCoV7L99460	NANDI MUNDA	20	F	NP. Swab	30/4/2021	NEGATIVE
119	nCoV7L99462	SANIKA MUNDA	31	F	NP. Swab	30/4/2021	NEGATIVE
120	nCoV7L99463	ANITA MUNDA	30	F	NP. Swab	30/4/2021	NEGATIVE
121	nCoV7L99464	SARITA MUNDA	30	F	NP. Swab	30/4/2021	NEGATIVE
122	nCoV7L99465	JANA MUNDA	24	F	NP. Swab	30/4/2021	NEGATIVE
123	nCoV7L99466	BESANGI MUNDA	30	F	NP. Swab	30/4/2021	NEGATIVE
124	nCoV7L99467	SINI MUNDA	24	F	NP. Swab	30/4/2021	NEGATIVE
125	nCoV7L99468	CHANDAMANI MUNDARY	28	F	NP. Swab	30/4/2021	NEGATIVE
126	nCoV7L99469	BELA MUNDA	21	F	NP. Swab	30/4/2021	NEGATIVE
127	nCoV7L99470	MANDOI MUNDA	24	F	NP. Swab	30/4/2021	NEGATIVE
128	nCoV7L99471	RENUKA LOHAR	22	F	NP. Swab	30/4/2021	NEGATIVE
129	nCoV7L99472	PUJA MUNDA	28	F	NP. Swab	30/4/2021	NEGATIVE
130	nCoV7L99473	KOUSALYA KISHAN	25	F	NP. Swab	30/4/2021	NEGATIVE
131	nCoV7L99474	PADMINI SAHU	31	F	NP. Swab	30/4/2021	NEGATIVE
132	nCoV7L99475	SUMITRA MUNDA	18	F	NP. Swab	30/4/2021	NEGATIVE
133	nCoV7L99476	PUSPA MUNDA	20	F	NP. Swab	30/4/2021	NEGATIVE
134	nCoV7L99477	BIRANGA JAMUDA	20	F	NP. Swab	30/4/2021	NEGATIVE
135	nCoV7L99478	BIRASMANI SINGH	22	F	NP. Swab	30/4/2021	NEGATIVE
136	nCoV7L99479	HAREKRISHNA KISHAN	29	M	NP. Swab	30/4/2021	NEGATIVE
137	nCoV7L99483	SUSILA KUMBHAR	53	F	NP. Swab	30/4/2021	NEGATIVE
138	nCoV7L99484	PANESWARI MAHANTA	50	F	NP. Swab	30/4/2021	NEGATIVE
139	nCoV7L99486	MARIYAM BODRA	34	F	NP. Swab	30/4/2021	NEGATIVE

Prepared by

Gagan Mishra
Research Scientist - VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by

Dm
PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeated specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

140	nCoV7L99488	SUPRAVA RAY	50	F	NP. Swab	30/4/2021	NEGATIVE
141	nCoV7L99489	MATILDA MUNDA	50	F	NP. Swab	30/4/2021	NEGATIVE
142	nCoV7L99490	MANITA NAIK	38	F	NP. Swab	30/4/2021	NEGATIVE
143	nCoV7L99491	SAROJINI ORAM	36	F	NP. Swab	30/4/2021	NEGATIVE
144	nCoV7L99492	CHAMPAKLATA MANANTA	50	F	NP. Swab	30/4/2021	NEGATIVE
145	nCoV7L99495	SINI MUNDA	22	F	NP. Swab	30/4/2021	NEGATIVE
146	nCoV7L99496	JYOTI PURTY	26	F	NP. Swab	30/4/2021	NEGATIVE
147	nCoV7L99497	RAIMANI MUNDA	28	F	NP. Swab	30/4/2021	NEGATIVE
148	nCoV7L99498	NAMSI MUNDA	25	F	NP. Swab	30/4/2021	NEGATIVE
149	nCoV7L99499	SUMITRA MUNDA	23	F	NP. Swab	30/4/2021	NEGATIVE
150	nCoV7L99500	SUMITRA KISAN	35	F	NP. Swab	30/4/2021	NEGATIVE
151	nCoV7L99502	NINDRA GOUR	50	M	NP. Swab	30/4/2021	NEGATIVE
152	nCoV7L99504	BIRENDRA CHOUDHURY	44	M	NP. Swab	30/4/2021	NEGATIVE
153	nCoV7L99505	NAGESH SHARMA	33	M	NP. Swab	30/4/2021	NEGATIVE
154	nCoV7L99509	SUNIL LOHAR	35	M	NP. Swab	30/4/2021	NEGATIVE
155	nCoV7L99510	HARI KRUSHNA DAS	36	M	NP. Swab	30/4/2021	NEGATIVE
156	nCoV7L99512	AMAREN SWAIN	32	M	NP. Swab	30/4/2021	NEGATIVE
157	nCoV7L99514	DURGABATI SAHU	56	F	NP. Swab	30/4/2021	NEGATIVE
158	nCoV7L99516	SISTER RITANNA	55	F	NP. Swab	30/4/2021	NEGATIVE
159	nCoV7L99523	NETA KISHAN	70	F	NP. Swab	30/4/2021	NEGATIVE
160	nCoV7L99524	Kailash Patra	62	M	NP. Swab	30/4/2021	NEGATIVE
161	nCoV7L99525	Laxmipriya Patra	50	F	NP. Swab	30/4/2021	NEGATIVE
162	nCoV7L99526	Sudhansu Patra	30	M	NP. Swab	30/4/2021	NEGATIVE
163	nCoV7L99527	Himansu Patra	28	M	NP. Swab	30/4/2021	NEGATIVE
164	nCoV7L99528	Purendra Patra	21	M	NP. Swab	30/4/2021	NEGATIVE

Prepared by

Gagan Mishra
Research Scientist- VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by

Dr. ...
PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.


Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

165	nCoV7L99529	Tapaswini Patra	16	F	NP. Swab	30/4/2021	NEGATIVE
166	nCoV7L99530	Sumanta Ku Sutar	44	M	NP. Swab	30/4/2021	NEGATIVE
167	nCoV7L99531	K. Madhusadhan Roo	51	M	NP. Swab	30/4/2021	NEGATIVE
168	nCoV7L99532	Pram krishan Roo	33	M	NP. Swab	30/4/2021	NEGATIVE
169	nCoV7L99533	S.Taza	25	M	NP. Swab	30/4/2021	NEGATIVE
170	nCoV7L99534	Rajan Pandya	31	M	NP. Swab	30/4/2021	NEGATIVE
171	nCoV7L99535	Taranisen Kumar Jatra	22	M	NP. Swab	30/4/2021	NEGATIVE
172	nCoV7L99536	Satyaban Behera	24	M	NP. Swab	30/4/2021	NEGATIVE
173	nCoV7L99537	Rabindra Kumar	46	M	NP. Swab	30/4/2021	NEGATIVE
174	nCoV7L99538	Bhagyaban sawin	47	M	NP. Swab	30/4/2021	NEGATIVE
175	nCoV7L99547	CHAMPABATI HEMBRAM	35	F	NP. Swab	30/4/2021	NEGATIVE
176	nCoV7L99548	PADMA HEMBRAM	28	F	NP. Swab	30/4/2021	NEGATIVE
177	nCoV7L99549	SANJAY HEMBRAM	42	M	NP. Swab	30/4/2021	NEGATIVE
178	nCoV7L99550	RABINDRA HEMBRAM	36	M	NP. Swab	30/4/2021	NEGATIVE
179	nCoV7L99551	BELA HEMBRAM	60	F	NP. Swab	30/4/2021	NEGATIVE
180	nCoV7L99553	ADITYA HEMBRAM	12	M	NP. Swab	30/4/2021	NEGATIVE
181	nCoV7L99554	PRADEEP KUMAR PRADHAN	35	M	NP. Swab	30/4/2021	NEGATIVE
182	nCoV7L99555	AJIT MUNDA	40	M	NP. Swab	30/4/2021	NEGATIVE
183	nCoV7L99556	REETA MUNDA	11	F	NP. Swab	30/4/2021	NEGATIVE
184	nCoV7L99557	LIPA MUNDA	5	F	NP. Swab	30/4/2021	NEGATIVE
185	nCoV7L99559	ROSHAN MUNDA	12	M	NP. Swab	30/4/2021	NEGATIVE
186	nCoV7L99560	BASUDEV MUNDA	34	M	NP. Swab	30/4/2021	NEGATIVE
187	nCoV7L99561	AKASH PRASAD	32	M	NP. Swab	30/4/2021	NEGATIVE
188	nCoV7L99562	CHANDRASEKHAR MAHANANDIA	41	M	NP. Swab	30/4/2021	NEGATIVE

Prepared by


 Research Scientist- VRDL
 S.C.B Medical College & Hospital
 Cuttack

Checked and Approved by


 PI, VRDL
 S.C.B Medical College & Hospital
 Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeated sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeats specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

189	nCoV7L99563	DULARI EKKA	28	F	NP. Swab	30/4/2021	NEGATIVE
190	nCoV7L99564	LUCIA MAMTA KINDO	41	F	NP. Swab	30/4/2021	NEGATIVE
191	nCoV7L99567	DEBASISH PARIDA	30	M	NP. Swab	30/4/2021	NEGATIVE
192	nCoV7L99568	SANMATI GANJHU	29	F	NP. Swab	30/4/2021	NEGATIVE
193	nCoV7L99569	RANTHI GANJHU	23	F	NP. Swab	30/4/2021	NEGATIVE
194		Purna Ch.Behera C/O- Budhanath Behera	32	M	NP. Swab	30/4/2021	NO SAMPLE
195		Biswajit Maikap C/O-Purnendu Maikap	23	M	NP. Swab	30/4/2021	NO SAMPLE
196		Soumyaranjan Dalei C/O- Dasaratha Dalei	33	M	NP. Swab	30/4/2021	NO SAMPLE
197		Bapun Pradhan C/O-Pabitra Pradhan	25	M	NP. Swab	30/4/2021	NO SAMPLE
198		Jidan Bangra C/O-Sahi Bangra	28	M	NP. Swab	30/4/2021	NO SAMPLE
199		Santosh Kumar Sethi C/O- Kailash Chandra Sethi	26	M	NP. Swab	30/4/2021	NO SAMPLE
200		Pritimayee Dehury C/O- Sribachha Dehury	21	F	NP. Swab	30/4/2021	NO SAMPLE
201		Pratap Kumar Jena C/O- Debendra Jena	39	M	NP. Swab	30/4/2021	NO SAMPLE
202		Himanshu bhusan Mahanty C/O-Gajendranath Mahanty	34	M	NP. Swab	30/4/2021	NO SAMPLE
203		Sudhnsu Sekhar Mohanty C/O-Gajendranath Mohanty	33	M	NP. Swab	30/4/2021	NO SAMPLE
204		Priyadarshini Naik W/O- Sambhu Naik	24	F	NP. Swab	30/4/2021	NO SAMPLE
205		Yososini Sethi C/O-Ramahari Sethi	26	F	NP. Swab	30/4/2021	NO SAMPLE
206		Babul Patra C/O-Judhistira	35	M	NP. Swab	30/4/2021	NO SAMPLE

Prepared by



Gayatri Mishra
Research Scientist- VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by



PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

		Patra					
207		Dhanendra Kumar Sharma C/O-Dinanath Sharma	43	M	NP. Swab	30/4/2021	NO SAMPLE
208		Nitu Sharma W/O-Dhanendra Sharma	39	F	NP. Swab	30/4/2021	NO SAMPLE
209		Priyadarshini Sharma C/O-Dhanendra Sharma	11	F	NP. Swab	30/4/2021	NO SAMPLE
210		Chandrabati Patra W/O-Sudarshan Patra	30	F	NP. Swab	30/4/2021	NO SAMPLE
211		Gangotri Patra C/O-Mishra Patra	17	F	NP. Swab	30/4/2021	NO SAMPLE
212		Gayatri Patra C/O-Mishra Patra	14	F	NP. Swab	30/4/2021	NO SAMPLE
213		Mama Patra C/O-Sudarshan Patra	12	F	NP. Swab	30/4/2021	NO SAMPLE
214		Subham Patra C/O-Mishra Patra	11	M	NP. Swab	30/4/2021	NO SAMPLE
215		Papu Patra C/O-Sudarshan Patra	11	M	NP. Swab	30/4/2021	NO SAMPLE
216		Gura Munda C/O-Rabi Munda	31	M	NP. Swab	30/4/2021	NO SAMPLE
217		Basudev Giri C/O-Jogendra Giri	41	M	NP. Swab	30/4/2021	NO SAMPLE
218		Shyamaghan Munda C/O-Rupendra Munda	18	M	NP. Swab	30/4/2021	NO SAMPLE
219		Puspa Sreebastab W/O-Umesh Sreebastab	50	F	NP. Swab	30/4/2021	NO SAMPLE
220		Rahul Sreebastab C/O-Umesh Sreebastab	20	M	NP. Swab	30/4/2021	NO SAMPLE
221		Monalisha Sreebastab C/- Umesh Sreebastab	23	F	NP. Swab	30/4/2021	NO SAMPLE
222		Surati Naik W/o-Sankar Naik	30	F	NP. Swab	30/4/2021	NO SAMPLE

Prepared by

Gayatri Mishra
Research Scientist- VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by

Dr. ...
PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

223	Bhramar Barik C/O-Naru Barik	60	M	NP. Swab	30/4/2021	NO SAMPLE
224	Laxmipriya Mahanta C/O-Pranakrishna Mahanta	28	F	NP. Swab	30/4/2021	NO SAMPLE
225	Puspanjali Bodra C/O-Kalicharan Bodra	29	F	NP. Swab	30/4/2021	NO SAMPLE
226	Saraswati Sunani C/O-Benudhar Sunani	23	F	NP. Swab	30/4/2021	NO SAMPLE
227	Anjali Rohidas C/O-Sanatan Rohidas	23	F	NP. Swab	30/4/2021	NO SAMPLE
228	Umesh Sreebastab C/O-Nanulal Sreebastab	61	M	NP. Swab	30/4/2021	NO SAMPLE
229	Rohit Kumar C/O-Om Prakash	27	M	NP. Swab	30/4/2021	NO SAMPLE
230	Akash Kumar Manda C/O-Pramod Mandal	21	M	NP. Swab	30/4/2021	NO SAMPLE
231	Sahadev Keshari C/O-Biranchi Keshari	56	M	NP. Swab	30/4/2021	NO SAMPLE
232	Bibek nanda Sethi C/O-Rameswar Sethi	27	M	NP. Swab	30/4/2021	NO SAMPLE
233	Sipra Ghoshray W/O-Nibi Ranjan Ghoshray	55	F	NP. Swab	30/4/2021	NO SAMPLE
234	Rupali Ghoshray C/O-Nibiranjan Ghoshray	25	F	NP. Swab	30/4/2021	NO SAMPLE
235	Nibiranjan Ghoshray C/O- Biraj Mohan Ghoshray	61	M	NP. Swab	30/4/2021	NO SAMPLE
236	Suryanarayn Mohanty C/O-Uchhab Charan Mohanty	54	M	NP. Swab	30/4/2021	NO SAMPLE
237	Dillip Kumar Das C/O-Jitendranath Das	44	M	NP. Swab	30/4/2021	NO SAMPLE
238	Sujit Kumar Mahnata C/O-Narendra Mahanta	25	M	NP. Swab	30/4/2021	NO SAMPLE

Prepared by

Gagan Mishra
Research Scientist- VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by

Dm
PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimens is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune

Test Report

239		Purendra Munda C/O-Manu Munda	22	M	NP. Swab	30/4/2021	NO SAMPLE
240		TADANTI KISHAN	40	F	NP. Swab	30/4/2021	NO SAMPLE
241		MONTY PANDIT	27	M	NP. Swab	30/4/2021	NO SAMPLE
242		NANSINGH MUNDA	39	M	NP. Swab	30/4/2021	NO SAMPLE

Prepared by


Research Scientist- VRDL
S.C.B Medical College & Hospital
Cuttack

Checked and Approved by


PI, VRDL
S.C.B Medical College & Hospital
Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Please ensure and maintain the confidentiality of the test report.
- Testing of referred clinical specimens was considered on the basis of request/referral received from/through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection.*
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. There repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.*
- The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL) fluid would be appropriate for testing.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director, ICMR-National Institute of Virology, Pune