



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report


Date and time of reporting	10.04.2021; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	05.04.2021
Date & Time of receipt of specimen	06.04.2021; 10:35 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1.	Cov/49885	Keshav Kumar Jha	44	Male	Nasal Swab	10.04.2021	Negative
2.	Cov/49886	Sourav Kumar Das	27	Male	Nasal Swab	10.04.2021	Negative
3.	Cov/49887	Md Tanweer Alam	38	Male	Nasal Swab	10.04.2021	Negative
4.	Cov/49891	Palak Kheria	30	Female	Nasal Swab	10.04.2021	Negative
5.	Cov/49892	Chumki Pradhan	23	Female	Nasal Swab	10.04.2021	Negative
6.	Cov/49893	Alok Kumar Das	45	Male	Nasal Swab	10.04.2021	Negative
7.	Cov/49894	Astha Sahay	20	Female	Nasal Swab	10.04.2021	Negative
8.	Cov/49895	Ankit Sahoo	25	Male	Nasal Swab	10.04.2021	Negative
9.	Cov/49896	Jasmani Rupali Kujur	19	Female	Nasal Swab	10.04.2021	Negative
10.	Cov/49897	Kamala Mundari	17	Female	Nasal Swab	10.04.2021	Negative
11.	Cov/49898	Laxmi Priya Kujur	20	Female	Nasal Swab	10.04.2021	Negative
12.	Cov/49909	Prasant Kumar Sahoo	24	Male	Nasal Swab	10.04.2021	Negative
13.	Cov/49914	Madhusmita Dash	30	Female	Nasal Swab	10.04.2021	Negative
14.	Cov/49915	Manish Kumar Sahu	25	Male	Nasal Swab	10.04.2021	Negative
15.	Cov/49916	Rupali Kumari	25	Female	Nasal Swab	10.04.2021	Negative
16.	Cov/49917	Sushanta Kumar Patro	48	Male	Nasal Swab	10.04.2021	Negative
17.	Cov/49918	Saminuddin	25	Male	Nasal Swab	10.04.2021	Negative
18.	Cov/49919	Md. Femaleoroz	25	Male	Nasal Swab	10.04.2021	Negative
19.	Cov/49921	Ankita Kiro	22	Female	Nasal Swab	10.04.2021	Negative
20.	Cov/49922	Ranjit Kumar	28	Male	Nasal Swab	10.04.2021	Negative
21.	Cov/49929	Gopal Mandal	56	Male	Nasal Swab	10.04.2021	Negative
22.	Cov/49930	Badha Majhi	70	Male	Nasal Swab	10.04.2021	Negative
23.	Cov/49932	Basant Swain	26	Male	Nasal Swab	10.04.2021	Negative

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:


10/4/21
Dr. Ashit Bhusan Xess
डा. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*A repeat sample after proper collection should be sent for the inconclusive results/ inappropriate samples/rejected samples.




सेल SAIL

DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


12/4/2021
डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela