



OFFICE OF THE ROURKELA MUNICIPAL CORPORATION

Udit Nagar, Rourkela Dist.- Sundargarh (Odisha) Pin-769012

Website: www.rmc.nic.in Email Id: rourkelamunicipality@gmail.com

No. 6088

Date: 09.05.2022

TENDER CALL NOTICE FOR RATE CONTRACT FOR SUPPLY & INSTALLATION OF WATER FOUNTAIN

Sealed tenders are invited from the Intending registered firms/ registered contractor/ authorized dealers / suppliers/ manufacturers for **"RATE CONTRACT FOR SUPPLY & INSTALLATION OF WATER FOUNTAIN AT VARIOUS LOCATIONS OF ROURKELA CITY WITH DEFECT LIABILITY PERIOD OF TWO YEARS"** at various locations of Rourkela Municipal Corporation area. The details of terms and conditions of the tender can be downloaded from the RMC website i.e., www.rmc.nic.in. The last date and time for submission of Tender document is 01.06.22 by **11.30 AM** by registered post/ speed post/ Courier/ or by hand and will be opened on same day at **12.30 PM** in presence of the bidders or their authorized representatives who wish to attend. Tenders received beyond the above period shall not be entertained. Authority reserves the right to accept or reject any or all tenders without assigning any reason thereof and negotiate with any or all bidders.

Commissioner

Rourkela Municipal Corporation

Memo No. 6089

Date: 09.05.2022

Copy to Notice Board of RMC for wide publicity of advertisement through office notice board and MIS, RMC for uploading of the tender document in the RMC website.

Commissioner

Rourkela Municipal Corporation

Memo No: 6090

Date: 09.05.2022.

Copy to Director, I&PR Dept., Govt. of Odisha, Bhubaneswar for information and requested to publish the copy of above mentioned notice in One highly circulated Odia daily newspaper (all editions) and One highly circulated English Daily newspaper (in all India Edition) on 11.05.22. The font size should be 8 Points and rate should be as per I&PR.

Commissioner

Rourkela Municipal Corporation



Tender Call Notice No. 6088

Date: 09.05.22

TENDER DOCUMENT

FOR

**RATE CONTRACT FOR SUPPLY & INSTALLATION OF WATER
FOUNTAIN AT VARIOUS LOCATIONS OF ROURKELA CITY WITH
DEFECT LIABILITY PERIOD OF TWO YEARS**

Rourkela Municipal Corporation

Uditnagar, Rourkela-769012

Dist.-Sundargarh (Odisha)

Website: www.rmc.nic.in

Email Id: rourkelamunicipality@gmail.com

I. PROJECT BACKGROUND

Commissioner, Rourkela Municipal Corporation (RMC) invites Tender from the eligible bidders, as per the terms and conditions described elsewhere in this Tender document, with requisite financial, managerial and technical expertise and experience to **Supply, Install and Maintain** the Water Fountain at various locations of Rourkela Municipal Corporation area.

Details of schedule for the bid are given below:-

Sl. No	Activity	Date & Time
1	Date of Issue of Tender	09.05.2022
2	Last Date and Time of Submission of Bid	01.06.2022 by 11.30 AM
3	Date and Time of Opening of Technical Bid	01.06.2022 at 12.30 PM
4	Date and Time of Opening of Financial Bid	To be intimated
5	Cost of Tender Document	Rs.11,200/- (including GST) ; Rupees Eleven Thousand Two Hundred Only (Non-Refundable) through Demand Draft (DD) in favour of Commissioner, Rourkela Municipal Corporation, payable at Rourkela
7	Bid Security/ Earnest Money Deposit (EMD)	Rs. 2,50,000/-; Rupees Two Lakhs Fifty Thousand only (Refundable) in the form of Demand Draft (DD) in favour of Commissioner, Rourkela Municipal Corporation, payable at Rourkela/ TDR (Term Deposit Receipt) from any Nationalized or Scheduled bank.

Tender document shall be available on website: www.rmc.nic.in

For Queries and Clarifications, send email to: rourkelamunicipality@gmail.com only.

The Authority of RMC reserves the right, without any obligation or liability, to accept or reject any or all proposals at any stage of the process or to cancel or modify the process without assigning any reason whatsoever. Any changes in the tender document, addendum and corrigendum or schedule of the tender shall be reflected in the website of RMC. No extension of any deadline will be granted on the basis of grounds that RMC have not responded to any question or not provided any clarification.

SD/-

**Commissioner
Rourkela Municipal Corporation**

II. SCOPE OF WORK

A. Introduction:

Rourkela Municipal Corporation invites bids from eligible bidders for "Rate Contract for Supply & Installation of Water Fountain at various locations of Rourkela city with Defect Liability Period of Two Years" in two bid system Technical bid and Financial bid.

B. Eligibility Criteria:

Only those bidders meeting both the following capability criteria will be **"Technically Qualified"** for the project.

I. Technical Capability

- A. The Firm must be registered under GST Act.
- B. The Firm should be completed at least 10 (Ten) similar projects during last 5 financial years.
- C. ISO or equivalent certification of quality (Authorization certificate of the firm/ EOM)

II. Financial Capability

Average annual turnover of INR 4.5 Crores (Four Crore Fifty Lakhs) or above for the preceding 3 financial years, as per the audited balance sheet statements duly certified by the Statutory Auditor (Balance Sheet and Profit & Loss Account for the financial year **2018-19, 2019-20 & 2020-21** to be submitted).

C. Preparation and Submission of Tender Document:

- A. Complete Sealed proposals shall be sent to specified address through registered post/ speed post/ Courier/ or by hand no later than the closing date and time.
- B. The bids shall be submitted in English, and shall be sealed in outer and inner envelopes (Outer envelopes containing three envelopes- 1. Technical Bid, 2. DD/ TDR for Bid Security/ EMD & Cost of Tender Document and 3. Financial Bid) and all envelopes shall indicate the bidder's name and address. The outer envelope shall be addressed to The Commissioner, Rourkela Municipal Corporation, Uditnagar, Rourkela-769012, Dist.- Sundargarh (Odisha) with full address of applicant and super scribed as **"Tender for Rate Contract for Supply & Installation of Water Fountain at various locations of Rourkela with Defect Liability Period of Two Years"**.
- C. The 1st inner envelope shall be marked Technical Proposal and addressed in the same manner as the outer envelope and shall be in the prescribed format **(Annexure-I to V)**.
- D. The 2nd inner envelope shall be marked as Bid Security/ EMD & Cost of Tender Document.

- E. The 3rd envelope shall be marked Financial Bid and addressed in the same manner as the outer envelope, and shall be in the prescribed format **(Annexure-VI)**. The Financial offer of those who qualify Technical qualifications (those who qualifies in the eligibility criteria) shall be opened by informing to the qualified bidders in the presence of the bidders or their representatives, who wish to be present on the specified date and time.
- F. Bidders shall furnish the information strictly as per the formats given in **Annexure I to VI** of this document, without any ambiguity. RMC shall not be held responsible if the failure of any bidder to provide the information in the prescribed formats results in lack of clarity in interpretation and consequent disqualification.
- G. All proposals/ bids/ offers shall be numbered, signed & sealed in each page by the duly Authorized signatory of the bidder. All the alternation, omissions, additions, or any other amendments made to the proposal shall also be intialled by him.
- H. If the envelop is not sealed and marked as instructed above, RMC assumes no responsibility for the misplacement or premature opening of the proposal submitted. In this case, the prematurely opened proposals will be rejected and duly returned.
- I. Bidders are required to submit only one set of the proposal. Any firm, which submits more than one proposal for the said project shall be disqualified.
- J. The Bids without Bid Security/ EMD & Cost of Tender Document will not be considered and will out rightly be rejected.

D. Bid Security:

The Earnest Money deposit of the unsuccessful bidders shall be returned after 15 days of identification of L-1 bidder followed by the Contract agreement.

The earnest money deposit of all the bidders shall be returned in case of cancellation of Tender after opening of Bids and prior to opening of bids, as the case may be. No interest shall be paid on Earnest Money Deposit.

The Bid Security/ EMD of Successful bidder will be retained as Security deposit with RMC and shall be forfeited by RMC if the bidders violate any terms and conditions of the tender and consequent contract. The Security deposit of Successful bidder will be returned after completion of defect liability period.

E. Terms & Conditions of the Offer:

- i. This document constitutes no form of commitment on the part of RMC, weather in respect of the bidding process or otherwise. Furthermore, this tender document confers neither the right nor the expectation on any applicant to participate in the bidding process.
- ii. RMC reserves the right to reject any or all of the applicants including the lowest bidder, if it considers necessary to do so, and or to withdraw from the bidding process or any part of the bidding process or to modify any of the terms at anytime without giving any reason. Nothing contained herein shall confer right upon a bidder or any obligation upon RMC.

F. VALIDITY OF BIDS:

Bids shall remain valid and open for acceptance for a period of 180 days from the last date of submission of Bids. The client may request for extension for another period of 30 days, without any modification (s) and without giving any reason thereof.

G. Opening of BIDS:

- i. The technical proposals received shall be opened by the Tender Committee of RMC in presence of the bidders or the authorized person, who wish to attend, at scheduled date & time, unless intimated otherwise.
- ii. RMC reserves the right to reject any proposal, if:
 - It is not signed, sealed and marked as stipulated in Clause C.
 - The information and documents have not been submitted as requested and in the specified in the tender.
 - There are inconsistency between the proposal and the supporting documents.
 - There are **conditions** proposed with the bid.

H. Evaluation of Proposals:

The evaluation will be done in two stages as explained below

Stage-I: Technical Evaluation

Stage-II: The Financial Bid of all the technically qualified bidders shall be opened and examined by the Tender Committee. The selection will be done on the basis of LCBS (Least Cost based selection) method.

RMC reserves the right to reject any bid if it is of the opinion that the bidder lacks the expertise, experience and is not in possession of requisite infrastructure required for the purpose of the project. The discretion of the Authority of RMC in this respect shall be final and binding all the bidders.

Special Conditions of the Technical & Financial Bid

A. If the bidder is not a manufacturer, the bidder has to provide authorization certificate of the manufacturer company, failing which the tender shall be rejected and price bid will not be opened.

B. The Bidder has to fill all the prices details in Annexure VI for all the items mentioned from Sr. No. 1 to 26, failing which the bid of the Tenderer shall be rejected outrightly.

I. Acceptance of the Offer, Issuance of Work Order & Signing of Contract Agreement:

1. RMC shall issue the Letter of Acceptance (LOA) to the selected bidder of Rate Contract agreement.
2. The selected bidder is required to send his unconditional acceptance of LOA within 3 days from the date of issuance of LOA from RMC and sign the contract agreement within 7 days.

3. RMC shall retain the right to withdraw the LOA in the event of the selected bidder's failure to accept the LOA within the time limit specified in the above clause. In this event, RMC shall forfeit the bid security of the selected bidder.
4. RMC will issue the work order to the selected bidder as per the exact requirement upon the rate contract agreement.
5. RMC shall terminate the Contract if it is found that the contactor (bidder) was black listed / debarred on previous occasion by any of the government Departments/ Institutions / Local Bodies/ Municipalities/ Public sector undertaking, etc.

J. Dispute Resolution:

1. In the event of any dispute arising in respect of the clauses of the agreement shall be resolved through negotiation. Alternatively the dispute shall be referred to the next higher authority for his decision and the same shall be binding on all the parties.
2. All disputes shall be under the jurisdiction of the court at the place where the headquarters of the authority, who has executed the agreement, is located.

III. GENERAL TERMS AND CONDITIONS OF AGREEMENT

A. Transfer: During the tenure of this project the successful bidder shall not transfer, assign or any portion thereof permanently or temporarily to anybody else and shall not be allowed to take any person to share the project work without the prior permission of RMC nor shall they be entitled to allow any person to occupy the licensed premises or to use any part thereof save with the prior permission in writing of the RMC.

B. Finishes & Requirements: The Locations **where the Water Fountain** can be installed to be intimated in the Work order along with the requirements. Than the successful bidder will make required **Civil Work including Pool** etc. as per the requirements for installation of Water Fountain. The quality of the foundation, Civil work and look should be best quality as per the prototype (Illustrative picture) mentioned in the Tender document as **Annexure-VII**. The PHED (Water) connection and Electrical connection are in the scope of Rourkela Municipal Corporation. The firm shall install the Water Fountains in the said locations at its

GENERAL TECHNICAL SPECIFICATION FOR THE EQUIPMENTS	
Safety and Quality standard	The Equipment used for Water Fountain should be confirming to the required standard for safety and quality as per DIN/ASTM/CPSC/ES/BIS
Anti-Rust	Shot blast /grit blasting of equipment to clean the rust Electrostatic power coating technique: to process the pipe Surface
Column	The mild steel pipe, column footing plate with a pull-burst, the surface rust, acid degreasing, cleaning, phosphate rust after a several process, throwing sand, imported plastic powder with a double surface household level spraying layer, electronic spray, high temperature plastic 200 degree baking powder, smooth surface, UV resistant or as specified by the manufacturer's specification
UV	Fully resistant
Platforms	High strength with a special process dealing with wavy surface microscopy, safe, and beautiful non slip resistance
Fasteners	Stainless steel screws to be used, and at the contact point with the columns- rubber pads to be used , screw top cover with a plastic cap, to enhance its security
Colour Scheme	Base of the fountain should be of similar color or as desired by Authority

own cost and expenses.

The quality of all the equipment and its Civil Work should be of very high standards as per the General Technical Specification mentioned in Annexure-VII.

The Rate contract will be valid for a period of one year from the date of finalization of rate contract. However, the approx. quantity requirement is mentioned in the below table, which may increase or decrease to an extent of 50%. The bidders are expected to quote their best rates for the Water Fountains. The details of required equipments with specification and illustrative picture attached in **Annexure-VII**.

REQUIREMENT OF DIFFERENT WATER FOUNTAIN FOR RMC		
Sl. No	Name of the Water Fountain	Nos. of Requirement
1	DOUBLE DOME FOUNTAIN (20' Dia Pool)	2
2	DOUBLE DOME FOUNTAIN (15' Dia Pool)	2
3	DOUBLE DOME FOUNTAIN (10' Dia Pool)	2
4	DOMES WITH GEYSER FOUNTAIN (20' Dia Pool)	2
5	DOMES WITH GEYSER FOUNTAIN (15' Dia Pool)	2
6	DOMES WITH GEYSER FOUNTAIN (10' Dia Pool)	2
7	WATER ROCKET FOUNTAIN (20' Dia Pool)	2
8	WATER ROCKET FOUNTAIN (14' Dia Pool)	2
9	WATER ROCKET FOUNTAIN (10' Dia Pool)	2
10	NEW VULCAN FOUNTAIN (15' Dia Pool)	2
11	NEW VULCAN FOUNTAIN (12' Dia Pool)	2
12	NEW VULCAN FOUNTAIN (8' Dia Pool)	2
13	NEW CROWN FOUNTAIN (20' Dia Pool)	2
14	NEW CROWN FOUNTAIN (14' Dia Pool)	2
15	NEW CROWN FOUNTAIN (10' Dia Pool)	2
16	ARCHITECTURAL FOUNTAIN (35' Dia Pool)	2
17	ARCHITECTURAL FOUNTAIN (25' Dia Pool)	2
18	ARCHITECTURAL FOUNTAIN (15' Dia Pool)	2
19	GEYSER LINE FOUNTAIN	2
20	MAGIC TAP FOUNTAIN	2
21	FLOATING FOUNTAIN (VULCAN)	2
22	CALYX FOUNTAIN	2
23	FOAM FOUNTAIN (7'(W) X 28'(L) Dia Pool)	2
24	FOAM FOUNTAIN (6'(W) X 18'(L) Dia pool)	2
25	TRIPLE GEYSER FOUNTAIN	2
26	CIRCULAR GEYSER FOUNTAIN	2

C. Finishes & Requirements: The bidder should be able to complete installation and commissioning of Water Fountain within 30 days on receipt of work order. Any extension of time schedule will be at discretion of RMC. Failure to comply the time schedule described in the agreement will invite the penalty of 10% of the project payment or forfeiture of security deposit, which is higher.

D. Payment Terms: The payment will be released in two installments first 90% after satisfactory Supply and Installation at the locations and rest 10% after completion of Defect Liability Period of Two Years. The contract cost shall final and binding. No price escalation shall be entertained on any account whatsoever.

E. Safety and Security Measures: Bidders shall be responsible at its own cost, for procurement, transport, receiving, unloading and safe keeping of all equipments and other things required for the installation and operation & maintenance of the equipments during Defect Liability Period.

F. Maintenance and Repairs: The Bidder shall bear the cost of day-to-day repairs and maintenance during the Defect Liability Period of Two Years. All repairs needed for smooth functioning of equipments' shall be the responsibility of bidder.

All the complaints shall be attended and rectify by the Contractor within 3 working days of lodging (email or telephone), failing which penalty of Rs 500/- per day/per complaint, shall be imposed on the Bidder and the decision of the Commissioner RMC shall be final and binding.

RMC reserves all the rights to terminate the complete or part of the agreement at anytime without assigning any reason thereof and without any benefit/compensation to either party.

SD/-
Commissioner
Rourkela Municipal Corporation

LETTER OF APPLICATION & INTEREST

(To be submitted and signed by the Bidder's Authorized signatory)

To,

The Commissioner
Rourkela Municipal Corporation
Uditnagar, Rourkela-769012
Dist.-Sundargarh (Odisha)

Sub: Tender for Rate Contract for Supply & Installation of Water Fountains at various locations of Rourkela with Defect Liability Period of Two Years.

Sir,

1. Being duly authorized to represent and act for and on behalf of (Herein the applicant), and having studied and fully understood all the information provided in the bid document, the undersigned hereby apply as bidder for **"Rate Contract for Supply & Installation of Water Fountains at various locations of Rourkela with Defect Liability Period of Two Years"** according to the terms & conditions of the offer made by Rourkela Municipal Corporation.
2. Out Technical & Financial proposals as per the requisite formats along with the supporting documents, duly filled and signed on each page are enclosed in separate sealed envelopes as specified.
3. The Bid security/ EMD and Cost of Tender Document is enclosed in the Envelop-2 along with other technical documents.
4. RMC and its authorized representatives are hereby authorized to conduct any inquires / investigation to verify the statements, documents and information submitted in connection with the application and to seek clarification regarding any financial and technical aspects. This letter of application will also serve as authorization to any individual or authorized representatives of any institution referred to the supporting information, to provide such information deemed necessary and requested by you to verify statements and information provided in the application or with regard to the resources, experience and competence of the applicant.
5. RMC and its authorized representatives may contact the following persons for any further information:
Name of the person : _____
Mobile No: _____
Email ID: _____
6. This application is made with full understanding that:
 - a) Bids will be subject to verification of all information submitted at the time of bidding.
 - b) RMC reserves the right to reject or accept any bid, cancel the bidding process and / or reject all bids.
 - c) RMC shall not be liable for any of the above actions and shall be under no obligation to inform the applicant of the same.

7. We, the undersigned declare the statements made, and the information provided in the duly completed application forms enclosed, are complete, true and correct in every detail.
8. We hereby confirm that we have read, understood and accepted all the detailed terms and conditions of this Tender and project related information as required for the Tender.
9. We agree to keep our offer valid for 01 (One) year from the date of opening of proposal thereof and not to make any modification in its terms and conditions, which are not acceptable to the RMC.
10. We hereby agree to abide by and fulfill all the terms, conditions and provisions of the aforesaid documents.

This application is made with the full understanding that the validity of bids submitted by us will be subject to verification of all information, terms and conditions submitted at the time of bidding and its final acceptance by RMC. We agree that, without prejudice to any other right or remedy, RMC shall be at liberty to forfeit the said Bid Security absolutely.

Date:

Authorized signatory

Place:

Name:

Seal:

Enclosures:

1. The Bid Security of Rs. _____/- (_____) in terms of DD duly pledged in favour of Commissioner, Rourkela Municipal Corporation, Rourkela.
2. Power of Attorney for Signing of Application/ Board Resolution in favour of the Authorized signatory.

GENERAL INFORMATION OF THE BIDDER

Name of the Organization	
Address of the Organization	
Name of the Authorized Signatory	
Mobile/ Telephone Number & E-mail Id of the Authorized Signatory	
Registration No. of Firm	
Year of Incorporation	
GST Regn. No.	
PAN Number	

Date:**Place:****Authorized signatory****Name:****Seal:**

Annexure-III

SUMMARY OF TECHNICAL CAPABILITY ATLEAST FOR TEN ASSIGNMENTS

Name of the Assignment	Name/ Address of the Organization for which similar Water Fountain have been supplied and installed	Date of Award of Assignment	Date of Completion of Assignment	Value of Work Order in Rs.

Note: Please furnish the Work order / Contract Agreement copy in support of the information mentioned above.

Date:

Place:

Authorized signatory

Name:

Seal:

FINANCIAL CAPABILITY OF BIDDER**Annual Turnover Statement**

The Annual Turnover for the last three financial years of M/s _____ who is a Manufacturer/ Distributor/ Importer (Pls. tick whichever is applicable) are given below and certified that the statement is true and correct.

Year	Annual Turnover in Rs.
2018-19	
2019-20	
2020-21	

Average annual turnover for the above three years in Rs. _____
(_____)

Date:**Signature of Auditor /
Chartered Accountant****Place:****Name:****Seal:****Membership No:****Regd. No. of Firm:**

Note: To be issued in the letter head of the Auditor / Chartered Accountant mentioning the membership number.

CHECKLIST FOR TECHNICAL BID

Sl. No	Parameters with Proof of Documents	Yes/No	Page No.
1	Average annual turnover of INR 4.5 Crores (Four Crores Fifty Lakhs) or above for the preceding 3 financial years, as per the audited balance sheet statements duly certified by the Statutory Auditor/ Chartered Accountant (with Seal and Registration Number)		
2	Tender Cost of INR 11,200/- (DD No. _____/Date: _____)		
3	EMD/ Bid Security of INR 2,50,000/- DD/ TDR No. _____/Date: _____)		
4	Registration No. of Firm (Attach Photocopy of registration certificate of the firms)		
5	GST Regn. Certificate		
6	PAN Document Proof		
7	ISO or equivalent certification of quality (Authorization certificate of the firm/ EOM)		
8	IT Return for last 3 financial years (2018-19, 2019-20, 2020-21)		
9	Power of attorney for authorized signatory		
10	Annexure-1: Letter of application and interest		
11	Annexure-2: General Information of the bidder		
12	Annexure-3: Summary of Technical Capability		
13	Annexure-4: Summary of Financial Capability		

Date:
Place:

Authorized signatory
Name:
Seal:

FORMAT FOR FINANCIAL PROPOSAL

(To be submitted and signed by the Bidder's authorized signatory)

To,

The Commissioner
 Rourkela Municipal Corporation
 Uditnagar, Rourkela-769012
 Dist.-Sundargarh, Odisha

Sub: Tender for Rate Contract for Supply & Installation of Water Fountains at various locations of Rourkela with Defect Liability Period of Two Years.

Sir,

Sl. No	Name of the Fountain	Amount in INR per Item excluding of GST (Figure)	Amount in INR per Item excluding of GST (Words)
1	DOUBLE DOME FOUNTAIN (20' Dia Pool)		
2	DOUBLE DOME FOUNTAIN (15' Dia Pool)		
3	DOUBLE DOME FOUNTAIN (10' Dia Pool)		
4	DOMES WITH GEYSER FOUNTAIN (20' Dia Pool)		
5	DOMES WITH GEYSER FOUNTAIN (15' Dia Pool)		
6	DOMES WITH GEYSER FOUNTAIN (10' Dia Pool)		
7	WATER ROCKET FOUNTAIN (20' Dia Pool)		
8	WATER ROCKET FOUNTAIN (14' Dia Pool)		
9	WATER ROCKET FOUNTAIN (10' Dia Pool)		
10	NEW VULKAN FOUNTAIN (15' Dia Pool)		
11	NEW VULKAN FOUNTAIN (12' Dia Pool)		
12	NEW VULKAN FOUNTAIN (8' Dia Pool)		
13	NEW CROWN FOUNTAIN (20' Dia Pool)		
14	NEW CROWN FOUNTAIN (14' Dia Pool)		
15	NEW CROWN FOUNTAIN (10' Dia Pool)		
16	ARCHITECTURAL FOUNTAIN (35' Dia Pool)		
17	ARCHITECTURAL FOUNTAIN (25' Dia Pool)		
18	ARCHITECTURAL FOUNTAIN (15' Dia Pool)		
19	GEYSER LINE FOUNTAIN		
20	MAGIC TAP FOUNTAIN		
21	FLOATING FOUNTAIN (VULKAN)		
22	CALYX FOUNTAIN		
23	FOAM FOUNTAIN (7'(W) X 28'(L) Dia Pool)		
24	FOAM FOUNTAIN (6'(W) X 18'(L) Dia pool)		
25	TRIPLE GEYSER FOUNTAIN		
26	CIRCULAR GEYSER FOUNTAIN		
Total Quoted Price excluding of GST			

The quoted rate is excluding of GST and including of other taxes, Civil Works, Transportation, Installation & Commissioning etc. The deduction of taxes is to be made from the bill as per the norms of Government time to time.




(Note: In case of any difference in amount of figures and words, the amount in words shall be applicable)





This offer is being made by us after taking into consideration of all the terms and conditions stated in the Tender document, all risks and contingencies and all other conditions that may affect the financial proposal. We agree to keep our offer valid for 01 (year) from the due date of bid opening of this Financial Proposal.




Date:
Place:




Authorized signatory
Name:
Seal:




Annexure-VII





Sl. No	Name of the Water Fountain	Specification & features	Illustrative Picture
1	DOUBLE DOME FOUNTAIN (20' Dia Pool)	<ul style="list-style-type: none">• POOL: 20' DIA• WATER EFFECT: 15' Height• PUMP: 10Hp Three phase submersible open-well pump• LIGHTING: 24 nos of multi-color 12 watt LED light• PANEL BOARD: Cable for pump set and lights up to 10mtrs. Distance with suitable panel board.	
2	DOUBLE DOME FOUNTAIN (15' Dia Pool)	<ul style="list-style-type: none">• POOL: 15' DIA• WATER EFFECT: 15' Height• PUMP: 10Hp Three phase submersible open-well pump• LIGHTING: 24 nos of multi-color 12 watt LED light• PANEL BOARD: Cable for pump set and lights up to 10mtrs. Distance with suitable panel board.	
3	DOUBLE DOME FOUNTAIN (10' Dia Pool)	<ul style="list-style-type: none">• POOL: 10' DIA• WATER EFFECT: 15' Height• PUMP: 10Hp Three phase submersible open-well pump• LIGHTING: 24 nos of multi-color 12 watt LED light• PANEL BOARD: Cable for pump set and lights up to 10mtrs. Distance with suitable panel board.	




4	<p>DOME WITH GEYSER FOUNTAIN (20' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 20' dia • WATER EFFECT: 16' Height • PUMP: 10Hp Three phase submersible open-well pump • LIGHTING: 21 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
5	<p>DOME WITH GEYSER FOUNTAIN (15' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 15' dia • WATER EFFECT: 16' Height • PUMP: 10Hp Three phase submersible open-well pump • LIGHTING: 21 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
6	<p>DOME WITH GEYSER FOUNTAIN (10' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 10' dia • WATER EFFECT: 16' Height • PUMP: 10Hp Three phase submersible open-well pump • LIGHTING: 21 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel 	
7	<p>WATER ROCKET FOUNTAIN (20' Dia Pool)</p>	<ul style="list-style-type: none"> • POOL: 20' DIA • WATER EFFECT: 15' Height • PUMP: 5 Hp Three phase submersible open-well pump • LIGHTING: 17 nos of multi-color 12 watt LED light • PANEL BOAR: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	



8	WATER ROCKET FOUNTAIN (14' Dia Pool)	<ul style="list-style-type: none"> • POOL: 14' DIA • WATER EFFECT: 15' Height • PUMP: 5 Hp Three phase submersible open-well pump • LIGHTING: 17 nos of multi-color 12 watt LED light • PANEL BOAR: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
9	WATER ROCKET FOUNTAIN (10' Dia Pool)	<ul style="list-style-type: none"> • POOL: 10' DIA • WATER EFFECT: 15' Height • PUMP: 5 Hp Three phase submersible open-well pump • LIGHTING: 17 nos of multi-color 12 watt LED light • PANEL BOAR: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
10	NEW VULKAN FOUNTAIN (15' Dia Pool)	<ul style="list-style-type: none"> • POOL: 15' DIA • WATER EFFECT: 04' Ht(outer), 8' height(middle), 12'ht (center) PUMP 1.5Hp Single phase submersible open-well pump • LIGHTING: 12 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

11	NEW VULKAN FOUNTAIN (12' Dia Pool)	<ul style="list-style-type: none"> • POOL: 12' DIA • WATER EFFECT: 04' Ht(outer),8' height(middle),12'ht(c enter) PUMP 1.5Hp Single phase submersible open-well pump • LIGHTING: 12 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
12	NEW VULKAN FOUNTAIN (8' Dia Pool)	<ul style="list-style-type: none"> • POOL: 8' DIA • WATER EFFECT: 04' Ht(outer),8' height(middle),12'ht(c enter) PUMP 1.5Hp Single phase submersible open-well pump • LIGHTING: 12 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
13	NEW CROWN FOUNTAIN (20' Dia Pool)	<ul style="list-style-type: none"> • POOL: 20' DIA • WATER EFFECT: 04' Ht(outer), 10' height (middle), 14'ht (center) • PUMP: 3Hp Single three submersible open-well pump • LIGHTING: 16 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

14	NEW CROWN FOUNTAIN (14' Dia Pool)	<ul style="list-style-type: none"> • POOL: 14' DIA • WATER EFFECT: 04' Ht(outer), 10' height (middle), 14'ht (center) • PUMP: 3Hp Single three submersible open-well pump • LIGHTING: 16 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
15	NEW CROWN FOUNTAIN (10' Dia Pool)	<ul style="list-style-type: none"> • POOL: 10' DIA • WATER EFFECT: 04' Ht(outer), 10' height (middle), 14'ht (center) • PUMP: 3Hp Single three submersible open-well pump • LIGHTING: 16 nos of multi-color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
16	ARCHITECTURAL FOUNTAIN (35' Dia Pool)	<ul style="list-style-type: none"> • POOL: 35' DIA • WATER EFFECT 12' Height • PUMP 5 Hp three phase submersible open-well pump • LIGHTING 20 nos of multi color 12 watt LED light • PANEL BOARD Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

17	ARCHITECTURAL FOUNTAIN (25' Dia Pool)	<ul style="list-style-type: none"> • POOL: 25' DIA • WATER EFFECT 12' Height • PUMP 5 Hp three phase submersible open-well pump • LIGHTING 20 nos of multi color 12 watt LED light • PANEL BOARD Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
18	ARCHITECTURAL FOUNTAIN (15' Dia Pool)	<ul style="list-style-type: none"> • POOL: 35' DIA • WATER EFFECT 12' Height • PUMP 5 Hp three phase submersible open-well pump • LIGHTING 20 nos of multi color 12 watt LED light • PANEL BOARD Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
19	GEYSER LINE FOUNTAIN	<ul style="list-style-type: none"> • POOL: 7'(W) X 20'(L) • WATER EFFECT: 3' Height • PUMP: 02 Hp Single phase submersible open-well pump • LIGHTING: 07 Nos. of 18 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
20	MAGIC TAP FOUNTAIN	<ul style="list-style-type: none"> • POOL: 12' DIA • WATER EFFECT: 10' Height • PUMP: 03 Hp Three phase submersible open-well pump • LIGHTING: 04 nos of multi-color 12-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

21	FLOATING FOUNTAIN (VULKAN)	<ul style="list-style-type: none"> • POOL: Existing Pond • WATER EFFECT: 20' Height • PUMP: 02 Hp Three phase submersible open-well pump • LIGHTING: 06 nos of multi color 12 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
22	CALYX FOUNTAIN	<ul style="list-style-type: none"> • POOL: 15' dia • WATER EFFECT: 3' Height • PUMP: 1 Hp single phase submersible open-well pump • LIGHTING: 01 nos of multi-color 18-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
23	FOAM FOUNTAIN (7'(W) X 28'(L) Dia Pool)	<ul style="list-style-type: none"> • POOL: 7'(W) X 28'(L) • WATER EFFECT: 5' Height • PUMP: 3 Hp Single phase submersible open-well pump • LIGHTING: 10 nos of multi-color 18-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

24	FOAM FOUNTAIN (6'(W) X 18'(L) Dia pool)	<ul style="list-style-type: none"> • POOL: 6'(W) X 18'(L) • WATER EFFECT: 5' Height • PUMP: 3 Hp Single phase submersible open-well pump • LIGHTING: 10 nos of multi-color 18-watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
25	TRIPLE GEYSER FOUNTAIN	<ul style="list-style-type: none"> • POOL: 7'(W) X 12'(L) • WATER EFFECT: 6' Height (center), 3'ht (Side) • PUMP: 01 Hp Single phase submersible open-well pump • LIGHTING: 3 Nos. of 18 watt LED light • PANEL BOARD: Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	
26	CIRCULAR GEYSER FOUNTAIN	<ul style="list-style-type: none"> • POOL 20' DIA • WATER EFFECT 8' Height(center), 3'ht(Side) • PUMP 7.5 Hp Single phase submersible open-well pump • LIGHTING 04 Nos. of 18-watt LED light & 03 nos 12-watt LED light • PANEL BOARD Cable for pump set and lights upto 10mtrs. Distance with suitable panel board. 	

SD/-
Commissioner
Rourkela Municipal Corporation