

OFFICE OF THE ROURKELA MUNICIPAL CORPORATION UDITNAGAR, ROURKELA, ODISHA-769012

E-mail ID: rourkelamunicipality@gmail.com

Tender No. 15292

Date. 30.11.2021

Tender Notice

Rourkela Municipal Corporation invites sealed tender in separate envelope from experienced manufacturers / authorized distributors of Battery Operated E-Cart for **Supply, installation, testing, commissioning, trial run and maintenance of the 20 Nos. of Battery Operated Vehicles** under Rourkela Municipal Corporation area for collecting Solid Waste from Door to Door.

Tender documents for supply, installation, testing, commissioning and trial run of Battery Operated E-Cart can be downloaded from the website: <u>www.rmc.nic.in</u> from 30.11.2021 to 21.12.2021 against payment of Rs.11, 200/- in shape of Demand Draft drawn in favour of Commissioner, Rourkela Municipal Corporation, Rourkela from any nationalized bank payable at Rourkela. The tender document should be duly filled & submitted on due date along with cost of tender paper. Bids with EMD amounting to Rs. 1,20,000/- in shape of Demand Draft drawn in favour of Commissioner, Rourkela Municipal Corporation, Rourkela from any Nationalized bank payable at Rourkela shall be received up to 01.00 PM on 21.12.2021 & shall be opened on the same day at 4.00 PM at Office Chamber of Commissioner, RMC, Uditnagar, Rourkela in presence of interested bidders. Bids without requisite EMD shall not be considered. The Bid documents shall be submitted through Registered Post/ Speed Post/ Courier/ or by hand addressed to "The Commissioner, Rourkela Municipal Corporation, Udtnagar, Rourkela, Dist.-Sundargarh (Odisha), PIN-769012.

The corrigendum / amendment to this notice if required shall be published only in the RMC website (<u>www.rmc.nic.in</u>) and will not be published again in newspaper.

Authority reserves the right to accept or reject any or all the tenders or part thereof without assigning any reason.

Sd/-Commissioner Rourkela Municipal Corporation Date: 30.11.2021

Memo No. 15293

Copy to Office Notice Board/ MIS, RMC for general information to public.

Sd/-

Commissioner Rourkela Municipal Corporation Date: 30.11.2021

Memo No: 15294

Copy to Director, I&PR Dept., Govt. of Odisha, Bhubaneswar for information and requested to publish the copy of above mentioned notice in One highly circulated Odia daily newspaper (all editions) and One highly circulated English Daily newspaper (in all India Edition) on 01.12.2021. The font size should be 8 Points and rate should be as per I&PR.

Sd/-Commissioner Rourkela Municipal Corporation

Description of Tender Call Notice

Sealed tenders are invited for Supply & Maintenance of 20 Nos. of Battery Operated E-Cart from experienced manufacturers / authorized distributors.

Battery Operated Vehicles (E-Cart) Specification

2Veh3Gar4Typ5Win6Two7batti7batti8Spe9Nur10Typ11Cap12Who13Tur14Pow15Tip16Met17Typ18Batti19Wai20Cap21Batti22Batti23Mot24(to25Veh	be of E-Cart hicle Certification bage Carrying Capacity be of Chassis for E-Cart hdshield b Speed Gear Box h Distance (for full charge of tery to be tested with full load Maximum AIS-040) Km be of the E-Cart mber of Bins be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ning Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery tery Make	Fully Electric motor driven with front Auto fascia as accessories, Auto rickshaw type front design Number & date must be specified 310 kg ED coated all weather proof Long life Tubular Chassis Full Windshield equipped with Electric Wiper Motor Equipped with two Speed gear Box to help climbing gradients 80 KM & above Minimum 25 KMPH 2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
3Gar4Typ5Win6Two6Two7batti7batti8Spe9Nur10Typ11Cap12Who13Tur14Pow15Tip16Met17Typ18Batti19Wai20Cap21Batti22Batti23Moti24Cove25Veh	bage Carrying Capacity be of Chassis for E-Cart adshield o Speed Gear Box a Distance (for full charge of tery to be tested with full load Maximum AIS-040) Km be of the E-Cart mber of Bins be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ning Radius (mm) wer Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	310 kgED coated all weather proof Long life Tubular ChassisFull Windshield equipped with Electric Wiper MotorEquipped with two Speed gear Box to help climbing gradients80 KM & aboveMinimum 25 KMPH 2 Nos.Closed Body with Separate Chamber 160 LtrMinimum 2140 MillimetreMinimum 3000 MillimetreDirect Mounting75 Hydraulic (Automatic)Lithium Ferrous Phosphate (prismatic cell)230 V, 20 AMP Minimum 3 Years	
4Typ5Win6Two7Batt8Spee9Nur10Typ11Cap12Who13Tur14Pow15Tip16Met17Typ18Batt19Wai20Cap21Batt23MotFullOve24Mot25Veh	pe of Chassis for E-Cart adshield o Speed Gear Box n Distance (for full charge of tery to be tested with full load Maximum AIS-040) Km eed of the E-Cart mber of Bins pe of Body of the E-Cart pacity of Individual Bins eel Base (mm) ming Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping pe of Battery tery Charger rranty Period of Battery pacity of Battery	ED coated all weather proof Long life Tubular Chassis Full Windshield equipped with Electric Wiper Motor Equipped with two Speed gear Box to help climbing gradients 80 KM & above Minimum 25 KMPH 2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
5 Win 6 Two 7 Batt 8 Spe 9 Nur 10 Typ 11 Cap 12 Who 13 Tur 14 Pow 15 Tip 16 Met 17 Typ 18 Batt 19 Wai 20 Cap 21 Batt 22 Batt 23 Mot Full Ove 24 Mox 25 Veh	ndshield o Speed Gear Box n Distance (for full charge of tery to be tested with full load Maximum AIS-040) Km eed of the E-Cart mber of Bins oe of Body of the E-Cart oacity of Individual Bins eel Base (mm) ning Radius (mm) wer Transmission from Motor aft to Wheels ping Angle thod of Tipping oe of Battery tery Charger rranty Period of Battery oacity of Battery	Tubular Chassis Full Windshield equipped with Electric Wiper Motor Equipped with two Speed gear Box to help climbing gradients 80 KM & above Minimum 25 KMPH 2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
6Two Rur batti at N7Batti batti at N8Spec9Nur10Typ11Cap12Who13Tur14Pow Sha15Tip16Met17Typ18Batti19Wai20Cap21Batti22Batti23Moti24(to maxi con25Veh	o Speed Gear Box n Distance (for full charge of tery to be tested with full load Maximum AIS-040) Km eed of the E-Cart mber of Bins be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ming Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Wiper Motor Equipped with two Speed gear Box to help climbing gradients 80 KM & above Minimum 25 KMPH 2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
Rur 7 Batta 8 Spece 9 Nur 10 Typ 11 Cap 12 Who 13 Tur 14 Pow 15 Tipp 16 Met 17 Typ 18 Batt 20 Cap 21 Batt 22 Batt 23 Mot 24 Cone 25 Veh	n Distance (for full charge of tery to be tested with full load Maximum AIS-040) Km eed of the E-Cart mber of Bins be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ning Radius (mm) wer Transmission from Motor aft to Wheels ping Angle chod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Equipped with two Speed gear Box to help climbing gradients 80 KM & above Minimum 25 KMPH 2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
7 batting 8 Spee 9 Nur 10 Typ 11 Cap 12 Who 13 Tur 14 Pow 15 Tipp 16 Met 17 Typ 18 Batt 20 Cap 21 Batt 22 Batt 23 Mot 24 Cove 25 Veh	tery to be tested with full load Maximum AIS-040) Km eed of the E-Cart mber of Bins be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ming Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Minimum 25 KMPH 2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
9 Nur 10 Typ 11 Cap 12 Who 13 Tur 14 Pow 15 Tipp 16 Met 17 Typ 18 Batt 20 Cap 21 Batt 23 Mot Full Ove 24 (to 25 Veh	mber of Bins be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ning Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	2 Nos. Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
10 Typ 11 Cap 12 Whi 13 Turi 14 Pow 15 Tip 16 Met 17 Typ 18 Batt 19 Wai 20 Cap 21 Batt 23 Mot Full Over 24 (to max) 25 Veh	be of Body of the E-Cart bacity of Individual Bins eel Base (mm) ming Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Closed Body with Separate Chamber 160 Ltr Minimum 2140 Millimetre Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
11 Cap 12 Whith 13 Tur 14 Pow 15 Tipp 16 Met 17 Typ 18 Batt 20 Cap 21 Batt 23 Mot 24 Concert 25 Veh	bacity of Individual Bins eel Base (mm) ning Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	160 LtrMinimum 2140 MillimetreMinimum 3000 MillimetreDirect Mounting75Hydraulic (Automatic)Lithium Ferrous Phosphate (prismatic cell)230 V, 20 AMPMinimum 3 Years	
12 Whith 13 Tur 13 Tur 14 Pow Sha 15 Tipp 16 Met 17 Typ 18 Batt 20 Cap 21 Batt 23 Mot 24 (to max con 25 Veh	eel Base (mm) ning Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	160 LtrMinimum 2140 MillimetreMinimum 3000 MillimetreDirect Mounting75Hydraulic (Automatic)Lithium Ferrous Phosphate (prismatic cell)230 V, 20 AMPMinimum 3 Years	
13Tur14Pow Sha15Tipp 1616Met17Typ18Batt19War 2021Batt22Batt23Mot Full24Ove (to max con25Veh	ning Radius (mm) ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Minimum 3000 Millimetre Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
14Pow Sha15Tipp16Met17Typ18Batt19Wai20Cap21Batt22Batt23Mot24(to max) con25Veh	ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
14Pow Sha15Tipp16Met17Typ18Batt19Wai20Cap21Batt22Batt23Mot24(to max) con25Veh	ver Transmission from Motor aft to Wheels ping Angle thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Direct Mounting 75 Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
15 Tipp 16 Met 17 Typ 18 Bat 19 Wai 20 Cap 21 Bat 22 Bat 23 Mot Full Ove 24 (to max) 25 Veh	ping Angle chod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
16 Met 17 Typ 18 Batt 19 Wai 20 Cap 21 Batt 22 Batt 23 Mot 24 Ove 25 Veh	thod of Tipping be of Battery tery Charger rranty Period of Battery bacity of Battery	Hydraulic (Automatic) Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
17 Typ 18 Batt 19 Wai 20 Cap 21 Batt 22 Batt 23 Mot Full 24 Ove (to max con 25 Veh	be of Battery tery Charger rranty Period of Battery bacity of Battery	Lithium Ferrous Phosphate (prismatic cell) 230 V, 20 AMP Minimum 3 Years	
19War20Cap21Bat22Bat23Mot24Ove24(toconcon25Veh	rranty Period of Battery bacity of Battery	230 V, 20 AMP Minimum 3 Years	
19War20Cap21Bat22Bat23Mot24Ove24(toconcon25Veh	rranty Period of Battery bacity of Battery	Minimum 3 Years	
20Cap21Bat22Bat23Mot24Ove24(to25Veh	pacity of Battery		
21 Bat 22 Bat 23 Mot Full 24 (to max con 25 Veh	· · ·	80 (Ah) or above	
22 Batt 23 Full 24 (to 25 Veh	tery Make	OKAYA/ LUMINUS/ MICROTEK & Other	
23 Mot Full 24 (to max con 25 Veh	•	Equivalent	
23 Full Ove 24 (to max con 25 Veh	tery Voltage Nominal (Volts)	50 Volt and above	
24 (to max con 25 Veh	tor Output Power 48V/ 68V at Load Watt	2000 <u>+ 50</u>	
	erall efficiency of the E-Cart be tested at full load with ximum speed as per cerned AIS Standard (%))	85	
26 Veh	nicle Certification	ARAI/ ICAT	
	nicle Lighting System	LED	
	of Free Servicing	Minimum 5 Numbers	
28 Colo	our of E-Cart	Blue/Green	
	ality of Body	The E-Cart must fabricated from good quality Steel properly painted to avoid	
-	· · ·	rusting for more than 5 years	
	ipped with First Aid Box	Yes	
	upped with Fire Extinguisher	Yes	
	low colour reflective tape on nt and rear side of the E-Cart	Yes	
33 Not and		2.72	

34	Width of E-cart as per Gazette Notification by Ministry of Road and Transport Oct, 2014 (meters)	0.985	
35	Height of E-cart as per Gazette Notification by Ministry of Road and Transport Oct, 2014 (meters)	1.715	
36	Size of Front Tyre (mm)	90/90-12	
37	Size of Rear Tyre (mm)	90/90-12	
38	Brake Type (Front)	Drum/ Mechanical	
40	Brake Type (Rear)	Drum/ Mechanical	
41	Suspension System (Front)	Hydraulic Shocker/ Shocker	
42	Suspension System (Rear)	Leaf Spring/ Shocker + Leaf	
43	Reverse Gear Facility	Yes	
44			

Eligibility for Bidding

The bidders under above specifications fulfil the following criteria

- a) E-Cart design should confirm to transportation of good materials and rules framed under Motor Vehicle Rule Act.
- b) The base model of the Electronic Battery Operated Vehicle must have been certified by authorized Motor Vehicle Certification agency, viz. ICAT, ARAI, etc. E-Cart design and make should be in commercial line and should be capable of customization as per the requirement of Rourkela Municipal Corporation and the supplier should be agreeable for doing the same.
- c) The bidder should have experience to provide necessary field erection and management service required to successfully supply, test and commission the systems as required under the specification.
- d) The bidder must have fulfilled all statutory requirements including GST certificate.

Instruction to Bidders

- 1. The Bidders must have capacity to supply the required Battery Operated Vehicles (E-Carts) within 20 days of acceptance of purchase order.
- 2. The number of Battery Operated Vehicles (E-Carts) to be purchased is subject to change without any notice.
- 3. The tenders of such firms shall only be considered who have purchases/ downloaded the tender forms from the RMC Website (<u>www.rmc.nic.in</u>) by enclosing with prescribed fee of the tender document (Non-refundable) in shape of Demand Draft.
- 4. If due to any reason the due date is declared as a holiday, the tender will be opened on the next working day at the same time.
- 5. The last date of receipt of the tender is up to 01.00 PM on _____. Sealed tenders will only be accepted during office hours on working days through Registered Post/ Speed Post/ Courier/ or by hand addressed to "The Commissioner, Rourkela Municipal Corporation, Uditnagar, Rourkela, Dist.-Sundargarh (Odisha), PIN-769012. Tender received after due date & time will not be considered.
- 6. EMD drawn in favour of Commissioner, Rourkela Municipal Corporation, Rourkela payable at Rourkela as specified above should be accompanied with tender document. Tender without deposit of EMD will not be accepted.
- 7. Intending bidders are required to carefully go through the tender specification before submitting their offer.
- 8. Deviation in terms & conditions, any changes in specification will not be accepted. Incomplete & conditional tenders are not acceptable.
- Notice inviting tender, original tender documents, prescribed TECHNICAL BID (Annexure-A), PRICE BID (Annexure-B), terms & conditions, copy of Valid GST certificate, copy of PAN Card, Certificate from Authorized Motor Vehicle Certification Agency and other statutory documents, will form the part of tender.
- 10.Original tender documents, **TECHNICAL BID (Annexure-A)**, **PRICE BID** (Annexure-B), copy of Valid GST certificate, copy of PAN Card, copy of Certificate from Authorized Motor Vehicle Certification Agency and other statutory documents should be signed and sealed on every page by the authorized person on behalf of the Bidder. The bid must be submitted in double cover separate in and submitted by the Bidder; otherwise tender is liable for rejection or
- 11. The bids shall be submitted in **English language only**, and shall be sealed in outer and inner envelopes (Outer envelopes containing two envelopes- 1. Technical Bid 2. Financial Bid) and all envelopes shall indicate the bidder's name and address. The outer envelope shall be addressed to The Commissioner, Rourkela Municipal Corporation, Uditnagar, Rourkela-769012, Dist.- Sundargarh (Odisha) with full address of applicant and super scribed as "Tender for Supply of Battery Operated Vehicles (E-Carts)".

- 12. First sealed envelope should contain TECHNICAL BID as per Annexure-A, Paper Cost, EMD, Technical Specification, valid GST certificate, PAN Card, Commercial terms & conditions, other tender documents duly signed & sealed, certificate and proof as per qualification criteria as well as brochure, literature etc. It should be super scribed with "PART-I TECHNICAL BID". All the papers of tender document except PRICE BID duly signed should be submitted in the first envelope.
- 13. Second sealed envelope should contain PRICE BID as per Annexure-B. It should be super scribed with "PART-II PRICE BID". Any conditions in regard to financial aspects, payments, etc., beyond the prescribed financial terms of RMC will make the tender invalid. Therefore, the bidders not to write anything extra in the PRICE BID in Annexure-B, except price.
- 14. The bidders are required to furnish their offers in the PRICE BID (Annexure-B) in both words & figures. Correction if any shall be made by crossing out with signature of authorized person.
- 15. The Bidders shall essentially indicate the break-up of prices as shown in PRICE BID (Annexure-B).
- 16.The price towards supply of E-cart and AMC for 3 years shall be quoted separately and will be evaluated separately as per requirement.
- 17. The bidder shall submit a 360 Degree video of the E-Cart to be supplied in a pen-drive along with the Technical Bid Document.
- 18. The offer price shall be valid for 180 days from the date of opening of the bid.
- 19. Canvassing in any manner is strictly prohibited. The same will lead to rejction of the tender.
- 20. In case of any correction or overwriting made by the bidder in the rates offered, it should be signed & sealed by the authorized person; otherwise, the tender is liable for rejection.
- 21.Certificate of quality assurance, guarantee, and conditions of AMC must be provided.
- 22. Tenders will be accepted & will be opened as per information mentioned in the Notice Inviting Tender.
- 23.On the date & time of opening of tender only authorized person or any other person possessing authorization letter is allowed to participate in tender.
- 24. The procedure of opening of the tender shall be as under
 - a) First envelope "PART-I TECHNICAL BID" shall be opened at the time & date mentioned in the tender notice by the Tender Committee of RMC in presence of the Bidders, who wish to attend. If necessary, the firms may be called for Technical Presentation of their product as per the time intimated by RMC.
 - b) Second envelope "PART-II PRICE BID" shall be opened after evaluation of technical suitability of the offer. The date of opening of PRICE BID shall be same day or the date finalized by Tender Committee to be communicated later on. PRICE BID of only those Bidders shall be opened whose TECHNICAL BID shall be found Techno-commercially suitable.
- 25. In case of supply of any defective E-Cart or sub-standard E-Cart the supplies will be rejected & it will be the responsibility of the supplier for taking back & replacing the rejected E-Cart at their own cost. The supplier shall replace the defective/ sub-standard E-Cart within 15 days from the date of rejection failing which security deposit of the concerned firm shall be forfeited and the rejected E-Cart will be disposed off through public auction. The sale proceeds thereof will be deposited in RMC account.
- 26. Any clarification on the technical specification and commercial terms and conditions may be communicated in writing to the E-mail ID of RMC (rourkelamunicipality@gmail.com).
- 27. The supplied E-Cart should be strictly as per specifications as mentioned in the tender, otherwise the E-Cart would be liable for rejection.
- 28. Commissioner, Rourkela Municipal Corporation reserves the right to reject or accept any or all tenders without assigning any reason thereof.

- 29. Award of Contract: The contract will be awarded to the L1 quoted firm/ agency.
- 30. **Performance Security:** The successful bidder to whom award of contract will be issued shall have to deposit 7% of the contract value only towards performance security in shape of Performance Bank Guarantee (PBG)/ Term Deposit Receipt (TDR) prior to execution of agreement within 7 days.

 $\ensuremath{\text{I}}\xspace$ We carefully read & understood the above terms & conditions of the tender & agree to abide by them.

Signature of Bidder with Seal

UNDERTAKING

M/s		Authorize	d Person	Name
	_ Son/ Daughter _			
resident of		being	Proprietor/	Partner/
Authorized representative of M/S $_$				
of whose GST No. is		& Iı	ncome Tax P	AN No. is

I do hereby give consent to RMC to deduct from our Bill whatever applicable dues of the GST & IT Department on their demand.

Place:

Signature of Bidder with Seal

Date:

Commercial Terms & Conditions

1. Rate:

The offer should be for Supply, installation, testing, commissioning, trial run and maintenance of Battery Operated Vehicle (E-Cart) including all taxes, duties, transportation cost but excluding of GST applicable. A separate proposal shall be submitted for AMC of E-Cart. The offered unit cost must be inclusive of packing, forwarding, loading & unloading charges, cost of insurance and transportation FOR destination (Rourkela), taxes, duties etc. The offer price shall be vaidl 180 days from the date of opening of the Bid.

2. Tax & Duties tec.:

All Taxes and duties as prescribed under Government rules would be applicable.

3. Ernest Money deposit (EMD):

EMD money is Rs.1,20,00/- in shape of Demand Draft from any nationalized bank drawn in favour of Commissioner, Rourkela Municipal Corporation payable at Rourkela is required to be submitting along with the tender document. Tender document will not be accepted Without EMD.

- a) EMD would be refunded to the unsuccessful Bidders after finalization of the tender without any interest.
- b) EMD would be returned to the Successful Bidder after contract signing and submission of PBG/ TDR.
- c) EMD would be forfeited in case of non-compliance of the purchase order by the successful bidder.

4. Schedule of Supply:

The supply of required Battery Operated Vehicles (E-Carts) shall be executed within 20 days of acceptance of purchase order.

5. Warranty:

Five years warranty on the metal body and two years on mechanical parts to be provided by the supplier. It is mandatory on the part of the manufacturer to provide at least five free services during the warranty period. On completion of Two years warranty period, service under AMC to be provided by the supplier if opted. The supplier shall furnish a guarantee/ warranty certificate to the above effect along with the information in the format for warranty card along with operation of E-Cart.

6. (a) Payment:

No advance payment to be made to the suppler. Payment will be made 100% of the order value for E-Cart supplied. The payment shall be released on submission of bills, challans, GST certificate etc. on supply of the vehicle at Rourkela and completion of 72 hrs of running on road of E-Cart verification thereof.

(b) Penalty Clause:

Penalty @0.5% per week of the order value shall be imposed for delayed supply beyond the supply schedule at Clause No.4.

7. Training Program:

Training program of users, technical personnel & operator of RMC or its franchise should be conducted by the bidder as per the discretion of RMC.

8. After Sales Service:

The bidder should have fully equipped after-sales service centre and adequate manpower for providing service in Rourkela after award of contract. Five years warranty on the metal body and two years on mechanical parts to be provided by the supplier. It is mandatory on the part of the manufacturer to provide at least five free services during the warranty period. On completion of Two years warranty period, service under AMC to be provided by the supplier if opted.

9. Dispute:

For adjudication of any dispute between RMC and the Bidder arising in this case, reference can be made to any Law courts under the jurisdiction of Rourkela. Commissioner, Rourkela Municipal Corporation reserves the right to reject or accept any or all tenders without assigning any reason thereof.

 $\ensuremath{\text{I}}\xspace$ We carefully read & understood the above terms & conditions of the tender & agree to abide by them.

Signature of Bidder with Seal

ANNEXURE-A TECHNICAL BID

SI. No	Documents	(Yes/No) Attached Documentary Information
1	Name of the Firm/ Agency/ Registration Details	
2	Type of Firm/ Agency (OEM/ Authorized Dealer)	
3	PAN No.	
4	GST Number	
5	Tender Paper Cost (DD of Rs)	
6	EMD (DD of Rs)	
7	 A.If OEM, Manufacturing facility is ISO-9001 Certified) B.For Dealers, should submit documentary evidence issued by manufacturer 	
8	IT Returns of last 3 years	

Signature of Bidder with Seal

SI. No	Details of Specification	Requirement	Complied (Yes/ No)
1	Type of E-Cart	Fully Electric motor driven with front Auto fascia as accessories, Auto rickshaw type front design	
2	Vehicle Certification	Number & date must be specified	
3	Garbage Carrying Capacity	310 kg	
4	Type of Chassis for E-Cart	ED coated all weather proof Long life Tubular Chassis	
5	Windshield	Full Windshield equipped with Electric Wiper Motor	
6	Two Speed Gear Box	Equipped with two Speed gear Box to help climbing gradients	
7	Run Distance (for full charge of battery to be tested with full load at Maximum AIS-040) Km	80 KM & above	
8	Speed of the E-Cart	Minimum 25 KMPH	
9	Number of Bins	2 Nos.	
10	Type of Body of the E-Cart	Closed Body with Separate Chamber	
11	Capacity of Individual Bins	160 Ltr	
12	Wheel Base (mm)	Minimum 2140 Millimetre	
13	Turning Radius (mm)	Minimum 3000 Millimetre	
14	Power Transmission from Motor Shaft to Wheels	Direct Mounting	
15 16	Tipping Angle	75 Hydraulic (Automatic)	
17	Method of Tipping Type of Battery	Lithium Ferrous Phosphate (prismatic cell)	
18	Battery Charger	230 V, 20 AMP	
19	Warranty Period of Battery	Minimum 3 Years	
20	Capacity of Battery	80	
21	Battery Make	OKAYA/ LUMINUS/ MICROTEK & Other Equivalent	
22	Battery Voltage Nominal (Volts)	50 Volt and above	
23	Motor Output Power 48V/ 68V at Full Load Watt	2000 <u>+ 50</u>	
24	Overall efficiency of the E- Cart (to be tested at full load with maximum speed as per concerned AIS Standard (%))	85	
25	Vehicle Certification	ARAI/ ICAT	
26	Vehicle Lighting System	LED	
27	No. of Free Servicing	Minimum 5 Numbers	
28	Colour of E-Cart	Blue/Green	
29	Quality of Body	The E-Cart must fabricated from good quality Steel properly painted to avoid rusting for more than 5 years	
30	Equipped with First Aid Box	Yes	
31	Equipped with Fire Extinguisher	Yes	
32	Yellow colour reflective tape on front and rear side of the E-Cart		
33	Length of E-cart as per Gazette Notification by Ministry of Road and Transport Oct, 2014 (meters)	2.72	

34	Width of E-cart as per Gazette Notification by Ministry of Road and Transport Oct, 2014 (meters)	0.985
35	Height of E-cart as per Gazette Notification by Ministry of Road and Transport Oct, 2014 (meters)	1.715
36	Size of Front Tyre (mm)	90/90-12
37	Size of Rear Tyre (mm)	90/90-12
38	Brake Type (Front)	Drum/ Mechanical
40	Brake Type (Rear)	Drum/ Mechanical
41	Suspension System (Front)	Hydraulic Shocker/ Shocker
42	Suspension System (Rear)	Leaf Spring/ Shocker + Leaf
43	Reverse Gear Facility	Yes

Signature of Bidder with Seal

ANNEXURE-B PRICE BID

Supply, Operation and maintenance of E-Cart with two years warranty

SI. No	ltem	Rate per Unit	Total
1	Supply and operation of 20 Nos. (Twenty) of battery Operated E-Cart including of all taxes, transportation, packing etc. but excluding of GST		
2	GST Applicable (to be quoted separately) in%		
Α	Total		
3	Annual Maintenance Contract (AMC) for three years after two years of warranty period (Bidders are required to quote AMC charges for 3 rd , 4 th & 5 th years after two years of warranty) 3 rd Year: 4 th Year: 5 th Year:		
4	Taxes (for AMC only) if any		
В	Total		
С	TOTAL (A+B)		

N.B: The Offer Price shall be valid 180 days from the date of opening of the Bid.

Signature of Bidder with Seal