



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	01.08.2022; 05:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	30.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	01.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/288605	2137301356386	Ashawni Ku Nayak	20	M	Nasal Swab	01.08.2022	Negative	9438461170	Panposh, Rourkela
02	Cov/288606	2137301356392	Jayshri Naik	36	F	Nasal Swab	01.08.2022	Negative	6370770039	Jhirpani, Rourkela
03	Cov/288607	2137301356396	Niroj Bhitria	22	M	Nasal Swab	01.08.2022	Negative	9938379131	Jhirpani, Rourkela
04	Cov/288608	2137301356401	Ratnakara Pradhan	64	M	Nasal Swab	01.08.2022	Negative	9937812176	Vedvyas, Rourkela
05	Cov/288609	2137301356408	Narayan Sahoo	29	M	Nasal Swab	01.08.2022	Negative	7653970213	NIT, Rourkela

Prepared by:

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:

Dr. Ashit Bhusan Xess