



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	01.10.2021; 07:15 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	01.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	01.10.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/154642	Padma Pattnayak	25	F	Nasal Swab	01.10.2021	Negative	9861074553	IDC Kalimandap Tangarpalli Rourkela
2	Cov/154643	Soma Mahali	60	M	Nasal Swab	01.10.2021	Negative	9348429794	Nuagaon Rourkela
3	Cov/154644	Rakesh Mahapatra	24	M	Nasal Swab	01.10.2021	Negative	7077745889	Bisra Rourkela Sundargarh
4	Cov/154645	Andi Tirkey	45	F	Nasal Swab	01.10.2021	Negative	7326952456	Chindiposh Kuarmunda Sundargarh
5	Cov/154646	Maryam Dung Dung	70	F	Nasal Swab	01.10.2021	Negative	9777425309	Salangabahal Sundargarh
6	Cov/154647	Jayaram Ekka	58	M	Nasal Swab	01.10.2021	Negative	8018552670	B Tarang Bhuchahanda Sundargarh
7	Cov/154648	Joshna Kerktta	30	M	Nasal Swab	01.10.2021	Negative	8018612608	Kutra Sundargarh
8	Cov/154649	Dasarath Toppo	60	M	Nasal Swab	01.10.2021	Negative	9937971164	Dandiapalli B Tarang Sundargarh
9	Cov/154650	Kabita Das	35	F	Nasal Swab	01.10.2021	Negative	9439077838	Sector 15 E/405 Rourkela
10	Cov/154651	Arvind Kumar Ray	18	M	Nasal Swab	01.10.2021	Negative	8789385266	Daily Market Rourkela
11	Cov/154652	Pradeep Samal	50	M	Nasal Swab	01.10.2021	Negative	7682870809	Chhend Kousalya Vihar Rourkela
12	Cov/154653	Susama Mahananda	45	F	Nasal Swab	01.10.2021	Negative	7657048868	Sitalnagar Bondamunda Rourkela
13	Cov/154654	Jogeswar Kishan	60	M	Nasal Swab	01.10.2021	Negative	8763179932	RGH IPD, ROURKELA

14	Cov/154655	Rina Nayak	55	F	Nasal Swab	01.10.2021	Negative	9337256783	RGH IPD, ROURKELA
15	Cov/154656	Rashmi Gupta	22	F	Nasal Swab	01.10.2021	Negative	8114319379	RGH IPD, ROURKELA
16	Cov/154657	Ram Ch Tanty	40	M	Nasal Swab	01.10.2021	Negative	9777534461	RGH IPD, ROURKELA
17	Cov/154658	Jyoti Mukhi	23	F	Nasal Swab	01.10.2021	Negative	7008742502	RGH IPD, ROURKELA
18	Cov/154659	Mukta Lakra	55	F	Nasal Swab	01.10.2021	Negative	6370774309	RGH IPD, ROURKELA
19	Cov/154660	Putul Toppno	20	M	Nasal Swab	01.10.2021	Negative	8895832017	RGH IPD, ROURKELA
20	Cov/154661	Hemanta Ku Mahanta	45	M	Nasal Swab	01.10.2021	Negative	8280453310	RGH IPD, ROURKELA
21	Cov/154662	Sanoj Sharma	39	M	Nasal Swab	01.10.2021	Negative	7873378421	RGH IPD, ROURKELA
22	Cov/154663	Santosh Nag	23	M	Nasal Swab	01.10.2021	Negative	9861692752	RGH IPD, ROURKELA
23	Cov/154664	Gulab Devi	67	F	Nasal Swab	01.10.2021	Negative	8249289200	RGH IPD, ROURKELA
24	Cov/154665	Suru Chatria	35	F	Nasal Swab	01.10.2021	Negative	7381834266	RGH IPD, ROURKELA
25	Cov/154666	Mando Deep	56	F	Nasal Swab	01.10.2021	Negative	9776682293	RGH IPD, ROURKELA
26	Cov/154667	Mina Tirkey	40	F	Nasal Swab	01.10.2021	Negative	9348919929	RGH IPD, ROURKELA
27	Cov/154668	Samera Naik	26	F	Nasal Swab	01.10.2021	Negative	7609059332	RGH IPD, ROURKELA
28	Cov/154669	Sarojini Kishan	15	F	Nasal Swab	01.10.2021	Negative	9692639594	RGH IPD, ROURKELA
29	Cov/154670	Saloni Barua	50	F	Nasal Swab	01.10.2021	Negative	9348075082	RGH IPD, ROURKELA
30	Cov/154671	Aptul Ekka	14	M	Nasal Swab	01.10.2021	Negative	8908157625	Pradhan Palli, Rourkela
31	Cov/154672	Jitendra Mohakud	17	M	Nasal Swab	01.10.2021	Negative	8908157625	Pradhan Palli, Rourkela
32	Cov/154673	Bhagirathi Munda	15	M	Nasal Swab	01.10.2021	Negative	8908157625	Pradhan Palli, Rourkela
33	Cov/154674	Mohan Maharana	21	M	Nasal Swab	01.10.2021	Negative	8908157625	Pradhan Palli, Rourkela

Prepared by:

Checked and Approved by:

*Krishna*

*Dr. Ashit*

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*