



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	01.10.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	30.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	01.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/307043	2137301430270	Adiyta Kumar Dakua	39	M	Nasal Swab	01.10.2022	Negative	8594869303	A-149 Sector 1, Rourkela
02	Cov/307044	2137301430273	Deepak Ranjan Bhuyan	42	M	Nasal Swab	01.10.2022	Negative	9078904836	Chhend Colony, Rourkela
03	Cov/307045	2137301430275	Rashmita Biswal	37	M	Nasal Swab	01.10.2022	Negative	9078904836	Chhend Colony, RKL
04	Cov/307046	2137301430277	Divyanshu Bhuyan	10	M	Nasal Swab	01.10.2022	Negative	9078904836	Chhend Colony, Rourkela
05	Cov/307047	2137301430280	Ashok Kumar Sahoo	41	M	Nasal Swab	01.10.2022	Negative	8895045512	Ecr-152 Chhend Colony, RKL
06	Cov/307048	2137301430282	Abhishek	46	M	Nasal Swab	01.10.2022	Negative	7008473164	C-9 Koel Nagar, RKL
07	Cov/307049	2137301430284	Abhisek Kumar Mishra	27	M	Nasal Swab	01.10.2022	Negative	7978516249	Trinath Nagar Panposh
08	Cov/307050	2137301430285	Rashmi Kumari Sahoo	29	F	Nasal Swab	01.10.2022	Negative	9438812111	B-348 Koel Nagar, Rourkela
09	Cov/307051	2137301430350	Rashmi Prakash Palai	37	M	Nasal Swab	01.10.2022	Negative	7978083511	Basanti Colony DI-291, RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhuyan Xess
डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR