Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

Date and time of reporting (dd/mm/yyyy) : 12 hour format	**02/05/2021**
Address of the referring facility/Hospital	**CDM & PHO, ROURKELA**
SPECIMEN DETAILS	
Date & Time of receipt of specimen at State VRDL, SCBMCH (dd/mm/yyyy)	**01/05/2021**
Condition of specimen received / Quality on arrival	**Under cold chain**
REPORTING DETAILS	

SL NO	Sample ID	Patient Name	Age	Gender	Specimen Type	Date of sample testing	Result 2019-nCoV RT PCR
1	nCoV8L4369	PRAKASH CHANDRA MOHANTY	49	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4370	SATYABRATA PANDA	36	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4371	NIRUPAMA DASH	56	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4372	AYUSH SHARMA	11	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4373	KRISHNA DAS	37	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4374	PRAMOD KUMAR UPADHAYA	25	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4375	SARMILA MOHANTY	52	F	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4376	ARPITA PATRA	18	F	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4377	SHRUTI S PATRA	16	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4378	ROJALIN PRADHAN	42	F	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4380	SANJAY TRIPATHY	36	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4405	PRIYA SINGH	21	F	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4406	ROHIT SINGH	23	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4407	SAROJ RAM GOPE	40	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4422	SUBRATA MANDAL	29	M	NPS/TS	02.05.2021	NEGATIVE
		ROURKELA GOVT. HOSPITAL					
1	nCoV8L4360	SUMAN KUMAR NANDA	41	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

2	nCoV8L4361	MANJULATA DHAL	50	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4362	RATNI PATRA	40	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4363	SANDEEP PATEL	36	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4364	BINOD SAHOO	32	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4365	NARENDRA KUMAR BALA	59	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4366	MANASH MOHINI BAL	59	F	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4367	GANESH KUMAR PARIDA	36	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4368	GANESH PRASAD SAMAL	39	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4381	NIMAHI CH MHALI	40	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4382	DEEPAK JAISWAL	40	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4383	FIROJ PURAN	39	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4384	PRADIP KERKETTA	35	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4385	RAMKRUSHNA NATH	42	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4386	JAYDEV MAHANTA	24	M	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4387	SATYA BRATA PRADHAN	24	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4388	BISWAJIT KUANR	13	M	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4389	GAJADHAR SAHOO	68	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4390	REBATI SAHOO	63	F	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4391	SUBHA SHREE SAHOO	11	F	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4392	ARUN KUMAR PATRA	38	M	NPS/TS	02.05.2021	NEGATIVE
22	NO SAMPLE	DIBYANSHU PATRA	38	M	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4393	SIDHARTH PANIGRAHI	51	M	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4394	ADITYA SIDHARTH	19	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4395	DEUNISH LOMGA	21	M	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4396	RAJNI ORAM	27	F	NPS/TS	02.05.2021	NEGATIVE
27	nCoV8L4397	TAPASWINI MAJHI	24	F	NPS/TS	02.05.2021	NEGATIVE
28	nCoV8L4398	B V BINAY KUMARI	55	F	NPS/TS	02.05.2021	NEGATIVE
29	nCoV8L4399	PRABHAT KUMAR BISWAL	44	M	NPS/TS	02.05.2021	NEGATIVE
30	nCoV8L4400	RAMDARASH PRASAD	23	M	NPS/TS	02.05.2021	NEGATIVE
31	nCoV8L4401	SRIKANTI DEBI	45	F	NPS/TS	02.05.2021	NEGATIVE
32	nCoV8L4402	GOBINDA CHANDR BOHIDAR	57	M	NPS/TS	02.05.2021	NEGATIVE
33	nCoV8L4403	DR BISHNUPRIYA	65	F	NPS/TS	02.05.2021	NEGATIVE
34	nCoV8L4404	GANESH MOHNANDIA	30	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

35	NO SAMPLE	SAGARIKA NAYAK	58	F	NPS/TS	02.05.2021	NEGATIVE
36	nCoV8L4411	C GIRIBERI	46	F	NPS/TS	02.05.2021	NEGATIVE
37	nCoV8L4412	GYANARANJAN DHAL	40	M	NPS/TS	02.05.2021	NEGATIVE
38	nCoV8L4413	RANJULATA MOHAPATRA	50	F	NPS/TS	02.05.2021	NEGATIVE
39	nCoV8L4414	SUMANLAL LODHI	59	M	NPS/TS	02.05.2021	NEGATIVE
40	nCoV8L4415	GYANA RANJAN BARIK	42	M	NPS/TS	02.05.2021	NEGATIVE
41	nCoV8L4416	RANJULATA SAHOO	33	F	NPS/TS	02.05.2021	NEGATIVE
42	NO SAMPLE	NEHA DEVI	19	F	NPS/TS	02.05.2021	NEGATIVE
43	NO SAMPLE	TAPAS KUMAR JENA	5	M	NPS/TS	02.05.2021	NEGATIVE
44	NO SAMPLE	ANAMIKA KUMARI	31	F	NPS/TS	02.05.2021	NEGATIVE
45	NO SAMPLE	MEGHASHREE DAS	22	F	NPS/TS	02.05.2021	NEGATIVE
46	nCoV8L4423	SANDEEP MANDAL	22	M	NPS/TS	02.05.2021	NEGATIVE
47	nCoV8L4424	HEHU MANDAL	39	M	NPS/TS	02.05.2021	NEGATIVE
48	nCoV8L4425	SOURA RANJAN LENKA	20	M	NPS/TS	02.05.2021	NEGATIVE
49	nCoV8L4426	ANJALI KAR	40	F	NPS/TS	02.05.2021	NEGATIVE
50	nCoV8L4427	NILAKANTHA SAHOO	28	M	NPS/TS	02.05.2021	NEGATIVE
51	nCoV8L4428	ABHISEK DAS	23	M	NPS/TS	02.05.2021	NEGATIVE
52	nCoV8L4429	MAMTA DASH	22	F	NPS/TS	02.05.2021	NEGATIVE
53	nCoV8L4430	MANARANUS BAG	47	M	NPS/TS	02.05.2021	NEGATIVE
54	nCoV8L4431	SATYAJIT SAHOO	36	M	NPS/TS	02.05.2021	NEGATIVE
55	nCoV8L4432	PURNA CHANDRA GHADAI	26	M	NPS/TS	02.05.2021	NEGATIVE
56	nCoV8L4433	PREMALATA CHARDIA	48	F	NPS/TS	02.05.2021	NEGATIVE
UDITNAGAR, ROURKELA							
1	nCoV8L4434	RAJESH KUMAR PATEL	46	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4435	LINAMAYEE PATEL	37	F	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4436	SWARNAPRIYA NAIK	55	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4437	ZENIA PATEL	17	F	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4438	SANTOSH KUMAR SAHU	26	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4439	RIBTINATH SAHOO	48	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4440	SWASTIK RANJAN SAHOO	15	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4441	RAMES AGARWAL	54	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4442	SUMALATA SAHOO	46	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4443	SUNITA HATI	40	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

11	nCoV8L4444	PRABHA MANJARI	68	F	NPS/TS	02.05.2021	NEGATIVE
SECTOR-06, ROURKELA							
1	nCoV8L4445	BIJAYA DAS	45	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4446	AJAYA BARAL	47	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4447	ALOIS TOPPO	65	M	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4448	ANUP KUMAR SEN	31	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4449	PRABIN KUMAR PRADHAN	25	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4450	SACHIN SINGH	30	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4451	UTAM MANNA	47	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4452	B K SINGH	45	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4453	MANOJ KUMAR SAW	45	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4454	GARIMA BADAIK	21	F	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4455	USA RANI SAHOO	70	F	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4456	SUSHANT SAHU	41	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4457	KAUSAR ZAMAN KHAN	45	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4458	MD SHAHID ANSARI	25	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4459	JITENDRA KUMAR TIWARI	50	M	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4460	SUNIL LAKRA	50	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4461	J. B. PATTNAIK	58	M	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4462	SABYASACHI SATHPATHI	19	3	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4463	SANJAY KUMAR SATPATHY	43	M	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4464	JETEN KUMAR MAHALIK	36	M	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4465	MONALISA BEHERA	32	F	NPS/TS	02.05.2021	NEGATIVE
22	nCoV8L4466	SANDEEP KINDO	43	M	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4467	SUJATA KINDO	43	F	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4468	SOUMYA RANJAN BISWAL	31	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4469	PUSHPICA BAA	40	F	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4470	LACHMAN SAMARATH	44	M	NPS/TS	02.05.2021	NEGATIVE
SECTOR-20, ROURKELA							
1	nCoV8L4471	MANJULA VERMA	49	F	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4472	P K VERMA	52	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4473	UTKARS VERMA	23	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

4	nCoV8L4474	SRISHTY VERMA	23	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4475	KOELI NANDA	55	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4476	MEGHNA PATIL	21	F	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4477	Y G PATIL	59	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4478	ALOK PATIL	24	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4479	ARUNA PATIL	46	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4480	SASMITA SAHU	46	F	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4481	SHRASTI SAHU	20	F	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4482	SANANTA SAHU	52	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4483	S SUDHAKAR	50	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4484	ROHAN SUDHAKAR	15	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4485	UMA SUDHAKAR	48	F	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4486	RAHUL SUDHAKAR	22	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4487	LALITA KUMBHAR	35	F	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4488	LAKHMAN KUMBHAR	35	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4489	BABULU HARIPAL	60	M	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4490	SUNA HARIPAL	50	F	NPS/TS	02.05.2021	NEGATIVE
RAILWAY STATION, ROURKELA							
1	nCoV8L4491	SANJAYA KUMAR SAHU	41	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4492	IPSITA SAHU	35	F	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4493	PRITISH PRADHAN	20	M	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4494	KIRAN DEVI	30	F	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4495	ARBIND KUMAR SINGH	33	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4496	RATIKANT PRADHAN	34	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4497	SUDHA GUPTA	56	F	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4498	R GUPTA	62	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4499	MAMATA NAIK	30	F	NPS/TS	02.05.2021	NEGATIVE
CHC-KUARMUNDA							
1	nCoV8L4554	SIBHAM SWARAJ BARIK	14	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4555	ANANDA TIGGA	43	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4556	BIBHA SAHU	58	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

4	nCoV8L4557	UMESH BEHERA	27	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4558	REENA KAR	28	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4559	PRISILA KERKETTA	32	F	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4560	ADITYA SINHA	38	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4561	LABA LAKRA	40	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4562	SUSHAMA MAHAPATRA	69	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4563	RANJITA SAHOO	29	F	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4564	KANHA SAHOO	23	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4565	DILLIP SAHOO	35	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4566	BHOLANATH SAHOO	26	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4567	SUNITA SAMAL	36	F	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4568	SANJIB SAMAL	39	M	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC- BISRA - 30 APRIL 2021							
1	nCoV8L4500	SUSAMA JOJO	15	F	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4501	NUTAN NANDI	23	F	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4502	ASHARANI MAHATO	20	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4503	CHUINTI MAHATO	46	F	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4504	NEHA GUPTA	15	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4505	ISMIT GUPTA	13	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4506	AMRENDRA KUMAR	41	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4507	KRISHNA PRASAD SAHU	65	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4508	NIROJ KUMAR	54	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4509	ARUN KUMAR	39	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4510	NABIN GOPE	38	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4511	JAYESH PADDAR	20	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4512	ARBIND GUPTA	34	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4513	JYOTI GUPTA	30	F	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4514	NALINI PRABHA EKKA	27	F	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4515	LALIT MAHATO	35	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4516	BIC HAN KERKEETA	41	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

18	nCoV8L4517	AMIT AGRAWAL	37	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4518	BHIMSEN SAMASI	58	M	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4519	AGNI ORAM	19	F	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4520	M INDU	45	F	NPS/TS	02.05.2021	NEGATIVE
22	nCoV8L4521	M YAMINI	19	F	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4522	PAPU YADAV	34	M	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4523	UMESH PRASAD	37	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4524	ANJALI KUMARI	26	F	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4525	JAGEDISH SINGH	40	M	NPS/TS	02.05.2021	NEGATIVE
27	nCoV8L4526	DK PANDEY	44	M	NPS/TS	02.05.2021	NEGATIVE
28	nCoV8L4527	BUDHUNA MUNDA	39	M	NPS/TS	02.05.2021	NEGATIVE
29	nCoV8L4528	SUKHARMANI SINGH	25	F	NPS/TS	02.05.2021	NEGATIVE
30	nCoV8L4529	P MONIKA	28	F	NPS/TS	02.05.2021	NEGATIVE
31	nCoV8L4530	SUNITA MAHATO	27	F	NPS/TS	02.05.2021	NEGATIVE
32	nCoV8L4531	SULACHANA TANTY	28	F	NPS/TS	02.05.2021	NEGATIVE
33	nCoV8L4532	KISMAT SINGH	25	M	NPS/TS	02.05.2021	NEGATIVE
34	nCoV8L4533	ABHAYA KUMAR SAMAL	53	M	NPS/TS	02.05.2021	NEGATIVE
35	nCoV8L4534	RAGHUNATH MAHATO	38	M	NPS/TS	02.05.2021	NEGATIVE
36	nCoV8L4535	UMA SHARMA	50	F	NPS/TS	02.05.2021	NEGATIVE
37	nCoV8L4536	SS NATH	35	F	NPS/TS	02.05.2021	NEGATIVE
38	nCoV8L4537	MUKTA RAJANI BECK	45	F	NPS/TS	02.05.2021	NEGATIVE
39	nCoV8L4538	MAMATA MAHANDIA	45	F	NPS/TS	02.05.2021	NEGATIVE
40	nCoV8L4539	ASHA RAJAT	32	F	NPS/TS	02.05.2021	NEGATIVE
41	nCoV8L4540	SANJAYA TANTY	22	M	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC-GURUNDIA - 30 APRIL 2021							
1	nCoV8L4541	BHARAT PANDA	33	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4542	SUSHANI PURTY	22	F	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4543	BUDI ORAM	19	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4544	NITIYA PURTY	50	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

5	nCoV8L4545	ETWARY ORAM	40	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4546	JOGESWAR XALXO	20	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4547	ANUPSAMEER EKKA	26	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4548	PRAHALLAD DANDSENA	60	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4549	PARAMESWAR SARLIA	64	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4550	RAGHUNATHA SAHU	64	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4551	ANTHONI KIRO	64	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4552	ABDUL RASID	60	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4553	PARBATI TIRKEY	32	F	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC-HATIBARI -30 APRIL 2021							
1	nCoV8L4569	SANTOSH KUMAR DASH	38	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4570	DHANESWAR SAHU	46	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4571	NILIMA NAYAK	22	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4572	SAMEER SAHU	26	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4573	SABYA SINGH	42	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4574	SUMAN SINGH	43	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4575	CHINTAMANI SAHU	57	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4576	JANMAJAYE TRIPATHY	45	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4577	GOURIMANI PANDA	56	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4578	GOURAV KUMAR PANDA	18	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4579	DILIP KUMAR SAHOO	45	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4580	ABHISEKH SAHOO	17	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4582	BASUDEV SAHOO	53	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4583	KANHU SARAF	21	M	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4584	ANITA SAHOO	35	F	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4586	SUJIT PANDA	35	M	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4587	AJIT MOHAPATRA	29	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4588	PINTU KUMBHAR	18	M	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4589	MUNI DEVI	30	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

21	nCoV8L4590	IDRIS KULLA	49	M	NPS/TS	02.05.2021	NEGATIVE
22	nCoV8L4591	PINTU SAHOO	34	M	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4592	REEMA SAHOO	30	F	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4593	MONTU SAHOO	32	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4594	SANJNA ORAM	5	F	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4595	LALITA ORAM	23	F	NPS/TS	02.05.2021	NEGATIVE
27	nCoV8L4596	SARU ORAM	25	M	NPS/TS	02.05.2021	NEGATIVE
28	nCoV8L4597	ANIL TOPPO	28	M	NPS/TS	02.05.2021	NEGATIVE
29	nCoV8L4598	ANUP KUMAR SAHOO	32	M	NPS/TS	02.05.2021	NEGATIVE
30	nCoV8L4599	HARIPRIYA SAHU	26	F	NPS/TS	02.05.2021	NEGATIVE
31	nCoV8L4600	ANITA SARAF	32	F	NPS/TS	02.05.2021	NEGATIVE
32	nCoV8L4601	TULSI SARAF	5	F	NPS/TS	02.05.2021	NEGATIVE
33	nCoV8L4602	SUNITA SARAF	34	F	NPS/TS	02.05.2021	NEGATIVE
34	nCoV8L4603	BAIDEHI SAHOD	70	F	NPS/TS	02.05.2021	NEGATIVE
35	nCoV8L4604	SOMARU ORAM	32	M	NPS/TS	02.05.2021	NEGATIVE
36	nCoV8L4605	MANGAL EKKA	40	M	NPS/TS	02.05.2021	NEGATIVE
37	nCoV8L4606	SUBASH SAHOO	19	M	NPS/TS	02.05.2021	NEGATIVE
38	nCoV8L4607	SANIARO BHOKTA	47	M	NPS/TS	02.05.2021	NEGATIVE
39	nCoV8L4608	RAJKUMAR SAHOO	48	M	NPS/TS	02.05.2021	NEGATIVE
40	nCoV8L4609	NIKITA SAHOO	15	F	NPS/TS	02.05.2021	NEGATIVE
41	nCoV8L4610	GHURAN BHOKTA	46	M	NPS/TS	02.05.2021	NEGATIVE
42	nCoV8L4611	BIRANCHI SAHOO	75	M	NPS/TS	02.05.2021	NEGATIVE
43	nCoV8L4612	MANISHA SARAF	22	F	NPS/TS	02.05.2021	NEGATIVE
44	nCoV8L4613	SAMIR KUMAR SAHOO	19	M	NPS/TS	02.05.2021	NEGATIVE
45	nCoV8L4614	NAMITA SAHOO	38	F	NPS/TS	02.05.2021	NEGATIVE
48	nCoV8L4617	AKASH SARAF	12	M	NPS/TS	02.05.2021	NEGATIVE
49	nCoV8L4618	HARIHAR DAS	56	M	NPS/TS	02.05.2021	NEGATIVE
50	nCoV8L4619	BIJAY KUMAR NAIK	49	M	NPS/TS	02.05.2021	NEGATIVE
51	nCoV8L4620	MANOJ KUMAR GURU	45	M	NPS/TS	02.05.2021	NEGATIVE
52	nCoV8L4621	KIRTI RANJAN MISHRA	31	F	NPS/TS	02.05.2021	NEGATIVE
54	nCoV8L4623	RAJESH KERKETTA	41	M	NPS/TS	02.05.2021	NEGATIVE
55	nCoV8L4624	SUKHMANI KERKETTA	31	F	NPS/TS	02.05.2021	NEGATIVE
56	nCoV8L4625	GAJENDRA SAHOO	44	M	NPS/TS	02.05.2021	NEGATIVE
57	nCoV8L4626	RITIKA KERKETTA	3	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

58	nCoV8L4627	BASANTI SAHOO	50	F	NPS/TS	02.05.2021	NEGATIVE
59	nCoV8L4628	MANOJ KERKETTA	47	M	NPS/TS	02.05.2021	NEGATIVE
60	nCoV8L4629	ANITA MAJHI	22	F	NPS/TS	02.05.2021	NEGATIVE
61	nCoV8L4630	SAKUN SAHOO	33	F	NPS/TS	02.05.2021	NEGATIVE
62	nCoV8L4631	DEORAJ SAHOO	14	M	NPS/TS	02.05.2021	NEGATIVE
63	nCoV8L4632	KAMLABATI SAHOO	45	F	NPS/TS	02.05.2021	NEGATIVE
64	nCoV8L4633	SHILPA SAHOO	15	F	NPS/TS	02.05.2021	NEGATIVE
65	nCoV8L4634	MEERA SAHOO	13	F	NPS/TS	02.05.2021	NEGATIVE
66	nCoV8L4635	MUNI SAHOO	47	F	NPS/TS	02.05.2021	NEGATIVE
67	nCoV8L4636	KALABATI SAHOO	29	F	NPS/TS	02.05.2021	NEGATIVE
68	nCoV8L4637	MADAM SAHOO	19	M	NPS/TS	02.05.2021	NEGATIVE
69	nCoV8L4638	PRIYA SAHOO	12	F	NPS/TS	02.05.2021	NEGATIVE
70	nCoV8L4639	PANKAJ SAHOO	10	M	NPS/TS	02.05.2021	NEGATIVE
71	nCoV8L4640	ASHA SAHOO	35	F	NPS/TS	02.05.2021	NEGATIVE
72	nCoV8L4641	RAGHBAR SAHOO	34	M	NPS/TS	02.05.2021	NEGATIVE
73	nCoV8L4642	HARISH KUMAR SAHOO	11	M	NPS/TS	02.05.2021	NEGATIVE
74	nCoV8L4643	PRAMOD KUMAR SAHOO	13	M	NPS/TS	02.05.2021	NEGATIVE
75	nCoV8L4644	JAYLEM JOJO	40	F	NPS/TS	02.05.2021	NEGATIVE
76	nCoV8L4645	DHANESWAR SAHOO	34	M	NPS/TS	02.05.2021	NEGATIVE
77	nCoV8L4646	SUBHADRA SAHOO	32	F	NPS/TS	02.05.2021	NEGATIVE
78	nCoV8L4647	JASMITA SAHOO	21	F	NPS/TS	02.05.2021	NEGATIVE
79	nCoV8L4648	PRIYA SAHOO	16	F	NPS/TS	02.05.2021	NEGATIVE
81	nCoV8L4650	MUNI SAHOO	35	F	NPS/TS	02.05.2021	NEGATIVE
82	nCoV8L4651	RANJITA SAHOO	4	F	NPS/TS	02.05.2021	NEGATIVE
83	nCoV8L4652	RIMA SAHOO	8	F	NPS/TS	02.05.2021	NEGATIVE
84	nCoV8L4653	MUKESH SAHOO	30	M	NPS/TS	02.05.2021	NEGATIVE
85	nCoV8L4654	BIRASMUNI SAHOO	60	F	NPS/TS	02.05.2021	NEGATIVE
86	nCoV8L4655	LALITA SAHOO	24	F	NPS/TS	02.05.2021	NEGATIVE
87	nCoV8L4656	BASANTI SAHOO	45	F	NPS/TS	02.05.2021	NEGATIVE
88	nCoV8L4657	SAJITA SAHOO	19	F	NPS/TS	02.05.2021	NEGATIVE
89	nCoV8L4658	BARFUL SAHOO	28	M	NPS/TS	02.05.2021	NEGATIVE
90	nCoV8L4659	BIBEK SAHOO	12	M	NPS/TS	02.05.2021	NEGATIVE
91	nCoV8L4660	REKHA SAHOO	19	F	NPS/TS	02.05.2021	NEGATIVE
92	nCoV8L4661	JAGDISH SAHOO	26	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

93	nCoV8L4662	RAHUL SAHOO	6	M	NPS/TS	02.05.2021	NEGATIVE
94	nCoV8L4663	CHHOTU SAHOO	44	M	NPS/TS	02.05.2021	NEGATIVE
95	nCoV8L14162	MILAN SAHOO	15	M	NPS/TS	02.05.2021	NEGATIVE
96	nCoV8L14161	JANTA SAHOO	42	M	NPS/TS	02.05.2021	NEGATIVE
97	nCoV8L14160	PURNIMA SAHOO	40	F	NPS/TS	02.05.2021	NEGATIVE
98	nCoV8L4667	RASHMITA HASDA	26	F	NPS/TS	02.05.2021	NEGATIVE
99	nCoV8L4668	RAJENDRA SAHU	25	M	NPS/TS	02.05.2021	NEGATIVE
100	nCoV8L14165	BIRSU SAHOO	33	M	NPS/TS	02.05.2021	NEGATIVE
101	nCoV8L4670	DEEPAK SAHOO	12	M	NPS/TS	02.05.2021	NEGATIVE
102	nCoV8L4671	DIBYA SAHOO	10	F	NPS/TS	02.05.2021	NEGATIVE
103	nCoV8L14164	JEMA DEHURY	43	F	NPS/TS	02.05.2021	NEGATIVE
104	nCoV8L4673	NEHA KUMAR NAIK	42	M	NPS/TS	02.05.2021	NEGATIVE
105	nCoV8L4674	RUBEN KERKETTA	33	M	NPS/TS	02.05.2021	NEGATIVE
106	nCoV8L4675	PREMA KULLU	28	F	NPS/TS	02.05.2021	NEGATIVE
107	nCoV8L4676	SUKRA TIGGA	22	F	NPS/TS	02.05.2021	NEGATIVE
108	nCoV8L4677	BHAGABATI TANTY	59	M	NPS/TS	02.05.2021	NEGATIVE
109	nCoV8L4678	SIRIYA MINZ	70	F	NPS/TS	02.05.2021	NEGATIVE
110	nCoV8L4679	BHIMA KALO	22	M	NPS/TS	02.05.2021	NEGATIVE
111	nCoV8L4680	KAMLA DANSANA	58	F	NPS/TS	02.05.2021	NEGATIVE
112	nCoV8L4681	DIPTI REKHA MOHANTY	36	F	NPS/TS	02.05.2021	NEGATIVE
113	nCoV8L4682	SUCHITA DUNGDUNG	18	F	NPS/TS	02.05.2021	NEGATIVE
114	nCoV8L4683	MERY ROSITA KANDULNA	42	F	NPS/TS	02.05.2021	NEGATIVE
115	nCoV8L4684	SAKUNDA DHNYA	31	M	NPS/TS	02.05.2021	NEGATIVE
116	nCoV8L4685	LUKENDRA DANSANA	35	M	NPS/TS	02.05.2021	NEGATIVE
117	nCoV8L4686	SIBA SHANKAR RAY	40	M	NPS/TS	02.05.2021	NEGATIVE
118	nCoV8L4687	KUNTI SINGH	27	F	NPS/TS	02.05.2021	NEGATIVE
119	nCoV8L4688	AJAMAR SINGH	30	M	NPS/TS	02.05.2021	NEGATIVE
120	nCoV8L4689	RITA KUMARI	14	F	NPS/TS	02.05.2021	NEGATIVE
121	nCoV8L4690	JHALO SINGH	60	F	NPS/TS	02.05.2021	NEGATIVE
122	nCoV8L4691	SUMATI DANG	40	F	NPS/TS	02.05.2021	NEGATIVE
123	nCoV8L4692	RUKMANI SAHOO	50	F	NPS/TS	02.05.2021	NEGATIVE
124	nCoV8L4693	DINAMANI SAHOO	54	M	NPS/TS	02.05.2021	NEGATIVE
125	nCoV8L4694	SUNITA LUGUN	34	F	NPS/TS	02.05.2021	NEGATIVE
126	nCoV8L4695	KAMLA DANSANA	50	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

127	nCoV8L4696	CHATAN EKKA	26	M	NPS/TS	02.05.2021	NEGATIVE
128	nCoV8L4697	SUKNA EKKA	55	M	NPS/TS	02.05.2021	NEGATIVE
129	nCoV8L4698	CHAMPABATI NAIK	31	F	NPS/TS	02.05.2021	NEGATIVE
130	nCoV8L4699	PRIYA DARSHANI SAMARU	8	F	NPS/TS	02.05.2021	NEGATIVE
131	nCoV8L4700	DIBAKAR NAYAK	71	M	NPS/TS	02.05.2021	NEGATIVE
132	nCoV8L4701	MITHUN CHANDRA NAIK	27	M	NPS/TS	02.05.2021	NEGATIVE
133	nCoV8L4702	SUBHAM ROUT	15	M	NPS/TS	02.05.2021	NEGATIVE
134	nCoV8L4703	SITA NAIK	26	F	NPS/TS	02.05.2021	NEGATIVE
135	nCoV8L4704	TARINI GOBNI	25	F	NPS/TS	02.05.2021	NEGATIVE
136	nCoV8L4705	SAFRUGHON ROUT	46	F	NPS/TS	02.05.2021	NEGATIVE
137	nCoV8L4706	SEEMA BURH	26	F	NPS/TS	02.05.2021	NEGATIVE
138	nCoV8L4707	JAGESWAR NAIK	48	M	NPS/TS	02.05.2021	NEGATIVE
139	nCoV8L4708	SISHILYA BURH	24	F	NPS/TS	02.05.2021	NEGATIVE
140	nCoV8L4709	SUSANTA SARANGI	34	M	NPS/TS	02.05.2021	NEGATIVE
141	nCoV8L4710	NIBEDITA DAS	28	F	NPS/TS	02.05.2021	NEGATIVE
142	nCoV8L4711	BIKASH SAHOO	27	M	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC, LAING - 30 APRIL 2021							
1	nCoV8L4712	PHULJEM TOPPO	23	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4713	JOSEPH MINZ	55	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4714	PARBATI XESS	55	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4715	KALPANA KANTA	50	F	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4716	YAKUT EKKA	35	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4717	ANIMA EKKA	34	F	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4718	SUSHRI PRUSTY	43	F	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4719	SAWAT SAHO	42	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4720	PRIYANKA TANTY	24	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4721	SUSHIL BARLA	32	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4722	SONALI LAKRA	25	F	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4723	JATIA RANA	40	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4724	SAGAR HARO	25	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

14	nCoV8L4725	L TOPPO	30	F	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4726	NIMAYI CHARAN SAHOO	35	M	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4727	GULY SAHOO	56	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4728	GUNABANTI SAHOO	30	F	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4729	RAJANA EKKA	28	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4730	SUMITRA KUJUR	32	F	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4731	SOMYA RANJAN KUJUR	12	M	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4732	SHURUTI RANI KUJUR	8	F	NPS/TS	02.05.2021	NEGATIVE
22	nCoV8L4733	MARSELINA KULLU	66	F	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4734	ROSANANDA MISHRA	36	M	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4735	ARUN KU KUJUR	39	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4736	PRAMILA NANDA	23	F	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4737	SOBHARANI KIRO	34	F	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC, BIRMITRAPUR -30 APRIL 2021							
1	nCoV8L4738	FULKERIA DUNDUNG	41	F	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4739	JAGRITI SAGAR	25	F	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4740	SUNITA MITTAL	43	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4741	KANHIYA KUMAR MITTL	47	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4742	SHYAM MITTAL	19	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4743	BULBUL MITTAL	18	F	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4744	VANSHIKA BADI	10	F	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4745	BISAKHA BADI	39	F	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4746	BALDEV BADI	69	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4747	RAHUL KUJUR	22	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4748	MARIYA SURIN	21	F	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4749	ASHISH KR. GOEL	35	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4750	ANUJ LAKRA	24	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4751	SATYAM PANDEY	16	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

15	nCoV8L4752	VIVEKANAND PANDEY	60	M	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4753	ANKITA GOEL	29	F	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4754	SRABANI KAUDI	30	F	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4755	JAYANTU DAS	50	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4756	SIPRA PRIYA BARLA	24	F	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4757	ABHA BARLA	57	F	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4758	SILWANTI BARL	48	F	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC-LAHUNIPARA-30 APRIL 2021							
1	nCoV8L4759	BALBIR RAY	34	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4760	YOGENDRA KUMAR	31	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4761	DEBASISH KISHAN	20	M	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4762	NARAYAN MAHANTA	36	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4763	BIJAY KUMAR PATRA	36	M	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4764	SANAKAR PRASAD SAHU	40	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4765	SRINATH KUMAR PATRA	25	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4766	PADMANAVA SAY	41	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4767	TANKADHAR DHARUA	41	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4768	BANSHIDHAR MAHANTA	42	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4769	SANDYARANI SAHU	25	F	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4770	AMIT KUMAR SAHU	30	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4771	AKURA MAKAR	32	M	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4772	SRINATH KUMAR PATRA	50	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4773	SABNAM KANDULNA	19	F	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4774	BIKASH MUNDA	23	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4775	GURA MUNDA	23	M	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4776	BUDHURAM MIUNDA	20	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4777	BINOD MUNDA	20	M	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4778	SANTOSH ORAM	18	M	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4779	ABHINASH PRADAHAN	30	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

22	nCoV8L4780	DHANESWAR MAHANTA	37	M	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4781	PRAHLLAD MAHANTA	43	M	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4782	SANTOSH KUMAR MAHANTA	27	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4783	DEEPAK MAHAKUL	28	M	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4784	PREMALATA MUNDA	19	F	NPS/TS	02.05.2021	NEGATIVE
27	nCoV8L4785	OMM PRAKASH NEHERA	40	M	NPS/TS	02.05.2021	NEGATIVE
28	nCoV8L4786	GOLLU RAM	45	M	NPS/TS	02.05.2021	NEGATIVE
29	nCoV8L4787	SISUDEI MAHANATA	60	F	NPS/TS	02.05.2021	NEGATIVE
30	nCoV8L4788	BIKRAM KISHAN	23	M	NPS/TS	02.05.2021	NEGATIVE
31	nCoV8L4789	GURUCHARAN THAKUR	38	M	NPS/TS	02.05.2021	NEGATIVE
32	nCoV8L4790	SABITRI MAHANTA	25	F	NPS/TS	02.05.2021	NEGATIVE
33	nCoV8L4791	RAKESH KUMAR TANTY	23	M	NPS/TS	02.05.2021	NEGATIVE
34	nCoV8L4792	NARENDRA KUMAR MAJHI	49	M	NPS/TS	02.05.2021	NEGATIVE
35	nCoV8L4793	RABINDRA KUMAR MAHARANA	47	M	NPS/TS	02.05.2021	NEGATIVE
36	nCoV8L4794	SUSHIL JOJO	45	M	NPS/TS	02.05.2021	NEGATIVE
37	nCoV8L4795	GANESH BHUMIJ	24	M	NPS/TS	02.05.2021	NEGATIVE
38	nCoV8L4796	PADMA BHUMIJ	21	F	NPS/TS	02.05.2021	NEGATIVE
39	nCoV8L4797	PIPINDRA KUMAR BEHERA	31	M	NPS/TS	02.05.2021	NEGATIVE
40	nCoV8L4798	DAMBURADHAR SAHU	26	M	NPS/TS	02.05.2021	NEGATIVE
41	nCoV8L4799	MUNSAR SHA	30	M	NPS/TS	02.05.2021	NEGATIVE
42	nCoV8L4800	KAPIL MINZ	26	M	NPS/TS	02.05.2021	NEGATIVE
43	nCoV8L4801	JITENDRA MOHANTY	25	M	NPS/TS	02.05.2021	NEGATIVE
44	nCoV8L4802	TRINATH KANGARI	37	M	NPS/TS	02.05.2021	NEGATIVE
45	nCoV8L4803	LITAN KHATUA	21	M	NPS/TS	02.05.2021	NEGATIVE
46	nCoV8L4804	SUKANTA NAYAK	19	M	NPS/TS	02.05.2021	NEGATIVE
47	nCoV8L4805	ALOK OJHA	28	M	NPS/TS	02.05.2021	NEGATIVE
48	nCoV8L4806	ASISH PRADHAN	27	M	NPS/TS	02.05.2021	NEGATIVE
49	nCoV8L4807	SRIKANTA PRADHAN	28	M	NPS/TS	02.05.2021	NEGATIVE
50	nCoV8L4808	AJAY KUMAR YADAV	24	M	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION							

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

CHC- S BOLANG-30 APRIL 2021							
1	nCoV8L4809	DASARA KISHAN	45	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4810	KANDRI KISHAN	42	F	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4811	NIRASHA KISHAN	14	F	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4812	SAMA KISHAN	67	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4813	BUDUNI KISHAN	68	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4814	CHAMPA KISHAN	48	F	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4815	SUSIL KISHAN	12	M	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4816	FAGU KISHAN	65	M	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4817	PAMI KISHAN	68	F	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4818	duryadhan patra	45	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4819	JEMA PATRA	35	F	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4820	SORAJ PATRA	12	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4821	HARI PRIYA PATRA	10	F	NPS/TS	02.05.2021	NEGATIVE
14	nCoV8L4822	TRITHARAJ PATRA	63	F	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4823	PUJARANI PATRA	20	F	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4824	BIREN KELLO	24	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4825	SANJU BALA PATA	40	F	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4826	PANKAJ KUMAR BADNAYAK	23	M	NPS/TS	02.05.2021	NEGATIVE
19	nCoV8L4827	RASANANDA NAYAK	65	M	NPS/TS	02.05.2021	NEGATIVE
20	nCoV8L4828	PRATIMA BADNAYAK	43	F	NPS/TS	02.05.2021	NEGATIVE
21	nCoV8L4829	KAUSHALYA KALLO	24	F	NPS/TS	02.05.2021	NEGATIVE
22	nCoV8L4830	MAHARGU KALLO	49	M	NPS/TS	02.05.2021	NEGATIVE
23	nCoV8L4831	BIJAY KUMAR BADNAYAK	27	M	NPS/TS	02.05.2021	NEGATIVE
24	nCoV8L4832	JITENDRA KISHAN	23	M	NPS/TS	02.05.2021	NEGATIVE
25	nCoV8L4833	DAITRARI KISHAN	24	M	NPS/TS	02.05.2021	NEGATIVE
26	nCoV8L4834	KAMALA KISHAN	50	F	NPS/TS	02.05.2021	NEGATIVE
27	nCoV8L4835	TOPICHANDAN KISHAN	24	M	NPS/TS	02.05.2021	NEGATIVE
28	nCoV8L4836	BHAGBAN KISHAN	33	M	NPS/TS	02.05.2021	NEGATIVE
29	nCoV8L4837	DAIMATI KISHAN	32	F	NPS/TS	02.05.2021	NEGATIVE
30	nCoV8L4838	PURNIMA KISHAN	56	F	NPS/TS	02.05.2021	NEGATIVE
31	nCoV8L4839	BASANTI KISHAN	46	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

32	nCoV8L4840	REENA KISHAN	48	F	NPS/TS	02.05.2021	NEGATIVE
33	nCoV8L4841	HURESHI KISHAN	45	M	NPS/TS	02.05.2021	NEGATIVE
34	nCoV8L4842	RUPALI KISHAN	18	F	NPS/TS	02.05.2021	NEGATIVE
35	nCoV8L4843	BIKASH KISHAN	15	M	NPS/TS	02.05.2021	NEGATIVE
36	nCoV8L4844	KJHETRA KISHAN	49	M	NPS/TS	02.05.2021	NEGATIVE
37	nCoV8L4845	DALEI KISHAN	70	F	NPS/TS	02.05.2021	NEGATIVE
38	nCoV8L4846	KALINGA KISHAN	9	M	NPS/TS	02.05.2021	NEGATIVE
39	nCoV8L4847	PRAMLINA KISHAN	45	F	NPS/TS	02.05.2021	NEGATIVE
40	nCoV8L4848	TIKESWAR KISHAN	45	M	NPS/TS	02.05.2021	NEGATIVE
41	nCoV8L4849	HIMASHU KISHAN	14	M	NPS/TS	02.05.2021	NEGATIVE
42	nCoV8L4850	ANJANA KISHAN	45	F	NPS/TS	02.05.2021	NEGATIVE
43	nCoV8L4851	HARISANKAR KISHAN	8	M	NPS/TS	02.05.2021	NEGATIVE
44	nCoV8L4852	NURPAMANI KISHAN	48	M	NPS/TS	02.05.2021	NEGATIVE
45	nCoV8L4853	MAUSUMI KISHAN	13	F	NPS/TS	02.05.2021	NEGATIVE
46	nCoV8L4854	BARSHA KISHAN	12	F	NPS/TS	02.05.2021	NEGATIVE
RTPCR DAILY SWAB COLLECTION CHC-RAJGANGPUR-30 APRIL 2021							
1	nCoV8L4855	KAUSAL SHARMA	40	M	NPS/TS	02.05.2021	NEGATIVE
2	nCoV8L4856	ASHISH KUMAR PRADHAN	31	M	NPS/TS	02.05.2021	NEGATIVE
3	nCoV8L4857	JAGANNATH TANTY	39	M	NPS/TS	02.05.2021	NEGATIVE
4	nCoV8L4858	RAMAKANTA SHARMA	36	M	NPS/TS	02.05.2021	NEGATIVE
5	nCoV8L4859	ANKITA PRUSTY	17	F	NPS/TS	02.05.2021	NEGATIVE
6	nCoV8L4860	BINOD NANDA	35	M	NPS/TS	02.05.2021	NEGATIVE
7	nCoV8L4861	MALTI NAG	58	F	NPS/TS	02.05.2021	NEGATIVE
8	nCoV8L4862	MITA SAMAL	52	F	NPS/TS	02.05.2021	NEGATIVE
9	nCoV8L4863	BHASKAR SARANGI	29	M	NPS/TS	02.05.2021	NEGATIVE
10	nCoV8L4864	DEUNIS KUJUR	51	M	NPS/TS	02.05.2021	NEGATIVE
11	nCoV8L4865	DASARATHI BING	65	M	NPS/TS	02.05.2021	NEGATIVE
12	nCoV8L4866	TARA SHANKAR HALDAR	53	M	NPS/TS	02.05.2021	NEGATIVE
13	nCoV8L4867	RANJU SONI	50	F	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- *Please ensure and maintain the confidentially of the testreport.*
- *Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.**
- *Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.**
- *The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune*

Name of the VRDL: State VRDL, SCBMCH, Cuttack
Laboratory: Molecular Genomic Diagnostic Laboratory, Biochemistry, SCBMCH, Cuttack

Test Report

14	nCoV8L4868	BISRAM EKKA	52	M	NPS/TS	02.05.2021	NEGATIVE
15	nCoV8L4869	SANDHYA TARWAR	46	F	NPS/TS	02.05.2021	NEGATIVE
16	nCoV8L4870	RAM KUMAR DAS	50	M	NPS/TS	02.05.2021	NEGATIVE
17	nCoV8L4871	PRAMILA TOPPO	40	F	NPS/TS	02.05.2021	NEGATIVE
18	nCoV8L4872	SAMIR DHANWAR	40	M	NPS/TS	02.05.2021	NEGATIVE

Checked and Approved by

Dr. Pareshnath Mohanty
MBBS. M.D.
Consultant Microbiologist
ATD & TC, Cuttack
SCBMCH Campus

Associate Professor
Dept. of Biochemistry
SCB Medical College, Cuttack

Professor & Head
Department of Microbiology
S. C. B. Medical College, Cuttack

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- ***Please ensure and maintain the confidentially of the testreport.***
- ***Testingofreferredclinicalspecimenswasconsideredonthebasisofrequest/referralreceivedfrom/throughStateSurveillanceOfficer(SSO)of concerned State Integrated Disease Surveillance Programme (IDSP) affirming requirements of the casedefinition/s.***
- ***A single negative test result, particularly if this is from an upper respiratory tract specimen, does not excludeinfection.****
- ***Repeatsamplingandtestingof lowerrespiratoryspecimenisstronglyrecommendedinsevereorprogressivedisease.Therepeatspecimensmaybe considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing.****
- ***The sputum (if produced), endotracheal aspirate (ETA) or bronchoalveolar lavage (BAL)fluid would be appropriate fortesting.****
- ***A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.***
- ***PleasenotethattheseresultsarenottobeusedforanythesisorpresentationsorforPublicationinanyJournalwithout thepriorpermissionofthe Director, ICMR-National Institute of Virology,Pune***