



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP,, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	02.05.2022; 04:45 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital,, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	01.05.2022; 09:00 A.M.
Date & Time of receipt of specimen	02.05.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/271953	2137301271347	Albinush Tirkey	55	M	Nasal Swab	02.05.2022	Negative	9861080116	Rajgangpur, Sundargarh
02	Cov/271954	2137301271348	Jujhar Majhi	42	M	Nasal Swab	02.05.2022	Negative	9777413334	Nayadera Tangarpalli, Rourkela
03	Cov/271955	2137301271349	Raidhara Majhi	41	M	Nasal Swab	02.05.2022	Negative	7815089374	San Kalosiria Kuarmunda, Sundargarh
04	Cov/271956	2137301271350	Bahurani Badaik	80	F	Nasal Swab	02.05.2022	Negative	9439735572	Jolda A Block, Rourkela
05	Cov/271957	2137301271351	Tarulata Jena	60	F	Nasal Swab	02.05.2022	Negative	9427194439	Fertilizer Tangarpalli, Rourkela
06	Cov/271958	2137301271352	Sonali Mishra	21	F	Nasal Swab	02.05.2022	Negative	7008240680	Irigation Colony Panposh, Rourkela
07	Cov/271959	2137301271353	Ojas Mahapatra	37	M	Nasal Swab	02.05.2022	Negative	9937508514	Fertilizer Jharbahal Utkal Nagar, Rourkela
08	Cov/271960	2137301271356	Subham Mekap	26	M	Nasal Swab	02.05.2022	Negative	8917679289	Sector 8, Rourkela
09	Cov/271961	2137301271357	Sandeep Singh	29	M	Nasal Swab	02.05.2022	Negative	7008768245	Mangalbhawan, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*