



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	02.06.2021; 08:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	01.06.2021; 09:00 A.M
Date & Time of receipt of specimen	02.06.2021; 09:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/69743	Subasini Pradhan	60	F	Nasal Swab	02.06.2021	Negative
2	Cov/70063	Marium Khatun	24	F	Nasal Swab	02.06.2021	Negative
3	Cov/70064	Giridhari Majhi	47	M	Nasal Swab	02.06.2021	Negative
4	Cov/70065	Akash Prasad	34	M	Nasal Swab	02.06.2021	Negative
5	Cov/70066	Mithu Bhattacharya	59	F	Nasal Swab	02.06.2021	Negative
6	Cov/70067	Amisa Oram	17	F	Nasal Swab	02.06.2021	Negative
7	Cov/70068	Sushil Mundari	25	M	Nasal Swab	02.06.2021	Negative
8	Cov/70069	Ajit Pasayat	23	M	Nasal Swab	02.06.2021	Negative
9	Cov/70070	Mukunda Ghadai	39	M	Nasal Swab	02.06.2021	Negative
10	Cov/70072	Ranjit Kishan	26	M	Nasal Swab	02.06.2021	Negative
11	Cov/70073	Jula Saha	65	F	Nasal Swab	02.06.2021	Negative
12	Cov/69983	Safikul Alam	30	M	Nasal Swab	02.06.2021	Negative
13	Cov/69984	Samsul Shekh	20	M	Nasal Swab	02.06.2021	Negative
14	Cov/69985	Kamal Shekh	30	M	Nasal Swab	02.06.2021	Negative
15	Cov/69986	Karam Badaik	19	M	Nasal Swab	02.06.2021	Negative
16	Cov/69987	Rohit Nag	21	M	Nasal Swab	02.06.2021	Negative

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*