



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	02.07.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	01.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	02.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/279571	2137301310456	Ashok Kumar Pattanayak	69	M	Nasal Swab	02.07.2022	Negative	9938524417	S2H-61 Chhend Colony, Rourkela
02	Cov/279572	2137301310457	Binapani Pattanayak	63	F	Nasal Swab	02.07.2022	Negative	9938524417	S2H-61 Chhend Colony, Rourkela
03	Cov/279573	2137301310458	Vikash Choubey	28	M	Nasal Swab	02.07.2022	Negative	9937477747	Kabi Samrat Palli, Rourkela
04	Cov/279574	2137301310459	Priyanka Choubey	26	F	Nasal Swab	02.07.2022	Negative	9937477747	Kabi Samrat Palli, Rourkela
05	Cov/279575	2137301310460	Manas Ranjan Panda	36	M	Nasal Swab	02.07.2022	Negative	8114851830	D/12, Sector-20, Rourkela
06	Cov/279576	2137301310461	Rashmita Tripathy	34	F	Nasal Swab	02.07.2022	Negative	8114851830	D/12, Sector-20, Rourkela
07	Cov/279577	2137301310462	Advait Panda	1	M	Nasal Swab	02.07.2022	Negative	8114851830	D/12, Sector-20, Rourkela
08	Cov/279578	2137301310463	Jyoti Chhatri	19	F	Nasal Swab	02.07.2022	Negative	7077873903	Chhend Colony, Rourkela
09	Cov/279579	2137301310465	Sourav Prasad	30	M	Nasal Swab	02.07.2022	Negative	9004749776	Bisra Road Deluxe Lane, Rourkela
10	Cov/279580	2137301310467	Roshni Pandey	28	F	Nasal Swab	02.07.2022	Negative	9004749776	Bisra Road Deluxe, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR