



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	02.08.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	02.08.2021; 01:30 P.M.
Date & Time of receipt of specimen	02.08.2021; 02:25 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/113475	Abdul Wajib Khan	17	M	Nasal Swab	02.08.2021	Negative	7873128136	RGH OPD, Rourkela
02	Cov/113476	Gitika Samal	12	F	Nasal Swab	02.08.2021	Negative	9338414784	RGH OPD, Rourkela
03	Cov/113477	Bharati Pradhan	31	F	Nasal Swab	02.08.2021	Negative	9348779951	RGH OPD, Rourkela
04	Cov/113478	Raghunath Padhary	42	M	Nasal Swab	02.08.2021	Negative	9439083971	RGH IPD, Rourkela
05	Cov/113479	Subham Prasad	25	M	Nasal Swab	02.08.2021	Negative	9114495990	RGH IPD, Rourkela
06	Cov/113480	Bhimsen Oram	25	M	Nasal Swab	02.08.2021	Negative	7205016476	RGH IPD, Rourkela
07	Cov/113481	Surat Singh	26	M	Nasal Swab	02.08.2021	Negative	8093794659	RGH IPD, Rourkela
08	Cov/113482	Babu Ku Khan	26	M	Nasal Swab	02.08.2021	Negative	8144469259	RGH IPD, Rourkela
09	Cov/113483	Sudipta Kumar	25	M	Nasal Swab	02.08.2021	Negative	9938691092	RGH OPD, Rourkela
10	Cov/113484	Durjodhan Biswal	60	M	Nasal Swab	02.08.2021	Negative	9938821671	RGH OPD, Rourkela
11	Cov/113485	Rachit Aswani	18	M	Nasal Swab	02.08.2021	Negative	7008088458	RGH OPD, Rourkela
12	Cov/113486	Pradhan Abhijit	27	M	Nasal Swab	02.08.2021	Negative	9479041770	RGH OPD, Rourkela
13	Cov/113487	Monalisha Behera	21	F	Nasal Swab	02.08.2021	Negative	8327733236	RGH OPD, Rourkela
14	Cov/113488	Rajalaxmi Bakshya	21	F	Nasal Swab	02.08.2021	Negative	9348930003	RGH IPD, Rourkela
15	Cov/113489	Vicky Ekka	18	M	Nasal Swab	02.08.2021	Negative	9438907170	RGH OPD, Rourkela
16	Cov/113490	Sushant Das	47	M	Nasal Swab	02.08.2021	Negative	9437040006	RGH IPD, Rourkela
17	Cov/113491	Sanatan Kumari	46	M	Nasal Swab	02.08.2021	Negative	8763615962	RGH IPD, Rourkela
18	Cov/113492	Ram Chandra Gope	60	M	Nasal Swab	02.08.2021	Negative	7205429943	RGH IPD, Rourkela
19	Cov/113493	Sukram Gudia	55	M	Nasal Swab	02.08.2021	Negative	8763702174	RGH IPD, Rourkela
20	Cov/113494	Fagun Minz	65	M	Nasal Swab	02.08.2021	Negative	9937441083	RGH IPD, Rourkela
21	Cov/113495	Almonus Topno	58	M	Nasal Swab	02.08.2021	Negative	6371568791	RGH IPD, Rourkela

22	Cov/113496	Anita Bodra	28	F	Nasal Swab	02.08.2021	Negative	9114393995	RGH IPD, Rourkela
23	Cov/113497	Sonali Lata Mohanty	42	F	Nasal Swab	02.08.2021	Negative	9776452111	RGH IPD, Rourkela
24	Cov/113498	Rose Minz	41	F	Nasal Swab	02.08.2021	Negative	8658079237	RGH IPD, Rourkela
25	Cov/113499	Saraswati Kachhap	22	F	Nasal Swab	02.08.2021	Negative	9078260104	RGH IPD, Rourkela
26	Cov/113500	Teresa Gudia	75	F	Nasal Swab	02.08.2021	Negative	9668435890	RGH IPD, Rourkela
27	Cov/113501	Jogeswari Singh	50	F	Nasal Swab	02.08.2021	Negative	8260730476	RGH IPD, Rourkela
28	Cov/113502	Mahadev Badua	60	M	Nasal Swab	02.08.2021	Negative	7655941039	RGH IPD, Rourkela
29	Cov/113503	Soni Singh	16	F	Nasal Swab	02.08.2021	Negative	9867051809	RGH IPD, Rourkela
30	Cov/113504	Ashok Ku Das	50	M	Nasal Swab	02.08.2021	Negative	8093630745	RGH IPD, Rourkela
31	Cov/113505	Prahallad Deo	22	M	Nasal Swab	02.08.2021	Negative	7735215567	RGH IPD, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR